

DMB COPY

30-4837

SEP 8 1987

X-R-I Testing, Inc.
ATTN: L. H. Schlipp
Radiation Safety
Officer
1370 Piedmont
Troy, MI 48083

License No. 21-05472-01

Gentlemen:

This refers to the routine safety inspection conducted by Mr. D. R. Gibbons of this office on August 28, 1987, of activities authorized by NRC Byproduct Material License No. 21-05472-01 and to the discussion of our findings with Mr. Larry Redhage at the conclusion of the inspection.


The inspection was an examination of activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and with the conditions of your license. The inspection consisted of a selective examination of procedures and representative records, observations, independent measurements, and interviews with personnel.

During this inspection, certain of your activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice. A written response is required.

The responses directed by this letter and the accompanying Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, PL 96-511.

We will gladly discuss any questions you have concerning this inspection.


Sincerely,




D. G. Wiedeman, Chief
Nuclear Materials Safety
Section 1

Enclosure: Notice
of Violation

cc w/enclosure:
DCS/RSB (RIDS)

RIII 
Gibbons/ib

RIII 
Wiedeman

9/8/87

IE07
11

8709110283 870908
REG3 LIC30
21-05472-01 PDR