

Medical-Surgical Division
3M Health Care Group

3M Center
St. Paul, Minnesota 55144-1000
612/733 1110



March 2, 1989

Mr. Darrell Wiedeman, Chief
Materials Radiation - Protection Section
U.S. Nuclear Regulatory Commission
799 Roosevelt Road
Glen Ellyn, Illinois 60137

Dear Mr. Wiedeman:

As a follow-up to our previous correspondence, this letter is to provide to you additional information regarding an incident involving a leaking 3M Cs-137 source at Perkins Cancer Treatment Center, Baton Rouge, Louisiana.

Enclosed with this letter is a final summary report of the investigation conducted by 3M and recommendations resulting from that investigation intended to preclude recurrence of this type of event. Included as part of this report is a chronology of activities conducted by 3M and the Perkins Center during the investigation of this incident, which you received with correspondence dated April 18, 1988.

If you have any questions, please feel free to contact me (612/733-6421).

Sincerely yours,

Jacquelyn D. Bush
Jacquelyn D. Bush
Sr. Regulatory Affairs Specialist
3M Medical-Surgical Division
3M Center, Building 270-4A-05
St. Paul, MN 55144-1000

:dlg

Enclosure

B906220367 B90516
PDR REVQP NRGTHMCO PDR

1 1989