

MAR 9 1988

Schneller/Meigs Testing
ATTN: Bob Schneller
P.O. Box 1661
Laramie, Wyoming 82070

Gentlemen:

Please find enclosed your NRC material license. You should review this license carefully and be sure that you understand all conditions. If you have any questions, you may contact the reviewer who signed your license at 817/860-8100.

Please be advised that you must conduct your program involving radioactive materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Possess radioactive material only in the quantity and form indicated in your license.
3. Use radioactive material only for the purpose(s) indicated in your license.
4. Notify NRC in writing of any change in mailing address (no fee required if the location of radioactive material remains the same).
5. Request and obtain appropriate amendments if you plan to change ownership of your sole proprietorship or partnership, change the corporate status of your company, change locations of radioactive material, or make any other changes in your facility or program which are contrary to your license conditions or representations made in your license application and any supplemental correspondence with NRC. A license fee may be charged for the amendments if you are not in a fee-exempt category.
6. Submit a complete renewal application with proper fee, or termination request at least 30 days before the expiration date on your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of radioactive material after your license expires is a violation of NRC regulations.

RIV:NMLS
JAMarshall;df
3/9/88

NMLS
JEWWhitten
3/9/88

C:NMLS
CLCain
/88

8903170299 880309
REG4 LIC30
49-26924-01 PNU

7. Request termination of your license if you plan to permanently discontinue activities involving radioactive material.

You will be periodically inspected by NRC. A fee may be charged for inspections in accordance with 10 CFR Part 170. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation; imposition of a civil penalty; or an order suspending, modifying, or revoking your license as specified in the General Policy and Procedures for NRC Enforcement Action, 10 CFR Part 2, Appendix C. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which the NRC expects of its licensees.

Thank you for your cooperation.


Sincerely,

Original signed by
JACK E. WHITTEN

Charles L. Cain, Chief
Nuclear Materials Licensing Section

Enclosure:
As stated

Bob Schneller
P.O. Box 1661
Laramie, Wyoming 82070
(307) 742-7747



NEW LICENSE
EE: MC 461824

- ✓Item 2. change to, Schneller/Meigs Testing
P.O. Box 1661
Laramie, Wyoming 82070
- ✓Item 5. add, a. Americium ²⁴¹ /Beryllium
b. Sealed Source, Troxler Model 3216
c. 44 millicuries. One (1) source per gauge
as per Troxler drawing A-102451
- Item 6. add, To be used in Troxler model 3216 Roof Moisture Gauge
to measure hydrogen content of roof materials.
- ✓Item 10-7. change to, The gauge will be leak tested every six
months using an approved kit. Results will be
maintained for permanent record and inspection.
- ✓Item 10-10. Removal of the source or other major maintenance will
be done by the manufacturer.
- ✓Item 10-11. We will follow Dept. of Transportation rules when
transporting gauge.
- ✓Item 10-12. Film badges will be exchanged monthly.

461824

RECORD OF TELEPHONE CONVERSATION

Date: 2/22/88
Time: Am

REGION IV

NRC Lic. No. New license

Person Called Robert #030-30402

Sab Schneller Title Owner

Organization _____

Telephone No. 307 - 742 - 7747

Person Calling Joe Marshall Title Lic. Asst.

☐ Investigation
☐ Notification
☒ Info. Request
☐ Other: _____

SUMMARY OF CONVERSATION

☐ Overexposure ☐ Misadministrati
☐ Allegation ☐ Leaking source
☐ Lic. Condition ☐ Release of R.M.
☐ Lost source
☐ Stolen source

Mrs. Schneller was asked to furnish the following:

1. Rate of exchange for personnel monitoring
2. Maintenance of gauge involving removal of source holder.
3. Commis to DOT reg.
4. Operating & emergency procedures

(FOR LFMS USE)
INFORMATION FROM LMS

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS


PROGRAM CODE: _____
STATUS CODE: 3
FEE CATEGORY: _____
EXP. DATE: 0
FEE COMMENTS: _____

LICENSE FEE TRANSMITTAL

A. REGION 4

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: BCE SCHNELLER
RECEIVED DATE: 880201
DOCKET NO: 3030402
CONTROL NO.: 461824
LICENSE NO.:
ACTION TYPE: NEW LICENSEE



2. FEE ATTACHED

AMOUNT: \$230
CHECK NO.: 4982

3. COMMENTS

SIGNED
DATE

Joe A. Marshall
2/3/88

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED 1/1)

1. FEE CATEGORY AND AMOUNT: 3P (\$230)

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT _____
RENEWAL _____
LICENSE _____

3. OTHER

SIGNED
DATE

M. Messer
2/2/88