

MAY 03 1989

Docket No. 030-28902

License No. 20-00320-21

E. I. DuPont de Nemours & Co., Inc.
Medical Products Department
ATTN: Mr. Roger C. Heiser
Operations Manager - Boston Area
549 Albany Street
Boston, Massachusetts 02118

Gentlemen:

Subject: Inspection No. 030-28902/88-002

This refers to your letter dated April 4, 1989, in response to our letter dated March 8, 1989.

Thank you for informing us of the corrective and preventive actions documented in your letter. These actions will be examined during a future inspection of your licensed program.

Your cooperation with us is appreciated.

Sincerely,

Original Signed By:
John D. Kinneman

John D. Kinneman, Chief
Nuclear Materials Safety Section B
Division of Radiation Safety
and Safeguards

cc:
Public Document Room (PDR)
Nuclear Safety Information Center (NSIC)
Commonwealth of Massachusetts

8905180333 890503
REG1 LIC30
20-00320-21 PNU

OFFICIAL RECORD COPY


RL E I DUPONT - 0001.0.0
04/25/89

RETURN ORIGINAL TO
REGION I


1E:07

E. I. DuPont de Nemours & Co., Inc. 2

bcc:
Region I Docket Room (w/concurrences)
C. T. Oberg, RI

 RI:DRSS
Oberg/bc

04/27/89

 RI:DRSS
Kinneman

05/2/89

OFFICIAL RECORD COPY

RI E I DUPONT - 0002.0.0
04/25/89