

15 Jeremiah Dr.
Dushway, Ma. 02332

April 16, 1989.

Wm Russell - Regional Director
775 Allendale Rd.
King of Prussia, Pa.

Dear Mr Russell,

Its 1:00 P.M. on April 16 and "another"

Unusual Event has been declared at the Pilgrim I Station.

It has been said that "the eyes are the reflection of ones soul". Several of us have noted you have kind and gentle eyes.

8905220272 890502
PDR ADDCK 05000293
R PNU

I am extremely disappointed with your response to my questions concerning liability and responsibility for the emergency response plans. Surely this questions must have crossed the mind of some one, especially in the deep-pocket era. I would so appreciate it if you would have someone other than doctor-doctor Belmont research the answer. An additional question has surfaced for you also. It is regarding the Price Anderson Claims. If a home/property is owned with a bank being the primary equity holder along with the current Resident, who would gain first control of the funds allocated from the Price Anderson Act - The Bank or the homeowner?

It has been a very difficult week for us in Dushway, another child has been diagnosed with a brain tumor - bringing the current list that I can name to 14. The irony in this situation is the child is 4 years old and attends the Montessori Nursery School in town. This school is located near the bay.

March 23, 1989

Mrs. Patricia Dowd
Chairman, Board of Selectmen
Town of Duxbury
Duxbury, MA 02332

Dear Chairman:

The Radiological Emergency Response Plan Advisory Committee was formed two and one-half (2½) years ago and was composed of a balanced group of members of the community as well as key department heads from the town. On February 27, 1989, the Board of Selectmen voted to reconstitute the committee to exclude town officials. The remaining committee members have completed their review of the Implementation Procedures (I.P.'s).

Based on our review of these I.P.'s, we recommend that a letter be written to BECo stating that we are returning the I.P.'s for corrections. The committee requires that these I.P.'s be thoroughly checked and coordinated to the point where detailed checking by this committee will not be necessary.

The basis for this request is our finding that the I.P.'s are so incomplete and the attachments are so lacking in content and readability that a complete review by this committee is not possible. In addition, decisions relating to the availability of buses, location of reception centers, handicapped persons' issues, no cross reference between the Evacuation Plan and the Implementation Procedures, and totally inadequate planning for nursing homes, latch key children, flyers for people coming from the beach, incorrect time estimates, traffic on Route 3, nursery schools, school dismissal, backup supply of buses, emergency worker radiation levels, Saquish/Garnet beach evacuation shelters, location of final shelters, availability of manpower, equipment that department heads have requested,
.
etc., etc., which are necessary to understanding the procedures and are critical for their successful implementation, have been ignored by those responsible. Questions raised by this committee have not been answered relative to these issues.

As one committee member stated at the last full committee meeting, "We're not going to get anywhere if we keep discussing things that haven't been resolved." State, local, and Edison officials must "resolve" the basic issues noted above before this committee will be able to get "anywhere" with its review.

The committee unanimously agreed that the I.P.'s have been prematurely submitted to our committee. Therefore, we recommend that the selectmen reject these procedures at this time and request that they be resubmitted when they and the agreements and facilities necessary for their implementation are complete.

We would be happy to meet with anyone at any time to review the details behind our recommendation.

Very truly yours,
Mayb. Diner
Committee Chairman

Committee Members
Therandye Litchfield
Neil Johnson
Donald Mainhard
Helen Dyer
Claire Donohue