MATERIAL THANSMITTED HEREWING

AIIC 2 8 1989

Docket No. 50-160 License No. R-97

Georgia Institute of Technology ATTN: Dr. Ratib A. Karam, Director Neely Nuclear Research Center 225 North Avenue Atlanta, GA 30332

Gentlemen:

SUBJECT: CASE NO. RII-87-A-0090

The enclosure to this letter documents information received during discussions between Region II personnel and a concerned individual. The NRC has not made an attempt to ascertain the accuracy of the information supplied by the individual. The enclosed concern is provided for your review and so that you can take the appropriate action.

The enclosed information is not being placed in the Public Document Room. Appropriate safeguards must be applied to the enclosed information in view of its unsubstantiated nature in order to avoid an unwarranted invasion of privacy or defamation of character of named individuals.

The concern identified in the enclosure contains sufficient information for followup and you are requested to initiate a review of this concern and provide us with your findings. You are requested to provide your findings to us within 45 days of receipt of this letter. In order to ensure appropriate protection for the information, please mark the letter with findings as containing "Information Exempt from Disclosure Under 10 CFR 2.790(a)(6) and (7)." Indicate on the envelope that is is "TO BE OPENED BY ADDRESSEE ONLY."

If you have any questions regarding this matter, please feel free to contact me or Mr. Oscar DeMiranda, Enforcement and Investigation Coordination Staff, at (404) 331-4193.

Sincerely, ORIGINAL SIGNED BY WILLIAM E. CLINE

William E. Cline, Chief Nuclear Materials Safety and Safeguards Branch Division of Radiation Safety and Safeguards

Enclosure: (See page 2)

8909140112 890828 PDR ADOCK 05000160 PDC PDC

10

Georgia Institute of Technology

2

Enclosure: Case No. RII-87-A-0090

cc w/o encl: State of Georgia

bcc w/o encl:
Document Control Desk

RII: DRSS CBassett 8/5/89 EMCAlpine 8/15/89 RII:ORA ODM ODeMiranda 8/26/89 GJenkins 8/8/89