




E-03NB04 (Q)

SIZE E



This drawing was prepared by the author of this drawing and is the property of the author. It is loaned to the recipient for use only in the project for which it was prepared. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the author.



- REFERENCE DRAWINGS
- 10466-E-01NB01
  - 10466-E-01NB02
  - 10466-E-03NB05
  - 10466-E-03NB06
  - 10466-E-03NB07
  - 10466-E-03NB08
  - 10466-E-03NB09

TI APERTURE CARD

NOTES

- THE HEATER SHOWN IS TYPICAL. THERE IS A TOTAL OF 34 HEATERS WIRED IN PARALLEL TO HEATER CONTROL CIRCUITS (TWO HEATERS PER CIRCULAR) EACH HEATER IS RATED AT 250 WATTS AT 240 VOLTS.
- THE AREA ENCLOSED BY THE DOTTED LINE IS THE SAME AS THE AREA ENCLOSED BY THE DOTTED LINE ASSOCIATED WITH THE HEATER IDENTIFIED EXCEPT FOR TEST SWITCH LOGS WHICH ARE THE LAST 3 DIGITS OF SINGLE CIRCULARS AND ARE NUMBERED IN SEQUENCE FOR EACH CIRCULAR.

COORDINATE FOR SHED OFF

NO.	1	2	3	4	5	6	7	8	9
HEAT	NR	NR	NR	NR	NR	NR	NR	NR	NR
INSTR	NR	NR	NR	NR	NR	NR	NR	NR	NR
OPER	NR	NR	NR	NR	NR	NR	NR	NR	NR
TEST	NR	NR	NR	NR	NR	NR	NR	NR	NR
ARMK	NR	NR	NR	NR	NR	NR	NR	NR	NR

SYNCHROSCOPE SELECTOR SWITCH CONTACT DEVELOPMENT

CONTACT	POSITION	ACT	DR
1-11-01	FOR	FOR	OFF
1-11-02	FOR	FOR	OFF
1-11-03	FOR	FOR	OFF
1-11-04	FOR	FOR	OFF
1-11-05	FOR	FOR	OFF
1-11-06	FOR	FOR	OFF
1-11-07	FOR	FOR	OFF
1-11-08	FOR	FOR	OFF

REVISIONS

NO.	DATE	DESCRIPTION	BY	CHKD.
1	10/20/78	ISSUED FOR CONSTRUCTION	J. VAN LAM	J. VAN LAM

SCALE: 1" = 10'

DATE: 7-13-78

DESIGNED BY: J. VAN LAM

CHECKED BY: J. VAN LAM

APPROVED BY: J. VAN LAM

PROJECT NO. 10466

DRAWING NO. E-03NB04 (Q) 10

REVISIONS

DATE: 7-13-78

DESIGNED BY: J. VAN LAM

CHECKED BY: J. VAN LAM

APPROVED BY: J. VAN LAM

PROJECT NO. 10466

DRAWING NO. E-03NB04 (Q) 10

I certify that the lamp installed on this form was made in the correct and correct manner of the lamp, and the data stated below and that it is an accurate record of the lamp's condition at the time of installation.

30X

17 99



TABLE

8410040038

PDR RIDS

