



UTILITY ROOM

TOILET

TOOL ROOM

WELDING SHOP

MATCH LINE
REF. DWG. F-54161
(SHEET 2)

CHAIN-OPER. ISOLATION
VALVE. HOOK CHAIN END
TO WALL (TYP. 6)

GENERAL
EXIT

DRESS/UNDRESS AREA

TABLE / BENCH

DRESS/UNDRESS AREA

AIR CHAMBER CUSHION
SINK WA. DRN.
SUMP PMP.

SINK DRN. TROUGH
SINK (TYP.)

SINK WA. DRN. SUMP PMP
VENT-1 1/2" TERM. 10'-0" A.F.F.

TO OILY WATER
COLLECTION TANK
(REF. DWG. H-7556)

DRESS/UNDRESS
AREA

DRESS/UNDRESS AREA

FOAM FIRE SUPPRESSION
SYSTEM

GENERAL
ENTRANCE

GENERAL ASSEMBLY

DEACTIVATE FLOOR DRAIN: (3 LOCATIONS)
(a) REMOVE GRATE COVER &
REPLACE WITH SOLID COVER
& SEAL WITH CAULK.
(THIS DRAIN ONLY)
(b) PLUG & SEAL 4" DRAIN LINE/S.
(TYPICAL AT 4 LOCATIONS)

PORTABLE CURTAIN
SCREEN PARTITION
& DIVISION (TYPICAL;
(REFER DWG. F-54162)

2" x 2" x 1/8" ALUM. SKIM
PLATE - AS NECESSARY
AND REQUIRED

ADJUSTABLE
HEIGHT SUPPORT
LEG - 16" EACH
PLATFORM

1 1/2" x 1 1/2" x 1" TK
FIBERGLASS PLAT.
GRATING - 38" x 42"
7 EA. SHWR AREA.

RISER ISOLATION VA.
0'-4" O.A.F.F. (TYP.)

WA. HTR. / TEMP. VA.
SKID (TYP.)

VINYL RIB ROLL-OUT
MATTING (TYP.)

RAISED PLATFORM
(TYP.)

SHWR. WA. DRN.
SUMP PMP. (TYP.)

SHOWER CABINET
(TYP.)

NOTE:

- SHWR CABINETS TO BE PREFAB.
ASSEMBLED WITH ALL APPURTENANCES -
READY FOR FIELD CONNECTION OF
TEMPERED WATER AND DRAIN LINES
ONLY.
- LEVEL AND STABILIZE INDIVIDUAL
CABINETS AS REQUIRED AND
RECOMMENDED BY MFR.

PLAN

ELEVATION

TYPICAL SHOWER CABINET DETAILS
NO SCALE

GENERAL NOTE:

- REFERENCE DRAWING F-54161 SHEET 2
FOR ADDITIONAL DETAILS AND NOTES.
- ALL EXISTING PERMANENT FACILITIES
1E: SERVICE AIR WATER, ETC. TO REMAIN
AS IS - ALL PORTABLE FACILITIES
1E: DRUMS, WASH CANS, ETC. TO BE
REMOVED FOR STORAGE.

REFERENCE DRAWINGS:


- M-3893 - OPERATIONS BUILDING
REV. 2 MISC. SERVICE PIPING
IN BUILDING.
- M-3905 - OPERATIONS BUILDING
FOYER & TOILET RM. DETAILS
& RM. FINISH SCHEDULE.
- M-3906 - OPERATIONS BUILDING
REV. 3 GARAGE TOILET & PLUMBING
DIAGRAM - DETAILS.

8905220163
"ISSUED FOR PERMITS"

W.O. SPECIFICATION M-

REV.	DATE	W.O.	DESCRIPTION	BY	CHKD	APPROV.
0	1-18-81	44430	'ISSUED FOR PERMITS'	GK	RL	RL

GENERAL SHOWER AREA PART PLAN - PLUMBING SHEET 1 BELLMORE OPERATION CENTER BELLMORE, NEW YORK	
LONG ISLAND LIGHTING COMPANY OFFICE OF ENGINEERING 178 EAST OLD COUNTRY ROAD HICKSVILLE, NEW YORK	
DWN: G. KAYLOR CD: AS NOTED APPD: NOV. 1988	SCALE: W.O. 44430-010 F-54160-0 FOLDER NO. 2



PART PLAN - OPERATIONS BUILDING
GENERAL SHOWER AREA
1/4" = 1'-0"

PDR RIDS

8905220163

