




PRC
APERTURE
CARD

NOTES :

1. FOR NOTES AND LEGEND SEE DRAWING 13-C-ZAS-500.
2. T.O.S. FOR BEAMS WITH COVER PLATES SHALL BE TOP OF COVER PLATE.
3. ALL BEAMS BETWEEN COLUMN LINES AS 1' TO 10' SHALL BE REMOVED AFTER THE SLAB AT EL. 100'-0" HAS BEEN CAST. THESE BEAMS ARE FOR TEMPORARY SHORING PURPOSES ONLY. QUALITY CLASS "S".
4. ALL CHANNELS SUPPORTING DECKING SHALL HAVE 1/2" X 8" X 16" WELDED STUDS, SPACED AT 12" O.C. ON USUAL CASE. SHIP LOOSE FOR FIELD INSTALLATION.

STEEL FRAMING PLAN FOR EL. 100'-0"
T.O.S. EL. (-3'-1 1/2") UNLESS NOTED

CERTIFIED DRAWING

REV. 74 SUBSEQUENT REV. 51 12/74 REV. 4 THRU 6 BY 11951				INCORP. DCN. #13 INCORP. DCN. #12 INCORP. DCN. #10, 11		INCORP. DCN. #7, 8, 9 INCORP. DCN. #4, 5, 6, 10, 11 INCORP. DCN. #3 INCORP. DCN. #1, 2, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100		ARIZONA NUCLEAR POWER PROJECT PALO VERDE NUCLEAR GENERATING STATION		AUXILIARY BUILDING AREA AND STRUCTURAL STEEL FRAMING PLAN FOR EL. 100'-0"		SCALE 1/8" = 1'-0" 13497 13-C-ZAS-523 7	
--	--	--	--	--	--	--	--	---	--	---	--	--	--

RIDS

8203240382

