


- NOTES:**
1. FOR NOTES, REFERENCE DRAWINGS SEE DRAWING C-717.
 2. CONCRETE SHALL BE 4,000 PSI (F5) U.N.C.
 3. ALLOWABLE FLOOR LIVE LOAD - 250 PSF.
 4. OMIT STEEL FRAME AS PER DETAIL (12) FOR ELEC. & TEMP. OPENINGS THRU THIS FLOOR.
 5. FOR ADDITIONAL PENETRATIONS SEE PLANT DESIGN & SEE'S DRAWINGS. WHERE CONFLICTS EXIST, X-DRAWINGS SHALL GOVERN.
 6. FOR CONC. BLOCK WALL ANCHORAGE PLATES SEE DWG. C-805 SH 2 DET. 2.



REFERENCE DWG'S		REFERENCE DWG'S	
BECHTEL NO.	PL. NO.	BECHTEL NO.	PL. NO.
C-226	E-105226	C-175-2	E-105524 SH 4
C-717	E-105524 SH 1	C-242	E-105245-4
C-725	E-105530 SH 2	C-116-2	E-105281
C-741	E-105538		
C-734	E-105531 SH 5		
C-720	E-105523 SH 5		
C-803	E-105529 SH 1		
C-801	E-105528 SH 1		
C-133	E-105233 SH 2		
C-804	E-105529 SH 2		
C-153-1	E-105529 SH 3		

NOTE
FOR MAIN STEAM VENT. SEE DWG. C-717

BARRIER WALLS FOR THE CONTROL ROOM AIR INTAKE

NO.	DESCRIPTION	DATE	BY	CHKD.
1	ISSUED FOR CONSTRUCTION	10/15/55	J. H. BENTLEY	J. H. BENTLEY
2	ISSUED FOR CONSTRUCTION	10/15/55	J. H. BENTLEY	J. H. BENTLEY
3	ISSUED FOR CONSTRUCTION	10/15/55	J. H. BENTLEY	J. H. BENTLEY
4	ISSUED FOR CONSTRUCTION	10/15/55	J. H. BENTLEY	J. H. BENTLEY
5	ISSUED FOR CONSTRUCTION	10/15/55	J. H. BENTLEY	J. H. BENTLEY
6	ISSUED FOR CONSTRUCTION	10/15/55	J. H. BENTLEY	J. H. BENTLEY
7	ISSUED FOR CONSTRUCTION	10/15/55	J. H. BENTLEY	J. H. BENTLEY
8	ISSUED FOR CONSTRUCTION	10/15/55	J. H. BENTLEY	J. H. BENTLEY
9	ISSUED FOR CONSTRUCTION	10/15/55	J. H. BENTLEY	J. H. BENTLEY
10	ISSUED FOR CONSTRUCTION	10/15/55	J. H. BENTLEY	J. H. BENTLEY

PENNSYLVANIA POWER & LIGHT COMPANY
 ALLENTOWN, PENNSYLVANIA
 SIOUX HARRIS STEAM ELECTRIC STATION - UNIT 1, UNIT 2

BECHTEL - SAN FRANCISCO

CENTRAL CONTROL BUILDING
FLOOR PLAN
ELEVATION 806'-0" AREA 2!

JOB NO. 8856 DRAWING NO. C-718 REV. 13

E-105526 SH 2
 8012180435

This drawing and the design it contains are the property of BECHTEL. They are not to be used for any other project without the written consent of BECHTEL.

RSDC — PDR

812180593

