



PRC
APERTURE
CARD

- NOTES:
1. THE NORMAL POSITION IS CONSIDERED THE OPEN POSITION AND THE BYPASS POSITION IS THE CLOSED POSITION. VALVE ACTION IS AIR TO OPEN, NORMALLY.
 2. LINES TO SAMPLE SYSTEM ARE STAINLESS STEEL TUBE AS SPECIFIED IN DWG 7210-25-409.
 3. 1\"/>

NO.	DESCRIPTION	DATE	BY	CHKD
1	INCORPORATED FOR P-400 AND ADDED ACP20 VALVE AND REDESIGNED LINE	11/27/68	J.M.	J.M.
2	INCORPORATED FOR M-4902	11/27/68	J.M.	J.M.
3	INC. FOR M-442, FCM-400, AND FCM-401	11/27/68	J.M.	J.M.
4	REVISED AS INDICATED	11/27/68	J.M.	J.M.
5	INC. FOR CONSTRUCTION THIS DWG. OF M-442 AND SUPERCEDES M-442 BY COMPLETE REDRAWN AND REVISED. ADDED VENTS, DRAIN, WATER ROOT REMOVER, ASPECT VALVES, AND	11/27/68	J.M.	J.M.

BECHTEL
SAN FRANCISCO, CALIF.

MID-AND PLANT UNITS 1 & 2
CONSUMERS POWER COMPANY

PIPING & INSTRUMENT DIAGRAM
FUEL POOL COOLING & PURIFICATION

JOB NO.	DRAWING NO.	REV.
7220	M-414-B (5)	5

17"

8.5"

8.5"

11"

17"

17"

8.5"

8.5"

11"

17"

RIDS

8302090577

