



- NOTES:
1. THE HP AND LP CONTROL VALVES ARE CONTROLLED BY A COMMON MECHANICAL LINKAGE.
 2. STEAM TRAP IS FURNISHED WITH AN INTEGRAL SLOW-DOWN VALVE.
 3. 1" 2HBD-156 IS A LOW POINT DRAIN LINE USES START-OFF BY FIRING CONSTRAINTS.
 4. DUE TO SYSTEM COMPLEXITY ELECTRICAL WIRE CONNECTIONS FOR VENDOR SUPPLIED EQUIPMENT AND CONTROLS ARE NOT ALL SHOWN FOR INFORMATION REFER TO VP M-9-671

PRC
APERTURE
CARD

1	REVISION	DATE	BY	CHKD
1	ISSUED FOR CONSTRUCTION	10/1/68	J. H. B.	J. H. B.
2	REVISED AS INDICATED	10/1/68	J. H. B.	J. H. B.
3	REVISED AS INDICATED	10/1/68	J. H. B.	J. H. B.
4	REVISED AS INDICATED	10/1/68	J. H. B.	J. H. B.
5	REVISED AS INDICATED	10/1/68	J. H. B.	J. H. B.
6	REVISED AS INDICATED	10/1/68	J. H. B.	J. H. B.
7	REVISED AS INDICATED	10/1/68	J. H. B.	J. H. B.
8	REVISED AS INDICATED	10/1/68	J. H. B.	J. H. B.

BECHTEL
1950-1968

MIDLAND PLANT UNITS 1 & 3
CONSOLIDATED POWER COMPANY

PIPING & INSTRUMENT DIAGRAM
AUXILIARY STEAM UNIT NO. 2

JOB NO.	DRAWING NO.	REV.
7220	M-434B	5

RIDS

8302100044

