



PRO APERTURE CARD

- NOTES:
1. REMOVABLE SPOOL FOR TEMPORARY INSERTION OF SAMPLE PLATE OUT HOLDER
 2. ALL BENDS IN 1/2" PIPING TO MONITORS SHALL BE IN ACCORDANCE WITH SPEC. M-204 REV 14 PARA 4.2 AND CHANGES IN DIRECTION SHALL BE DONE ONLY WITH WELDS.
 3. P & ID FOR HYDROGEN MONITORS SHOWN ON VENDOR PRINT 7220-284-23

NO.	DATE	DESCRIPTION	BY	CHKD.
1	7/22/68	ISSUED FOR USE	C. RACK	D. CORNELL
2	8/1/68	REVISIONS AND REVISIONS TO BE MADE TO THIS DRAWING SHALL BE INDICATED BY CHANGES TO THIS DRAWING		
3	8/1/68	REVISIONS AND REVISIONS TO BE MADE TO THIS DRAWING SHALL BE INDICATED BY CHANGES TO THIS DRAWING		
4	8/1/68	REVISIONS AND REVISIONS TO BE MADE TO THIS DRAWING SHALL BE INDICATED BY CHANGES TO THIS DRAWING		
5	8/1/68	REVISIONS AND REVISIONS TO BE MADE TO THIS DRAWING SHALL BE INDICATED BY CHANGES TO THIS DRAWING		

BECHTEL	
MIDLAND PLANT UNITS 1 & 2 CONSUMERS POWER COMPANY	
PIPING & INSTRUMENT DIAGRAM MISCELLANEOUS INSTRUMENTATION REACTOR BUILDING UNIT 1	
7220	M-479 SH. 1 (O) 3

11
8.5
8.5
11
17

11
8.5
8.5
11
17

30X

RIDS

8307140/83

