



IN DESIGN 3240-RC  
 THE SAFETY-RELATED DESIGN INFORMATION CONTAINED IN  
 THIS DRAWING HAS BEEN REVIEWED AND DETERMINED TO  
 BE CORRECT AND COMPLETE. THE DESIGNER IS RESPONSIBLE FOR THE  
 ACCURACY OF THE INFORMATION CONTAINED HEREIN. THE REVIEWER IS  
 RESPONSIBLE FOR THE ACCURACY OF THE INFORMATION CONTAINED  
 HEREIN. THE REVIEWER IS RESPONSIBLE FOR THE ACCURACY OF THE  
 INFORMATION CONTAINED HEREIN. THE REVIEWER IS RESPONSIBLE FOR  
 THE ACCURACY OF THE INFORMATION CONTAINED HEREIN.

PRC  
 APERTURE  
 CARD

POOL ORIGINAL

VALVE NO.	DESCRIPTION	CONTROL SWITCH OF SW. NO. LOC.	LOCAL CONTROL SWITCH SW. NO. LOC.
C-507	RCP CONTROLLED BLEEDOFF HEADER TRAIL	MS-507 CONTROL ROOM	MS-507-1 RSP

APPROVED  
 REFERENCE  
 DESIGN

1. VALVE WILL REMAIN IN FAILURE POSITION UNTIL RESET FOLLOWING LOSS OF POWER.
2. FOR L.S. DEVELOPMENT SEE FIG. 063 DEV. 2.
3. FOR O.I. AND C.S/L SWITCH DEVELOPMENT SEE FIG. 063 SHT. 2 DEV. 2.
4. KEYLOCK REQUIRED FOR O.I. AND C.S/L SWITCH KEY REMOVABLE IN THE LOCKED OPEN POSITION.

REV.	DESCRIPTION	PROJ. APPD.	DATE	CHKD. DATE	CHKD. BY	REV.	DESCRIPTION	PROJ. APPD.	DATE	CHKD. DATE	CHKD. BY
1	INITIALLY RELEASED. ADDED TO A STICKER UPON ISSUING TO FIELD PER REQ. 6773-297										

NUCLEAR SAFETY RELATED  
 DRAWN BY: S.S. LAY / V. SPEER  
 CHECKER: [Signature]  
 APPROVALS: [Signatures]  
 THE DESIGN IS THE PROPERTY OF COMBUSTION ENGINEERING INC. AND IS NOT TO BE REPRODUCED OR USED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF COMBUSTION ENGINEERING INC. A REPRODUCTION OF THIS DRAWING FOR ANY PURPOSE OTHER THAN THAT AUTHORIZED BY COMBUSTION ENGINEERING INC. IS STRICTLY PROHIBITED.

WASHINGTON PUBLIC POWER SUPPLY SYSTEM  
 NUCLEAR PROJECTS 3 AND 4  
 ELEMENTARY WIRING DIAGRAM  
 SOLENOID OPERATED VALVES  
 COMP. CODE NO.  
 B-8973-4143720V  
 SHEET 5 OF 5  
 324510

DISCIPLINE COMMENTS  
 DATE BY: 1-21-77

DESIGN	DISCIPLINE	ENGINEERING
MECHANICAL		
CIVIL		
ELECTRICAL		
PLUMBING		
PAINT		
WELDING		
CONSTRUCTION		
OPERATION		
MAINTENANCE		
SALES		
TRAINING		
RESEARCH		
DEVELOPMENT		
TESTING		
QUALITY CONTROL		
STANDARD DISTRIBUTION		

3240-RC  
 WASHINGTON PUBLIC POWER SUPPLY SYSTEM  
 NPPSS NUCLEAR PROJECT NO. 3  
 PRC 6088  
 COMMENTS TO BE MADE BY THE DESIGNER:  
 COMMENTS TO BE MADE BY THE REVIEWER:  
 COMMENTS TO BE MADE BY THE APPROVALS:  
 COMMENTS TO BE MADE BY THE OPERATOR:  
 COMMENTS TO BE MADE BY THE MAINTENANCE:  
 COMMENTS TO BE MADE BY THE TRAINING:  
 COMMENTS TO BE MADE BY THE RESEARCH:  
 COMMENTS TO BE MADE BY THE DEVELOPMENT:  
 COMMENTS TO BE MADE BY THE TESTING:  
 COMMENTS TO BE MADE BY THE QUALITY CONTROL:  
 COMMENTS TO BE MADE BY THE STANDARD DISTRIBUTION:  
 COMMENTS TO BE MADE BY THE SALES:  
 COMMENTS TO BE MADE BY THE OPERATION:  
 COMMENTS TO BE MADE BY THE CONSTRUCTION:  
 COMMENTS TO BE MADE BY THE WELDING:  
 COMMENTS TO BE MADE BY THE PAINT:  
 COMMENTS TO BE MADE BY THE PLUMBING:  
 COMMENTS TO BE MADE BY THE ELECTRICAL:  
 COMMENTS TO BE MADE BY THE CIVIL:  
 COMMENTS TO BE MADE BY THE MECHANICAL:  
 COMMENTS TO BE MADE BY THE NUCLEAR PROJECTS 3 AND 4  
 COMMENTS TO BE MADE BY THE ELEMENTARY WIRING DIAGRAM  
 COMMENTS TO BE MADE BY THE SOLENOID OPERATED VALVES  
 COMMENTS TO BE MADE BY THE COMP. CODE NO.  
 COMMENTS TO BE MADE BY THE B-8973-4143720V  
 COMMENTS TO BE MADE BY THE SHEET 5 OF 5  
 COMMENTS TO BE MADE BY THE 324510

RIDS

8302250445

