

34"

34"

22"

22"

17"

17"

11"

11"

5'8"

5'8"

8.5"

8.5"

11"

11"

17"


17"

22"

22"

34"

34"



NOTES
 FOR REFERENCE DRAWINGS SEE 3240 G-1068 SHI UNLESS NOTED, ALL VALVE & LINE NUMBERS ARE TYPICAL FOR WPP-3; WPP-5 NORMALLY CLOSED VALVES IN HS SUPPLY PIPING SHALL BE LOCATED OUTSIDE THE ROOM IN WHICH THE HS IS LOCATED. REFER TO BUILDING FLOW DIAGRAMS FOR QUALITY CLASS.

WPPSS QUALITY CLASS I, II, FP & G

NUCLEAR SAFETY RELATED



WASHINGTON PUBLIC POWER SUPPLY SYSTEM
 NUCLEAR PROJECTS NO. 545
 100-1000 MW INSTALLATION
 1000-1000 MW INSTALLATION
 FLOW DIAGRAM
 FIRE PROTECTION SYSTEM
 60000 SERVO IS INCORPORATED

NO.	REV.	DATE	BY	CHK.	APP.
1		10/1/77			
2		10/1/77			

WPPSS-3240
 G-1068
 SHEET 2 OF 2

RIDS

8303010059

