



CONTAINMENT / ANNULUS DIFF PRESS 3
ANNULUS / OUTSIDE DIFF PRESS

- LEGEND**
 * THIS SHEET
 [] REPRESENTS MFR CABLE SERIAL NO.
- NOTES**
 1. CONTACT CLOSURE STARTS RECORDER CHART DRIVE PDR-HV5040BS.
 2. RECORDER PDR-HV5040BS HAS INPUT FROM PD-HV5040BS & PD-HV5042BS
 3. CONTACT OPENS ON HIGH DIFF. PRESS.
 4. JUMPER BY FIELD

NUCLEAR SAFETY RELATED		WPPSS QUALITY CLASS I	
EDASCO SERVICES INCORPORATED		WASHINGTON PUBLIC POWER SUPPLY SYSTEM	
DIV. CONTROL DR. PAIVA		NUCLEAR PROJECTS NO. 3 & 5	
CH. A. SEN		CONTROL WIRING DIAGRAM	
DATE JUN 9, 1978		HVAC SB INSTRUMENTATION SH. 3	
APPROVED <i>[Signature]</i>		WPPSS-3240 D-6001 SHEET 2984	

REV.	DATE	BY	APPROVED
1	8-3-82	CP	V.A.
2	7-9-82	CP	V.A.
3	8-7-81	CP	V.A.
4	6-27-79	CP	V.A.

FRO
APERTURE
CABD

RIDS

8303030565

