



- NOTES
- FOR PERIODIC PLANT LEAKAGE EVALUATION THE PORTION OF THE LINES IS FOR LIMITED IDENTICAL EQUIPMENT IS FURNISHED FOR UNIT B.
 - TRAP TEST AND REGULATION CONNECTIONS ARE BELOW THE NORMAL WATER LEVEL.
 - UNIT AVAILABLE BY SUPPLY TO TWO STANDARD BOTTLES. PRESSURE REGULATOR SUPPLIED. BOTTLES TO BE SET AT 5 PSI. PROVIDE A RELIEF VALVE AT EAST OF THE REGULATOR AND 15" AT 100 PSIG.
 - SPILL POTS NORMALLY REMOVED ONLY TO BE INSTALLED WHEN DRAINING AT CR DEPRESSURIZATION.
 - PIPE LENGTH CORRECTION BY THIS POINT TO BE AS LOW AS PRACTICABLE.
 - WAVE CONNECTIONS BE MADE AS SHOWN.
 - TRAP TEST VALVE TO RECEIVE FLOW DURING PERIODIC PLANT LEAKAGE EVALUATION.
 - 26" NO. 10-1/2" REGULATOR SHALL BE USED.

TI APERTURE CARD
POOR ORIGINAL

CLASS I

TEXAS UTILITIES SERVICES INC.
DALLAS POWER & LIGHT COMPANY
TEXAS ELECTRIC SERVICE COMPANY
TEXAS POWER & LIGHT COMPANY

COMPANY REVISIONS:
PROJECT - 2323-MI-0264

LIQUID WASTE PROCESSING
FLOW DIAGRAM
RC DRAIN TANK SUBSYSTEM

2323-MI-0264

NO.	DESCRIPTION	DATE	BY	CHKD.
1	AS SHOWN			
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

02-36

PDR RIDS

8406270351

