



FOR INFORMATION ONLY

DUKE POWER COMPANY  
 CATAMBA NUCLEAR STATION  
 UNITS: 1 & 2  
 STATUS: AS MANUFACTURED  
 CERTIFICATION LTR. NO. CALANBA-1336  
 AUTHORITY: C. D. MARKHAM  
 ENGR. LTR. NO. EP/SA-51663

1	17	7	6	14
2	18	7	5	27
3	19	7	6	14
4	20	7	5	27
5	21	7	6	14
6	22	7	5	27
7	23	7	6	14
8	24	7	5	27
9	25	7	6	14
10	26	7	5	27
11	27	7	6	14
12	28	7	5	27
13	29	7	6	14
14	30	7	5	27
15	31	7	6	14
16	32	7	5	27
17	33	7	6	14
18	34	7	5	27
19	35	7	6	14
20	36	7	5	27
21	37	7	6	14
22	38	7	5	27
23	39	7	6	14
24	40	7	5	27
25	41	7	6	14
26	42	7	5	27
27	43	7	6	14
28	44	7	5	27
29	45	7	6	14
30	46	7	5	27
31	47	7	6	14
32	48	7	5	27
33	49	7	6	14
34	50	7	5	27
35	51	7	6	14
36	52	7	5	27
37	53	7	6	14
38	54	7	5	27
39	55	7	6	14
40	56	7	5	27
41	57	7	6	14
42	58	7	5	27
43	59	7	6	14
44	60	7	5	27
45	61	7	6	14
46	62	7	5	27
47	63	7	6	14
48	64	7	5	27
49	65	7	6	14
50	66	7	5	27
51	67	7	6	14
52	68	7	5	27
53	69	7	6	14
54	70	7	5	27
55	71	7	6	14
56	72	7	5	27
57	73	7	6	14
58	74	7	5	27
59	75	7	6	14
60	76	7	5	27
61	77	7	6	14
62	78	7	5	27
63	79	7	6	14

APPROVED  
 DATE: JAN 07 1977  
 BY: [Signature]

CHW 1201.01-0115 002  
 General Assembly  
 SHAFT SEAL PUMP  
 QA CONDITION 1  
 E 776251

SECTION C-C  
 3/16" ARE ON Q.D. OF FLANGE  
 1/2" (19) DRILL 1.50 DEEP 4 HOLES USING ITEM 79 AS A TEMPLATE

ANSTEC  
 APERTURE  
 CARD



PDR RIDS

9403190093

