From: Melissa Beery (melissabeery2011@gmail.com) Sent You a Personal Message

<automail@knowwho.com>

Sent: Monday, September 21, 2020 10:01 PM

To: Holtec-CISFEIS Resource

**Subject:** [External\_Sender] Please do not approve Holtec permit in New Mexico

Dear Nuclear Regulatory Commission Holtec comments,

I object to the approval of the Holtec Consolidated Interim Storage site near Carlsbad, NM. It would be safer to reduce transportation of highly radioactive used reactor fuel by leaving it at the site of generation until a permanent repository exists. ?

- -- The proposed site is near a highway presenting a terrorism risk.
- --?The plan does not adequately address radiation risk to workers. ?
- --?There should be real-time monitoring for leakage.
- --?The lack of consideration of Hardened On-Site Storage at the reactor site as an alternative is a glaring problem. ?
- --?The lack of an on-site plan to deal with leakage is extremely concerning.

Thank you for your consideration

Sincerely,

Melissa Beery 842 CAMINO CONSUELO SANTA FE, NM 87507 melissabeery2011@gmail.com (505) 259-9055

This message was sent by KnowWho, as a service provider, on behalf of an individual associated with Sierra Club Rio Grande Chapter. If you need more information, please contact Sierra Club Rio Grande Chapter at Sierra Club Rio Grande Chapter at riogrande.chapter@sierraclub.org or (415) 977-5500.

Federal Register Notice: 85FR16150

Comment Number: 4203

Mail Envelope Properties (SvKyr3\_ISja5WHfwzzsxkg)

Subject: [External Sender] Please do not approve Holtec permit in New Mexico

**Sent Date:** 9/21/2020 10:01:13 PM **Received Date:** 9/21/2020 10:01:26 PM

From: Melissa Beery (melissabeery2011@gmail.com) Sent You a Personal Message

Created By: automail@knowwho.com

Recipients:

Post Office: ismtpd0138p1mdw1.sendgrid.net

Files Size Date & Time

MESSAGE 1168 9/21/2020 10:01:26 PM

**Options** 

Priority: Standard Return Notification: No Reply Requested: No

Reply Requested: No Sensitivity: Normal

Expiration Date: Recipients Received: