

From: Dianne Schlies (dianneschlies@me.com) Sent You a Personal Message
<automail@knowwho.com>
Sent: Thursday, September 24, 2020 4:59 PM
To: Holtec-CISFEIS Resource
Subject: [External_Sender] Please do not approve Holtec permit in New Mexico

Dear Nuclear Regulatory Commission Holtec comments,

I object to the approval of the Holtec Consolidated Interim Storage site near Carlsbad, NM. It would be safer to reduce transportation of highly radioactive used reactor fuel by leaving it at the site of generation until a permanent repository exists. ?

- The proposed site is near a highway, presenting a terrorism risk.
- ?The plan does not adequately address radiation risk to workers. ?
- ?There should be real-time monitoring for leakage.
- ?The lack of consideration of Hardened On-Site Storage at the reactor site as an alternative is a glaring problem. ?
- ?The lack of an on-site plan to deal with leakage is extremely concerning.

Thank you for your consideration.

Sincerely,

Dianne Schlies
10616 Snowheights Blvd NE
Albuquerque, NM 87112
dianneschlies@me.com
(505) 237-1106

This message was sent by KnowWho, as a service provider, on behalf of an individual associated with Sierra Club Rio Grande Chapter. If you need more information, please contact Sierra Club Rio Grande Chapter at Sierra Club Rio Grande Chapter at riogrande.chapter@sierraclub.org or (415) 977-5500.

Federal Register Notice: 85FR16150
Comment Number: 4667

Mail Envelope Properties (8GiPqdwNSUCIJ0iH8RW67g)

Subject: [External_Sender] Please do not approve Holtec permit in New Mexico
Sent Date: 9/24/2020 4:59:24 PM
Received Date: 9/24/2020 4:59:35 PM
From: Dianne Schlies (dianneschlies@me.com) Sent You a Personal Message

Created By: automail@knowwho.com

Recipients:

Post Office: geopod-ismtpd-6-5

| Files | Size | Date & Time |
|--------------|-------------|------------------------|
| MESSAGE | 1176 | 9/24/2020 4:59:35 PM |

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received: