



September 25, 2020

Materials Licensing Branch  
United States Nuclear Regulatory Commission  
Region III  
2443 Warrenville Road, Suite 210  
Lisle, IL 60532-4352

RE: Request for Amendment to License #24-01143-06

Dear NRC Reviewer:

Please amend license number 24-01143-06 to remove the following AU:

- 1) Sridevi R. Pitta, M.D.

Please amend license number 24-01143-06 to remove the following AMP:

- 1) Brandon Morgan, M.S.

The proposed removals have been approved by the Radiation Safety Committee.

Thank you for your attention to this request. If you have any questions concerning the above amendment request, or if we can be of further assistance, please do not hesitate to call us at (417) 269-6115. The fax number where we can be reached is 417-269-6979.

Sincerely,

A handwritten signature in black ink, appearing to read "Kimberly B. Prescott".

Kimberly Bradley Prescott, M.S.  
Medical Physicist, RSO  
Radiation Oncology, CoxHealth

A handwritten signature in black ink, appearing to read "Jeff Robinson".

Jeff Robinson  
Director of Radiation Oncology  
Radiation Oncology, CoxHealth

RECEIVED OCT 06 2020

ORIGIN ID:SGFA (417) 269-6115  
TONYA MONIER

3850 S. NATIONAL AVE  
SUITE 100  
SPRINGFIELD, MO 65807  
UNITED STATES US

SHIP DATE: 29SEP20  
ACTWGT: 1.00 LB  
CAD: 110817558/NET4280

BILL SENDER

TO **MATERIALS LICENSING BRANCH**  
**U.S. NUCLEAR REGULATORY COMMISSION**  
**2443 WARRENVILLE ROAD**  
**SUITE 210**

**LISLE IL 60532 RECEIVED OCT 06 2020**


(417) 269-3314

REF:

INV:

PO:

DEPT:



**FedEx**  
Express



56B,12/27E1B766

TRK# 7716 5573 5649  
0201

WED - 30 SEP 4:30P  
STANDARD OVERNIGHT


DSR

60532

IL-US

ORD

**XH DPAA**



#### After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on [fedex.com](http://fedex.com). FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.