

From: Lingam, Siva
Sent: Wednesday, October 14, 2020 10:57 AM
To: Schrage, John
Cc: Dixon-Herrity, Jennifer; Cusumano, Victor; Sweat, Tarico; Wengert, Thomas; Drake, Jason; Gaston, Ronald William; Shaw, Jim; Schenk, Timothy A
Subject: Entergy Fleet (Grand Gulf and River Bend) - Acceptance Review of TSTF-563 LAR, Revise Instrument Testing Definitions to Incorporate the Surveillance Frequency Control Program (EPID L-2020-LLA-0205)

By letter dated September 18, 2020 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML20262H225), Entergy Operations, Inc. (the licensee) submitted a license amendment request (LAR) associated with Technical Specifications Task Force (TSTF) Traveler TSTF-563, Revision 0, "Revise Instrument Testing Definitions to Incorporate the Surveillance Frequency Control Program," dated May 10, 2017 (ADAMS Accession No. ML17130A819), for Grand Gulf Nuclear Station and River Bend Station. TSTF-563 revises the Technical Specification (TS) definitions of Channel Calibration and Channel Functional Test, which currently permit performance by any series of sequential, overlapping, or total channel steps, to allow the required frequency for testing the components or devices in each step to be determined in accordance with the TS Surveillance Frequency Control Program. The U.S. Nuclear Regulatory Commission (NRC) issued a final safety evaluation approving TSTF-563, Revision 0, on December 4, 2018 (ADAMS Accession No. ML18333A152).

The purpose of this e-mail is to provide the results of the NRC staff's acceptance review for the above LAR. The acceptance review was performed to determine if there is sufficient technical information in scope and depth to allow the NRC staff to complete its detailed technical review. The acceptance review is also intended to identify whether the application has any readily apparent information insufficiencies in its characterization of the regulatory requirements or the licensing basis of the plant.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed LAR in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. You will be advised of any further information needed to support the NRC staff's detailed technical review by separate correspondence.

Based on the information provided in your submittal, the NRC staff has estimated that this licensing request will take approximately 140 hours to complete. The NRC staff expects to complete this review approximately by July 30, 2021, or earlier. If there are emergent complexities or challenges in our review that would cause changes to the initial forecasted completion date or significant changes in the forecasted hours, the reasons for the changes, along with the new estimates, will be communicated during the routine interactions with the assigned project manager. These estimates are based on the NRC staff's initial review of the application and they could change, due to several factors including requests for additional information, or unanticipated addition of scope to the review.

If you have any questions, please contact me at (301) 415-1564.

Siva P. Lingam

U.S. Nuclear Regulatory Commission
Project Manager
Palo Verde Nuclear Generating Station, Units 1, 2, and 3
Grand Gulf Nuclear Station
Entergy Fleet
Location: O-9E22; Mail Stop: O-9E03
Telephone: 301-415-1564
E-mail address: Siva.Lingam@nrc.gov

Hearing Identifier: NRR_DRMA
Email Number: 830

Mail Envelope Properties (BL0PR0901MB42102AB93E31FA3B25A84A4FF6050)

Subject: Entergy Fleet (Grand Gulf and River Bend) - Acceptance Review of TSTF-563 LAR, Revise Instrument Testing Definitions to Incorporate the Surveillance Frequency Control Program (EPID L-2020-LLA-0205)

Sent Date: 10/14/2020 10:57:07 AM

Received Date: 10/14/2020 10:57:07 AM

From: Lingam, Siva

Created By: Siva.Lingam@nrc.gov

Recipients:

"Dixon-Herrity, Jennifer" <Jennifer.Dixon-Herrity@nrc.gov>

Tracking Status: None

"Cusumano, Victor" <Victor.Cusumano@nrc.gov>

Tracking Status: None

"Sweat, Tarico" <Tarico.Sweat@nrc.gov>

Tracking Status: None

"Wengert, Thomas" <Thomas.Wengert@nrc.gov>

Tracking Status: None

"Drake, Jason" <Jason.Drake@nrc.gov>

Tracking Status: None

"Gaston, Ronald William" <rgasto1@entergy.com>

Tracking Status: None

"Shaw, Jim" <jshaw5@entergy.com>

Tracking Status: None

"Schenk, Timothy A" <TSCHENK@entergy.com>

Tracking Status: None

"Schrage, John" <jschrag@entergy.com>

Tracking Status: None

Post Office: BL0PR0901MB4210.namprd09.prod.outlook.com

Files	Size	Date & Time
MESSAGE	3543	10/14/2020 10:57:07 AM

Options

Priority: Normal

Return Notification: No

Reply Requested: No

Sensitivity: Normal

Expiration Date: