

Facility: Dresden Generating Station			Date of Exam: 6/8/2020			Operating Test No.: 2020-301											
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1			2			3			4						
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P		R	I	U
SRO-I # 1	RX	3b			2								2	1	1	0	
	NOR	1											1	1	1	1	
	I/C	3a,4, 5,6			4,6								6	4	4	2	
	MAJ	7,8			7								3	2	2	1	
	TS	2,5											2	0	2	2	
SRO-I # 2	RX		3b		2								2	1	1	0	
	NOR				1								1	1	1	1	
	I/C		5,6		3,4, 5,6								6	4	4	2	
	MAJ		7,8		7								3	2	2	1	
	TS				4,6								2	0	2	2	
SRO-I # 3	RX	3b			2								2	1	1	0	
	NOR	1											1	1	1	1	
	I/C	3a,4, 5,6			4,6								6	4	4	2	
	MAJ	7,8			7								3	2	2	1	
	TS	2,5											2	0	2	2	
SRO-I # 4	RX		3b		2								2	1	1	0	
	NOR				1								1	1	1	1	
	I/C		5,6		3,4, 5,6								6	4	4	2	
	MAJ		7,8		7								3	2	2	1	
	TS				4,6								2	0	2	2	
SRO-I # 5	RX	3b			2								2	1	1	0	
	NOR	1											1	1	1	1	
	I/C	3a,4, 5,6			4,6								6	4	4	2	
	MAJ	7,8			7								3	2	2	1	
	TS	2,5											2	0	2	2	

Facility: Dresden Generating Station			Date of Exam: 6/8/2020			Operating Test No.: 2020-301											
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1			2			3			4						
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P		R	I	U
SRO-I # 6	RX		3b		2								2	1	1	0	
	NOR				1								1	1	1	1	
	I/C		5,6		3,4, 5,6								6	4	4	2	
	MAJ		7,8		7								3	2	2	1	
	TS				4,6								2	0	2	2	

Instructions:

1. Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the at-the-controls (ATC) and balance-of-plant (BOP) positions. Instant SROs (SRO-I) must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an SRO-I *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
2. Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional I/C malfunctions on a one-for-one basis.
3. Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.
4. For new reactor facility licensees that use the ATC operator primarily for monitoring plant parameters, the chief examiner may place SRO-I applicants in either the ATC or BOP position to best evaluate the SRO-I in manipulating plant controls.

Facility: Dresden Generating Station		Date of Exam: 6/15/2020		Operating Test No.: 2020-301													
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1 (ILT-N-2)			2 (ILT-N-4)			3			4						
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P		R	I	U
SRO-I # 1 (Cooper)	RX	2			5								2	1	1	0	
	NOR	1											1	1	1	1	
	I/C	3,4,5 6,8			2,3								7	4	4	2	
	MAJ	7			7,8								3	2	2	1	
	TS	4,6											2	0	2	2	
SRO-I # 2 (Jursich)	RX		2		5								2	1	1	0	
	NOR				1								1	1	1	1	
	I/C		4,6, 8		2,3, 4,6								7	4	4	2	
	MAJ		7		7,8								3	2	2	1	
	TS				4,6								2	0	2	2	
SRO-I # 3 (Bushen)	RX	2			5								2	1	1	0	
	NOR	1											1	1	1	1	
	I/C	3,4,5 6,8			2,3								7	4	4	2	
	MAJ	7			7,8								3	2	2	1	
	TS	4,6											2	0	2	2	
SRO-I # 4 (Lopez)	RX		2		5								2	1	1	0	
	NOR				1								1	1	1	1	
	I/C		4,6, 8		2,3, 4,6								7	4	4	2	
	MAJ		7		7,8								3	2	2	1	
	TS				4,6								2	0	2	2	
SRO-I # 5 (Coady)	RX	2			5								2	1	1	0	
	NOR	1											1	1	1	1	
	I/C	3,4,5 6,8			2,3								7	4	4	2	
	MAJ	7			7,8								3	2	2	1	
	TS	4,6											2	0	2	2	

Facility: Dresden Generating Station			Date of Exam: 6/15/2020			Operating Test No.: 2020-301											
A P P L I C A N T	E V E N T T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1 (ILT-N-2)			2 (ILT-N-4)			3			4						
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P				
SRO-I # 6 (Tolooi)	RX		2		5								2	1	1	0	
	NOR				1								1	1	1	1	
	I/C		4,6, 8		2,3, 4,6								7	4	4	2	
	MAJ		7		7,8								3	2	2	1	
	TS				4,6								2	0	2	2	
<p>Instructions:</p> <ol style="list-style-type: none"> Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the at-the-controls (ATC) and balance-of-plant (BOP) positions. Instant SROs (SRO-I) must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an SRO-I <i>additionally</i> serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position. Reactivity manipulations may be conducted under normal or <i>controlled</i> abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (*) Reactivity and normal evolutions may be replaced with additional I/C malfunctions on a one-for-one basis. Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns. For new reactor facility licensees that use the ATC operator primarily for monitoring plant parameters, the chief examiner may place SRO-I applicants in either the ATC or BOP position to best evaluate the SRO-I in manipulating plant controls. 																	