



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
1600 E. LAMAR BLVD
ARLINGTON TX 76011-4511

October 23, 2020

Scott Fuller, M.S., DABR
Radiation Safety Officer
St. Luke's Regional Medical Center
190 E Bannock St
Boise, ID 83712

SUBJECT: LETTER CONCERNING APPLICATION FOR LICENSE AMENDMENT,
CONTROL NO. 618684

Mr. Fuller:

This concerns the subject application for an Amendment to your material license. On September 24, 2020, we notified you that the application was deficient, and that certain additional information was required. On October 6, 2020, you provided a signed letter which indicated that you had considered the additional information requested, and would like to rescind the amendment request.

Since you are no longer pursuing this application for an amendment, you are hereby notified that this application for an amendment has been withdrawn without prejudice. This action is without prejudice to the resubmission of an application.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Thank you for your cooperation.

Sincerely,

Casey Alldredge, Health Physicist
Materials Licensing and Inspection Branch

Docket: 030-32196
License: 11-27312-01
Control: 618684