		APPLICANTS														
	RO SRO-I SRO-U #1]]]	X)	RO SRO-I SRO-U #2		□ □ □)		RO SRO SRO		□ ⊠ □)		RO SRO-I SRO-U #4 (X 	
Competencies	SCENARIO				SCENARIO					SCENA	RIO	SCENARIO				
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	
Interpret/Diagnose Events and Conditions	2-8	4,6, 7,8			4,6, 7,8	2-8			2-8	4,6, 7,8			4,6, 7,8	2-8		
Comply with and Use Procedures (1)	1-8	2,4, 6,7, 8			2,4, 6,7, 8	1-8			1-8	2,4, 6,7, 8			2,4, 6,7, 8	1-8		
Operate Control Boards (2)		2,4, 6,7 8			2,4, 6,78			3		2,4, 6,7 8			2,4, 6,7 8			
Communicate and Interact	1-8	1-8			1-8	1-8	80	38	1-8	1-8			1-8	1-8		
Demonstrate Supervisory Ability (3)	1-8					1-8			1-8					1-8		
Comply with and Use TS (3)	4,6					4,6			4,6					4,6		

Instructions:

Check the applicants' license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant. (This includes all rating factors for each competency.) (Forms ES 303 1 and ES 303 3 describe the competency rating factors.)

Facility: Dresden Generating Station Date of Examination: 6/15/2020 Operating Test No.: 2020-301																
					APPLICANTS											
	RO SRO-I X SRO-U		RO SRO SRO	D-I	J 🗆		RO SRO-I SRO U				RO SRO-I SRO-U					
Competencies	SCENARIO				SCENARIO				SCENARIO							
	1	2	3	4	1	2	3	4	1	2	A	4	1	2	/3	4
Interpret/Diagnose Events and Conditions	2-8	4,6, 7,8			4,6 ,7, 8	2-8										
Comply with and Use Procedures (1)	1-8	2,4, 6,7, 8			2,4 ,6, 7,8	1-8							X			
Operate Control Boards (2)		2,4, 6,7 8			2,4 ,6, 78						/					
Communicate and Interact	1-8	1-8			1-8	1-8				,				`		
Demonstrate Supervisory Ability (3)	1-8					1-8										
Comply with and Use TS (3)	4,6					4,6										

Notes:

- (1) Includes TS compliance for an RO.
- (2) Optional for an SRO-U.
- (3) Only applicable to SROs.