



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

December 10, 2020

Mr. Bryan C. Hanson
Senior Vice President
Exelon Generation Company, LLC
President and Chief Nuclear Officer (CNO)
Exelon Nuclear
4300 Winfield Road
Warrenville, IL 60555

SUBJECT: BYRON STATION, UNIT NOS. 1 AND 2 – EXEMPTION FROM ANNUAL FORCE-ON-FORCE EXERCISE REQUIREMENTS OF 10 CFR PART 73, APPENDIX B, “GENERAL CRITERIA FOR SECURITY PERSONNEL,” SUBSECTION VI.C.3(I)(1) (EPID L-2020-LLE-0199) [COVID-19]

Dear Mr. Hanson:

The U.S. Nuclear Regulatory Commission (NRC, the Commission) has approved the requested exemption from a specific requirement of Title 10 of the *Code of Federal Regulations* (10 CFR) Part 73, Appendix B, Section VI, “Nuclear Power Reactor Training and Qualification Plan for Personnel Performing Security Program Duties,” for Byron Station, Unit Nos. 1 and 2 (Byron), for calendar year (CY) 2020. This action is in response to Exelon Generation Company, LLC’s (Exelon or the licensee) application dated November 13, 2020 (Agencywide Documents Access and Management System (ADAMS) Package Accession No. ML20318A287; non-public, withheld under 10 CFR 2.390), that requested an exemption from 10 CFR Part 73, Appendix B, Section VI, subsection C.3.(I)(1), regarding annual force-on-force (FOF) exercises for CY 2020 at Byron.

The requirements in 10 CFR Part 73, Appendix B, Section VI, subsection C.3.(I)(1), state, in part:

Each member of each shift who is assigned duties and responsibilities required to implement the safeguards contingency plan and licensee protective strategy participates in at least . . . one (1) force-on-force exercise on an annual basis. Force-on-force exercises conducted to satisfy the NRC triennial evaluation requirement can be used to satisfy the annual force-on-force requirement for the personnel that participate in the capacity of the security response organization.

The purpose of the annual licensee-conducted FOF exercises is to ensure that the site security force maintains its contingency response readiness. Participation in these exercises also supports the requalification of security force members.

On January 31, 2020, the U.S. Department of Health and Human Services declared a Coronavirus Disease 2019 (COVID-19) public health emergency (PHE) for the United States. Subsequently, the Centers for Disease Control and Prevention (CDC) issued recommendations

(e.g., social distancing, limiting assemblies) to limit the spread of COVID-19. On August 17, 2020 (ADAMS Accession No. ML20213C177), the NRC granted the licensee's previous request for temporary exemption from 10 CFR Part 73, Appendix B, Section VI, subsection C.3.(l)(1). That exemption is set to expire on December 31, 2020. As such, the licensee is required to conduct any missed annual licensee-conducted FOF exercises by December 31, 2020.

The licensee's application dated November 13, 2020, states the following, in part:

- The Governor of the State of Illinois issued restrictions in response to the spread of the COVID-19 virus and imposed isolation and other limitations throughout the State. The COVID-19 PHE has not ended and continues to impact the licensee's ability to conduct annual FOF exercises at Byron.
- Conducting the 2020 annual FOF exercise training as required by 10 CFR 73, Appendix B, Section VI, Subsection C.3.(l)(1), would require the use of a significant number of additional staff (e.g., multiple shifts of staff and personnel from other sites, etc.) to support and effectively implement the annual training exercise for 2020. Holding the 2020 FOF exercise would locate drill participants and drill controllers in close quarters (e.g., bullet resistant enclosures, defensive fighting positions, Central Alarm Station, etc.), making it difficult and impractical to meet CDC recommendations regarding assembly practices and social distancing restrictions during this continuing COVID-19 PHE. Since many of the functions required to conduct the training exercise would place plant staff and other participants in close proximity to one another as noted, it could increase the likelihood of plant Security personnel and other participants exposure to the COVID-19 virus.
- Approval of this exemption will continue to support the isolation protocols necessary to protect essential site personnel. These restrictions are needed to ensure personnel are isolated from the COVID-19 disease and remain capable of maintaining plant security.
- Impacted security personnel continue to maintain proficiency with the knowledge, skills, and abilities required to effectively implement the protective strategy to protect the station against the design basis threat as described in 10 CFR 73.1, "Purpose and scope," because Byron has continued to conduct the following training requalification requirements of 10 CFR Part 73, Appendix B, Section VI:
 - Quarterly tactical response drills (Tabletop drills, Timeline drills, Limited-scope tactical response drills)
 - Annual firearms familiarization
 - Annual daylight qualification course
 - Annual night fire qualification course
 - Annual tactical qualification course
 - On-the-job training
 - Annual physical examination
 - Annual physical fitness test
 - Weapons range activity (4-month periodicity)
 - Annual written exam
 - Annual thermal sight qualification course
 - Controller training

- Less than lethal force training
- Annual protective mask training

- Byron has also conducted quarterly tabletops along with a review of FOF Lessons Learned in order to maintain proficiency during the COVID-19 pandemic. 2020 quarterly tabletops were completed on February 13, May 15, August 14 and fourth quarter tabletops are in progress. A review of lessons learned from FOF exercises was conducted and included both Annual and Triennial Lessons Learned from 2018 and 2019. The lessons learned review was completed on August 29, 2020. Byron had an NRC IP 71130.04 Inspection performed remotely during the week of August 24, 2020; the NRC is pending.

This exemption is specific to CY 2020 and Byron security personnel who have previously demonstrated proficiency and are currently qualified in accordance with the requirements of 10 CFR Part 73, Appendix B, Section VI. The licensee stated that “[b]ecause of the rigorous nature of nuclear Security personnel training programs, which consist of regularly scheduled training activities to include weapons training, limited scope tactical response drills, and demonstrated acceptable performance of day-to-day job activities (e.g., detection and assessment, patrols, searches, and defensive operations) . . . , it is reasonable to conclude that Security personnel will continue to maintain their proficiency even though the 2020 annual FOF exercise is not conducted for the exemption being requested.” Additionally, the November 13, 2020, request identified the site-specific actions listed above that have occurred or, will continue to occur, at Byron to maintain contingency response readiness, consistent with the NRC staff’s October 13, 2020, letter (ADAMS Accession No. ML20273A117).

Pursuant to 10 CFR 73.5, “Specific exemptions,” the Commission may, upon application by any interested person or upon its own initiative, grant exemptions from the requirements of 10 CFR Part 73 when the exemptions are authorized by law, will not endanger life or property or the common defense and security, and are otherwise in the public interest.

In accordance with 10 CFR 73.5, the Commission may grant an exemption from the regulations in 10 CFR Part 73 that is authorized by law. The NRC staff has reviewed the exemption request and finds that granting the proposed exemption will not result in a violation of the Atomic Energy Act of 1954, as amended, or other laws. Therefore, the NRC staff finds that the exemption is authorized by law.

In accordance with 10 CFR 73.5, the Commission may grant an exemption from the regulations in 10 CFR Part 73 when the exemption will not endanger life or property or the common defense and security. This exemption will only apply to licensee security personnel who are already satisfactorily qualified in accordance with the security requirements in 10 CFR Part 73, Appendix B, Section VI. Based on this fact and its review of the controls that the licensee has or will implement to ensure contingency response readiness for the duration of the exemption, including conducting quarterly tactical response drills and other security requalification requirements, the NRC staff has reasonable assurance that the security force at Byron will maintain its proficiency and readiness to implement the licensee’s protective strategy and adequately protect the site. Therefore, the NRC staff concludes that the proposed exemption would not endanger life or property or the common defense and security.

In accordance with 10 CFR 73.5, the Commission may grant an exemption from the regulations in 10 CFR Part 73 when the exemption is in the public interest. The NRC staff finds that the

exemption from the annual FOF exercise requirement in 10 CFR Part 73, Appendix B, Section VI, subsection C.3.(l)(1), for CY 2020 would facilitate the licensee's efforts to maintain a healthy workforce capable of operating the plant safely and implementing the site's protective strategy by isolating security personnel from potential exposure to the COVID-19 virus. The NRC staff concludes that granting the exemption for CY 2020 is in the public interest because it allows the licensee to maintain the required security posture at Byron, while enabling the facility to continue to provide electrical power to the Nation.

Environmental Considerations

NRC approval of this exemption request is categorically excluded under 10 CFR 51.22(c)(25), and there are no special circumstances present that would preclude reliance on this exclusion. The NRC staff determined, per 10 CFR 51.22(c)(25)(vi)(E), that the requirements from which this exemption is sought involve education, training, experience, qualification, requalification, or other employment suitability requirements. The NRC staff also determined that approval of this exemption request involves no significant hazards consideration because it does not authorize any physical changes to the facility or any of its safety systems, nor does it change any of the assumptions or limits used in the facility licensee's safety analyses or introduce any new failure modes. There is no significant change in the types or significant increase in the amounts of any effluents that may be released offsite because this exemption does not affect any effluent release limits as provided in the facility licensee's technical specifications or by the regulations in 10 CFR Part 20, "Standards for Protection Against Radiation." There is no significant increase in individual or cumulative public or occupational radiation exposure because this exemption does not affect limits on the release of any radioactive material, or the limits provided in 10 CFR Part 20 for radiation exposure to workers or members of the public. There is no significant construction impact because this exemption does not involve any changes to a construction permit; and no significant increase in the potential for or consequences from radiological accidents because this exemption does not alter any of the assumptions or limits in the facility licensee's safety analysis. In addition, the NRC staff determined that there would be no significant impacts to biota, water resources, historic properties, cultural resources, or socioeconomic conditions in the region. Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared in connection with the approval of this exemption request.

Conclusions

Accordingly, the NRC has determined that pursuant to 10 CFR 73.5, the exemption is authorized by law, will not endanger life or property or the common defense and security, and is otherwise in the public interest. Therefore, the NRC hereby grants the licensee's request to exempt Byron from the annual FOF exercise requalification requirement of security personnel in subsection C.3.(l)(1) of 10 CFR Part 73, Appendix B, Section VI. This exemption applies only to those FOF exercises required during CY 2020.

B. Hanson

- 5 -

If you have any questions, please contact the Byron, Unit Nos. 1 and 2 project manager, Joel S Wiebe, at (301) 415-6606 or Joel.Wiebe@nrc.gov.

Sincerely,

Craig G. Erlanger, Director
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. STN 50-454 and STN 50-455

cc: Listserv

SUBJECT: BYRON STATION, UNIT NOS. 1 AND 2 – EXEMPTION FROM ANNUAL FORCE-ON-FORCE EXERCISE REQUIREMENTS OF 10 CFR PART 73, APPENDIX B, “GENERAL CRITERIA FOR SECURITY PERSONNEL,” SUBSECTION VI.C.3(I)(1) (EPID L-2020-LLE-0199) [COVID-19] DATED DECEMBER 10, 2020

DISTRIBUTION:

PUBLIC

PM File Copy

RidsACRS_MailCTR Resource

RidsNrrDorl Resource

RidsNrrDorlLpl3 Resource

RidsNrrLASRohrer Resource

RidsNrrLAJBurkhardt Resource

RidsNrrPMByron Resource

RidsRgn3MailCenter Resource

ABowers, NSIR

MMcCoppin, OEDO

RSkokowski, OEDO

ADAMS Accession No.: ML20323A393

OFFICE	NRR/DORL/LPL3/PM	NRR/DORL/LPL3/LA	NSIR/DPCP/RSB/BC
NAME	JWiebe	SRohrer (JBurkhardt for)	ABowers
DATE	11/19/2020	11/19/2020	12/8/2020
OFFICE	OGC – NLO	NRR/DORL/LPL3/BC	NRR/DORL/D
NAME	JBielecki	NSalgado	CErlanger
DATE	12/10/2020	12/10/2020	12/10/2020

OFFICIAL RECORD COPY