

File: Letter to NRC and State Agency

Director, Office of Nuclear Material Safety and Safeguards

ATTN: Document Control Desk ~~GLTS~~

U.S. Nuclear Regulatory Commission

Washington, DC 20555-0001

Subject: Notification of Proper Disposal of Tritium Exit Signs


Per the requirements of 10 CFR 31.5 (c) (8), this letter is to provide notification that the self-luminous tritium exit signs listed on the attached documents were transferred to Curie Environmental Services, 4020 Vassar Drive NE, Suite D, Albuquerque NM 87107 (State of New Mexico Specific License RS500-03) on Monday, September 9, 2019.

As required, for each sign transferred, the name of the manufacturer, model number, and serial number is listed.


These signs were originally installed at:

**Home Depot #4551
121 N Bennington Rd
Bennington, VT 05201
(802)447-9997**


Sincerely,



Signature - Installation facility



Date



Title

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: Home Depot 4551

RMA#: A1909143

Unique ID 000165435 000165436

Item	MFG	MFG DATE	MODEL	SERIAL	CI
1	Isolite	8/1/03	2000	234062	9.500
2	Isolite	8/1/03	2000	234066	9.500
3	Isolite	8/1/03	2000	234060	9.500
4	Isolite	8/1/03	2000	234064	9.500
5	Isolite	8/1/03	2000	234063	9.500
6	Isolite	8/1/03	2000	234067	9.500
7	Isolite	8/1/03	2000	234061	9.500
8	Isolite	8/1/03	2000	234058	9.500
9	Isolite	8/1/03	2000	234057	9.500
10	Isolite	8/1/03	2000	234056	9.500
11	Isolite	8/1/03	2000	234053	9.500
12	Isolite	8/1/03	2000	234053	9.500
13	Isolite	8/1/03	2000	234052	9.500
14	Isolite	8/1/03	2000	234052	9.500
15	Isolite	8/1/03	2000	234068	9.500
16	Isolite	8/1/03	2000	234054	9.500
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					

40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					

DECAYED

3.82

3.82

3.82

3.82

3.82

3.82

3.82

3.82

3.82

3.82

3.82

3.82

3.82

3.82

3.82

3.82

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

