

File: Letter to NRC and State Agency

Director, Office of Nuclear Material Safety and Safeguards
ATTN: Document Control Desk/GMS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Subject: Notification of Proper Disposal of Tritium Exit Signs

Per the requirements of 10 CFR 31.5 (c) (8), this letter is to provide notification that the self-luminous tritium exit signs listed on the attached documents were transferred to Curie Environmental Services, 4020 Vassar Drive NE, Suite D, Albuquerque NM 87107 (State of New Mexico Specific License RS500-03) on Thursday, October 10, 2019.

As required, for each sign transferred, the name of the manufacturer, model number, and serial number is listed.

These signs were originally installed at:

**Home Depot #2205
8444 W McCormick Ave
Wichita, KS 67209
(316)773-1988**

Sincerely,

Alison King
Signature - Installation facility

12/11/19
Date

Senior manager
Title

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: Home Depot 2205

RMA#: A1910062

Unique ID 000170593 000170599 000170600

Item	MFG	MFG DATE	MODEL	SERIAL	CI	DECAYED
1	Isolite	8/1/08	2000	Y48795	7.510	3.99
2	Isolite	8/1/08	2000	Y48794	7.510	3.99
3	Isolite	8/1/08	2000	Y47100	7.510	3.99
4	Isolite	8/1/08	2000	Y47101	7.510	3.99
5	Isolite	8/1/08	2000	Y47127	7.510	3.99
6	Isolite	8/1/08	2000	Y47126	7.510	3.99
7	Isolite	8/1/08	2000	Y48797	7.510	3.99
8	Isolite	8/1/08	2000	Y48796	7.510	3.99
9	Isolite	8/1/08	2000	Y47124	7.510	3.99
10	Isolite	8/1/08	2000	Y47125	7.510	3.99
11	Isolite	8/1/08	2000	Y48798	7.510	3.99
12	Isolite	8/1/08	2000	Y48799	7.510	3.99
13	Isolite	8/1/08	2000	Y47128	7.510	3.99
14	Isolite	8/1/08	2000	Y47129	7.510	3.99
15	Isolite	8/1/08	2000	Y48800	7.510	3.99
16	Isolite	8/1/08	2000	Y48801	7.510	3.99
17	Isolite	8/1/08	2000	Y48802	7.510	3.99
18	Isolite	8/1/08	2000	Y48803	7.510	3.99
19	Isolite	11/1/98	2000	A8N615	7.500	2.30
20	Isolite	11/1/98	2000	A8N607	7.500	2.30
21	Isolite	8/1/08	880-12-6	Y48692	7.510	3.99
22	Isolite	8/1/08	880-12-6	Y48694	7.510	3.99
23	Isolite	8/1/08	880-12-6	Y49029	7.510	3.99
24	Isolite	8/1/08	880-12-6	Y48691	7.510	3.99
25	Isolite	8/1/08	880-12-6	Y47162	7.510	3.99
26	Isolite	8/1/08	880-12-6	Y48738	7.510	3.99
27	Isolite	8/1/08	880-12-6	Y48695	7.510	3.99
28	Isolite	8/1/08	880-12-6	Y48693	7.510	3.99
29	Isolite	8/1/08	880-12-6	Y48690	7.510	3.99
30	Isolite	8/1/08	880-12-6	Y47163	7.510	3.99
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						
50						