

Facility: <u>LaSalle</u>	Date of Examination: <u>11/2020</u>	
Examination Level: RO <input checked="" type="checkbox"/> SRO <input type="checkbox"/>	Operating Test Number: <u>2020301</u>	
Administrative Topic (see Note)	Type Code*	Describe activity to be performed
A1.1 Conduct of Operations	R D	Perform a Manual Heat Balance (A-RO-41) 2.1.25 3.9 Ability to interpret reference materials such as graphs, curves, tables, etc
A1.2 Conduct of Operations	S N	Main Steam Isolation Valve Alternate Leakage Treatment Path Verification 2.1.31 4.6 Ability to locate control room switches, controls, and indications, and to determine that they correctly reflect the desired plant lineup.
A2 Equipment Control	S D	Perform actions for a high UAT oil temperature per LOA-TRAN-101 (A-RO-24) 2.2.44 4.2 Ability to interpret control room indications to verify the status and operation of a system and understand how operator actions and directives affect plant and system conditions.
A3 Radiation Control	R D	Evaluate the Eligibility of a Radiological Worker (A-RO-08) 2.3.7 3.5 Ability to comply with radiation work permit requirements during normal or abnormal conditions.
A4 Emergency Plan	N/A	N/A
NOTE: All items (five total) are required for SROs. RO applicants require only four items unless they are retaking only the administrative topics (which would require all five items).		
* Type Codes and Criteria: (C)ontrol room, (S)imulator, or Class(R)oom (D)irect from bank (≤ 3 for ROs; ≤ 4 for SROs and RO retakes) (N)ew or (M)odified from bank (≥ 1) (P)revious 2 exams (≤ 1, randomly selected)		