

**File: Letter to NRC and State Agency**

Director, Office of Nuclear Material Safety and Safeguards

ATTN: Document Control Desk ~~GLIS~~

U.S. Nuclear Regulatory Commission

Washington, DC 20555-0001

Subject: Notification of Proper Disposal of Tritium Exit Signs

Per the requirements of 10 CFR 31.5 (c) (8), this letter is to provide notification that the self-luminous tritium exit signs listed on the attached documents were transferred to Curie Environmental Services, 4020 Vassar Drive NE, Suite D, Albuquerque NM 87107 (State of New Mexico Specific License RS500-03) on Tuesday, September 10, 2019.

As required, for each sign transferred, the name of the manufacturer, model number, and serial number is listed.

These signs were originally installed at:


**Home Depot #2914**

**201 Home Depot Dr**


**Oxford, MS 38655**

**(662)234-7863**


Sincerely,



\_\_\_\_\_  
Signature - Installation facility



\_\_\_\_\_  
Date



\_\_\_\_\_  
Title

# TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: Home Depot 2914

RMA#: A1909098

Unique ID 000165500 000165522

Item	MFG	MFG DATE	MODEL	SERIAL	CI
1	Isolite	9/1/03	2000	238129	9.500
2	Isolite	9/1/03	2000	238129	9.500
3	Isolite	9/1/03	2000	237114	9.500
4	Isolite	9/1/03	2000	237112	9.500
5	Isolite	9/1/03	2000	238120	9.500
6	Isolite	9/1/03	2000	237115	9.500
7	Isolite	9/1/03	2000	238125	9.500
8	Isolite	9/1/03	2000	237113	9.500
9	Isolite	9/1/03	2000	238127	9.500
10	Isolite	9/1/03	2000	238123	9.500
11	Isolite	9/1/03	2000	238130	9.500
12	Isolite	9/1/03	2000	238130	9.500
13	Isolite	9/1/03	2000	238131	9.500
14	Isolite	9/1/03	2000	238731	9.500
15	Isolite	9/1/03	2000	238128	9.500
16	Isolite	9/1/03	2000	238122	9.500
17	Isolite	9/1/03	2000	238119	9.500
18	Isolite	9/1/03	2000	238121	9.500
19	Isolite	9/1/03	2000	238118	9.500
20	Isolite	9/1/03	2000	unk	9.500
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					

40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					

<b>DECAYED</b>
----------------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

3.84
------

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

--

