

File: Letter to NRC and State Agency

Director of FSMA

Attn: GLTS

U.S. Nuclear Regulatory Commission

Washington, DC 20555-0001


Subject: Notification of Proper Disposal of Tritium Exit Signs

This letter is to provide notification that the signs listed on the attached documents have been shipped to SRB Technologies, Inc. (NC Radioactive Materials License # 034-0534-2) for proper disposal.


These signs were originally installed at:

**Home Depot 529
7950 South Fwy
Fort Worth TX 76134**


Sincerely,



Signature - Installation facility



Date



Title

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: Home Depot HD #529

RMA#:

Unique ID 000152661 000152652 000152661 000152670

Item	MFG	MFG DATE	MODEL	SERIAL	CI	DECAYED
1	Isolite	5/1/08	880-12-6	Y29423	7.510	4.06
2	Isolite	5/1/08	880-12-6	Y29424	7.510	4.06
3	Isolite	5/1/08	880-12-6	Y34274	7.510	4.06
4	Isolite	5/1/08	880-12-6	Y34276	7.510	4.06
5	Isolite	5/1/08	880-12-6	Y29477	7.510	4.06
6	Isolite	5/1/08	880-12-6	Y29478	7.510	4.06
7	Isolite	5/1/08	2000	Y34414	7.510	4.06
8	Isolite	5/1/08	2000	Y34415	7.510	4.06
9	Isolite	5/1/08	2000	Y34416	7.510	4.06
10	Isolite	5/1/08	2000	Y34417	7.510	4.06
11	Isolite	5/1/08	2000	Y34294	15.020	8.12
12	Isolite	5/1/08	2000	Y34295	15.020	8.12
13	Isolite	5/1/08	2000	Y34296	15.020	8.12
14	Isolite	5/1/08	2000	Y34297	15.020	8.12
15	Isolite	5/1/08	2000	Y34298	15.020	8.12
16	Isolite	5/1/08	2000	Y34299	15.020	8.12
17	Isolite	5/1/08	2040-07	Y34412	7.500	4.05
18	Isolite	5/1/08	2040-07	Y34413	7.500	4.05
19	Isolite	5/1/08	2040-07	Y34300	7.500	4.05
20	Isolite	5/1/08	2040-07	Y34301	7.500	4.05
21	Isolite	5/1/08	880-12-6	Y34273	7.500	4.05
22	Isolite	5/1/08	880-12-6	Y34270	7.500	4.05
23	Isolite	5/1/08	880-12-6	Y29422	7.500	4.05
24	Isolite	5/1/08	880-12-6	Y34275	7.500	4.05
25	Isolite	5/1/08	880-12-6	Y34271	7.500	4.05
26	Isolite	5/1/08	880-12-6	Y34272	7.500	4.05
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						