

File: Letter to NRC and State Agency

Director of FSMA

Attn: GLTS

U.S. Nuclear Regulatory Commission

Washington, DC 20555-0001


Subject: Notification of Proper Disposal of Tritium Exit Signs

This letter is to provide notification that the signs listed on the attached documents have been shipped to SRB Technologies, Inc. (NC Radioactive Materials License # 034-0534-2) for proper disposal.


These signs were originally installed at:

**Home Depot 530
373 E FM 1382
Cedar Hill TX 75104**


Sincerely,



Signature - Installation facility



Date



Title

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: Home Depot 530

RMA#:

Unique ID 145806 2453807

Item	MFG	MFG DATE	MODEL	SERIAL	CI	DECAYED
1	Isolite	5/1/08	880-12-6	Y34428	7.510	4.06
2	Isolite	5/1/08	880-12-6	Y34429	7.510	4.06
3	Isolite	5/1/08	880-12-6	Y34430	7.510	4.06
4	Isolite	5/1/19	2000	Y34284	15.020	15.07
5	Isolite	5/1/19	2000	Y34285	15.020	15.07
6	Isolite	5/1/08	880-12-6	Y34432	7.510	4.06
7	Isolite	5/1/08	880-12-6	Y34433	7.510	4.06
8	Isolite	5/1/08	880-12-6	Y29472	7.510	4.06
9	Isolite	5/1/08	880-12-6	Y34261	7.510	4.06
10	Isolite	5/1/08	880-12-6	Y34431	7.510	4.06
11	Isolite	5/1/08	2000	Y34288	15.020	8.12
12	Isolite	5/1/08	2000	Y34289	15.020	8.12
13	Isolite	11/1/08	LTE	Y62546	7.510	4.18
14	Isolite	11/1/08	LTE	Y62545	7.510	4.18
15	?	?	?	?	?	#VALUE!
16	Isolite	5/1/08	2000	Y34409	7.510	4.05
17	Isolite	5/1/08	2000	Y34408	7.510	4.05
18	Isolite	5/1/08	2000	Y34287	15.020	8.10
19	Isolite	5/1/08	2000	Y34286	15.020	8.10
20	Isolite	5/1/08	2000	Y34407	7.510	4.05
21	Isolite	5/1/08	2000	Y34406	7.510	4.05
22	Isolite	5/1/08	2000	Y34377	15.020	8.10
23	Isolite	5/1/08	2000	Y34378	15.020	8.10
24	Isolite	5/1/08	2000	Y34411	7.510	4.05
25	Isolite	5/1/08	2000	Y34410	7.510	4.05
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						