

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Corteva agriscience, LLC</p> <p>2. 9330 Zionsville Rd. Indianapolis, IN 46268-1054</p>		<p>In accordance with letter dated October 02, 2020,</p>	<p>4. Expiration Date: December 31, 2034</p>
		<p>3. License No.: 13-26398-01 is amended in its entirety to read as follows:</p>	<p>5. Docket No.: 030-32714 Reference No.:</p>
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material between Atomic Numbers 3 and 83 with Exceptions</p> <p>B. Hydrogen-3</p> <p>C. Carbon-14</p> <p>D. Phosphorus-32</p> <p>E. Phosphorus-33</p> <p>F. Sulfur-35</p> <p>G. Iodine-125</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p> <p>D. Any</p> <p>E. Any</p> <p>F. Any</p> <p>G. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 25 millicuries per radionuclide and 1 curie total</p> <p>B. 1 curie total</p> <p>C. 9.8 curies total</p> <p>D. 100 millicuries total</p> <p>E. 100 millicuries total</p> <p>F. 100 millicuries total</p> <p>G. 50 millicuries total</p>	<p>9. Authorized use</p> <p>A. For research and development as defined in 10 CFR 30.4, limited to radionuclides with 10 CFR Part 20 Appendix C quantities greater than or equal to 100 microcuries.; including transfer and disposal of material including of generally licensed sources.</p> <p>B. Same as Subitem No. 9.A.</p> <p>C. Same as Subitem No. 9.A.</p> <p>D. Same as Subitem No. 9.A.</p> <p>E. Same as Subitem No. 9.A.</p> <p>F. Same as Subitem No. 9.A.</p> <p>G. Same as Subitem No. 9.A.</p>

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-26398-01

Docket or Reference No.:
030-32714

Amendment No. 32

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
H. Any byproduct material with Atomic Numbers 3 through 83	H. Sealed, Plated, or Foil Sources	H. 25 millicuries per source and 1 curie total	H. For use in analytical and measuring devices registered with the NRC pursuant to 10 CFR Section 32.210 or equivalent regulations of an Agreement State.
I. Carbon-14	I. Pesticide Formulations	I. 30 millicuries total	I. For possession incident to disposal as waste products generated from studies involving carbon-14 labeled pesticide formulations conducted at Dow AgroSciences' U.S. field research stations and/or U.S. contract laboratories.

CONDITIONS

10. A. Licensed material listed in Subitem Nos. 6.A. through 6.I. may be used or stored at the licensee's facilities located at Dow AgroSciences, 9330 Zionsville Rd., Indianapolis, IN 46268.
- B. Licensed material listed in Subitem Nos. 6.B., 6.C., and 6.G. may be used or stored at the licensee's facilities located at Haskell Laboratories, Stine Research Center, 1090 Elkton Rd., Bldg. S320, Newark, DE 19711.
11. The Radiation Safety Officer (RSO) for this license is Kevin P. Smith.
12. Licensed material shall only be used by, or under the supervision of, individuals designated, in writing, by the licensee's Radiation Safety Committee, Nicholas (Nick) Irvine, Ph.D., Chairperson. The licensee shall maintain records of individuals designated as users for 3 years after the individual's last use of licensed material.
13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the limits specified in 10 CFR 30.72 which require consideration of the need for an emergency plan for responding to a release of licensed material.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-26398-01

Docket or Reference No.:
030-32714

Amendment No. 32

- A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- E. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-26398-01

Docket or Reference No.:
030-32714

Amendment No. 32

15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
16. A. Detector cells containing a titanium tritide foil or scandium tritide foil shall only be used in conjunction with a properly operating temperature control mechanism which prevents the foil temperature from exceeding that specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations from an Agreement State.
- B. When in use, detector cells containing a titanium tritide foil or scandium tritide foil shall be vented to the outside.
17. Sealed sources or detector cells containing licensed material shall not be opened or the foil sources removed from the detector cell by the licensee.
18. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash provided:
- A. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee.
- B. A record of each such disposal permitted under this license condition shall be retained for 3 years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 13-26398-01

Docket or Reference No.:
030-32714

Amendment No. 32

19. This license does not authorize commercial distribution of licensed material.
20. The licensee shall not use the licensed material in or on humans.
21. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.
22. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(a) for establishing and submitting a decommissioning funding plan.
23. The licensee is authorized to receive sealed containers of carbon-14 (C-14) waste material generated by contract laboratories performing research and field studies for the licensee provided:
- A. The waste material shall only be received at the licensee's Indianapolis, Indiana, Research and Development Facility;
 - B. Only waste material that contains or is contaminated with C-14 that was originally provided to the contract laboratories by the licensee shall be received by the licensee. No materials (waste, or otherwise) from any other than the licensee's study shall be shipped to the licensee;
 - C. In any calendar year, no more than 30 millicuries of C-14 waste material shall be returned to the licensee from contract laboratories; and,
 - D. The licensee provides detailed instructions to the contract laboratories that: clearly indicate that the licensee will only accept waste materials that contain or are contaminated with radioactive materials supplied by the licensee; and that provide adequate instructions for complying with regulations for packaging and transport of licensed materials.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**


License No.: 13-26398-01

Docket or Reference No.:
030-32714

Amendment No. 32

24. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated June 28, 2019 (ML19182A028)
- B. Letter dated December 9, 2019 (ML19343A576)
- C. Letter dated January 16, 2020 (ML20021A071)
- D. Letter dated October 2, 2020 (ML20276A206)



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: December 31, 2020

By: _____

Sara A. Forster
Region III