

FOIA/PA NO: 2021-000027

GROUP A

RECORDS ALREADY PUBLICLY AVAILABLE

FOIA 2021-000027-
Publicly Available-NCPs and DPOs Issued Between 1/1/09-11/9/20

NCP-2009-003	Draft Safety Culture Policy Statement	ML091210497
NCP-2009-004	Processing Emergency Plan Reviews	ML091671101
NCP-2009-006	TIA 2009-009 Reevaluation of LCO 3.0.4a at Palisades	ML091830609
NCP-2009-007	TIA 2009-005 Reevaluation of LCO 3.0.4a at Palisades	ML091830616
NCP-2010-001	Duane Arnold Heat Sink Triennial Inspection Report 50-331-10-002.	ML101720329
NCP-2010-002	Allegation Case NRR-2009-A-0014 Involving Offer of Early Alternate Dispute Resolution	ML102090624
NCP-2010-004	Revised Models for Adoption of TSTF-513, Revision 2, "Revised PWR Operability Requirement"	ML103480005
NCP-2010-005	St. Lucie - NRC Integrated Inspection Report 2010003	ML102100007
NCP-2010-007	V.C. Summer 2010-502 Inspection Report.	ML102520299
NCP-2010-010	NRC Information Notice 2011-02, Operator Performance Issues Involving Reactivity Management at Nuclear Power Plants.	ML110420293
NCP-2010-011	Advanced Final Safety Evaluation Report for the AP1000 Standard Design Certification Amendment - Chapter 7, "Instrumentation and Control". Non-Concurrence - Advanced Final Safety Evaluation Report for the AP1000 Standard Design Certification	ML103620506
NCP-2010-012	AP1000 Instrumentation and Controls Designs Certification Amendment Advanced Final Safety Evaluation Report.	ML103630486
NCP-2011-002	Yucca Mountain Program	ML112440329
NCP-2011-003	Yucca Mountain Program	ML112440344
NCP-2011-004	Yucca Mountain Program	ML112440351
NCP-2011-005	2011 LES Licensee Performance Letter and Enclosure	ML110770438
NCP-2011-006	Draft Safety Evaluation for the Electric Power Research Institute's, (TR), (MRP) Report 1016596 (MRP-227), Revision 0, "Pressurized Water Reactor (PWR) Internals Inspection and Evaluation Guidelines"	ML110770162
NCP-2011-007	Regulatory Issue Summary 2005-02, Revision 1	ML11110A025
NCP-2011-008	Response to OIG Report OIG-11-A-08 (10 CFR Part 21 Implementation)	ML111310413
NCP-2011-009	Columbia Inspection Report 05000397/2011002, (Section 40A2.3)	ML111370091
NCP-2011-012	Update on Yucca Mountain Program	ML112291036
NCP-2011-013	Update on Yucca Mountain Program	ML112291038
NCP-2011-014	South Texas Project Hydrology SER	ML12348A249
NCP-2011-100	EGM-11-003, Enforcement Guidance Memorandum on Dispositioning Boiling Water Reactor Licensee Non-Compliance with Technical Specification Containment Requirements During Operations with a Potential for Draining the Reactor Vessel	ML11277A281
NCP-2011-101	Inspection Report and Notices of Violation at LES 70-31031/2011-201	ML112800306
NCP-2011-102	Order Prohibiting Involvement in Licensed Activities-IA-11-032	ML12082A187
NCP-2012-001	Diablo Canyon Power Plant Inspection Report 202011005	ML12151A173
NCP-2012-004	Draft NUREG/CR 7130 Assessment of Uncertainties Associated with the BADGER Methodology	ML12255A350
NCP-2012-008	NUREG-1022, Rev. 3, "Event Reporting Guidelines: 10 CFR 50.72 and 50.73"	ML12363A061
NCP-2012-009	Endorsement of Electric Power Research Institute Final Draft Report 1025287, "Seismic Evaluation Guidance"	ML13058A374

NCP-2013-002	Policy Options for Merchant (Non-Electric Utility) Plant Financial Qualifications	ML13217A070
NCP-2013-003	Request for Exemption from 10 CFR 50.38 Requirements for Maine Yankee Atomic Power Company, Connecticut Yankee Atomic Power Company, and Yankee Atomic Electric Company (TAC NOS. L24538, L24565, AND L24566)	ML13228A225
NCP-2013-005	Regulatory Basis to Address Nuclear Regulatory Commission Near-Term Task Force Recommendation 8	ML13269A327
NCP-2013-006	Recommendation 8 Regulatory Basis	ML13269A322
NCP-2013-010	Dresden Nuclear Power Station, Units 2 and 3; Report Nos. 05000237/2013407; 05000249/2013407 (DRS) and Results of Investigation Report No. 3-2012-020	ML13329A531
NCP-2013-012	Ongoing Staff Activities to Assess Regulatory and Technical Considerations for Power Reactor Subsequent License Renewal	ML16180A047
NCP-2013-013	Staff Evaluation and Recommendation for Japan Lessons-Learned Tier 3 Issue on Expedited Transfer of Spent Fuel	ML13282A632
NCP-2013-014	SRXB Input for the Byron and Braidwood MUR Safety Evaluation	ML14052A431
NCP-2013-015	Next Generation Nuclear Plant - Assessment of Key Licensing Issues	ML14126A242
NCP-2014-001	Proposed Amendment to Incorporate by Reference Institute of Electrical and Electronics Engineers Standard 603-2009, "Standard Criteria for Safety Systems for Nuclear Power Generating Stations" Into Title 10 of the Code of Federal Regulations, Section 50.55A	ML14280A340
NCP-2014-003	Proposed Amendment to Incorporate by Reference Institute of Electrical and Electronics Engineers Standard 603-2009, "Standard Criteria for Safety Systems for Nuclear Power Generating Stations" Into Title 10 of the Code of Federal Regulations, Section 50.55A	ML14280A367
NCP-2014-004	Proposed Amendment to Incorporate by Reference Institute of Electrical and Electronics Engineers Standard 603-2009, "Standard Criteria for Safety Systems for Nuclear Power Generating Stations" Into Title 10 of the Code of Federal Regulations, Section 50.55A	ML14281A145
NCP-2014-005	Louisiana Energy Services, LLC, - NRC Inspection Report No. 70-3103/2013-008	ML15086A325
NCP-2014-007	Next Generation Nuclear Plant - Assessment of Key Licensing Issues	ML14154A080
NCP-2014-010	SECY: Relationship Between Mitigating Strategies for Beyond-Design-Basis External Events and Reevaluation of Flooding Hazards	ML14321A572
NCP-2014-011	SECY: Relationship Between Mitigating Strategies for Beyond-Design-Basis External Events and Reevaluation of Flooding Hazards	ML14321A577
NCP-2014-012	ANS Grant regarding Alleged Prohibited Travel/Lodging/ Subsistence	ML15159A889
NCP-2015-001	Proposed Amendment to Incorporate by Reference Institute of Electrical and Electronics Engineers Standard 603-2009, "Standard Criteria for Safety Systems for Nuclear Power Generating Stations" Into Title 10 of the Code of Federal Regulations, Section 50.55A	ML15036A467
NCP-2015-002	Review of Lessons Learned from the San Onofre Steam Generator Tube Degradation Event	ML15062A132
NCP-2015-003	Proposed Rule Mitigation of Beyond-Design-Basis Events (SECY Paper)	ML15091A646
NCP-2015-005	ISG on Evaluations of Uranium Recovery Facility Surveys of Radon and Radon Progeny in Air and Demonstrations of Compliance With 10 CFR 20.1301	ML19121A171
NCP-2015-006	Audit Report on Mitigating Strategies & Reliable Spent Fuel Pool Instrumentation	ML15159A273
NCP-2015-007	Safety Evaluation Regarding Crystal River Unit 3 License Amendment Request	ML15212A946
NCP-2015-009	Discussion of EEEB Comments on Vogtle 4b SE	ML15322A197
NCP-2015-010	Final Rule: Emergency Core Cooling Systems Performance During Loss-of-Coolant Accidents	ML16028A388
NCP-2015-011	Recommendations on Issues Related to Implementation of a Risk Management Regulatory Framework	ML15348A046
NCP-2015-012	Amendment No. 171 to Facility Operating License No. NPF-58 for Perry Nuclear Power Plant	ML16033A197
NCP-2015-013	NFS RAI on GL 2015-001	ML16034A462

NCP-2016-003	IMC 0308, Attachment 3, "Basis for the Significance Determination Process"	ML16172A176
NCP-2016-004	Diablo Canyon Amendments for Risk-Informed, Performance-Based Fire Protection Program (NFPA 805)	ML16096A325
NCP-2016-005	Susquehanna License Amendment Adopting TSTF-425	ML16141A025
NCP-2016-009	SE on Topical Report MRP-335,r3 PWSCC Mitigation by Surface Stress Improvement	ML16187A319
NCP-2016-010	Nine Mile Point Unit Amendment - Adoption of TSTF-425	ML16148A057
NCP-2016-011	Ginna-Amendment Re: License Amendment Request to Relocate Specific Surveillance Freq. Req.	ML16176A235
NCP-2016-012	Waterford-Issuance of Amendment Re: Adoption of TSTF-425, Rev. 3	ML16209A045
NCP-2016-013	Wolf Creek Inspection Report-Preliminary White Finding re: EDGs	ML16237A009
NCP-2016-014	JLD ISG on Mitigation Strategies for BDB External Events	ML16295A104
NCP-2016-015	Columbia-Issuance of Amendment Re: Adoption of TSTF-425, Rev. 3	ML16298A131
NCP-2016-016	Harris-Issuance of Amendment Re: Adoption of TSTF-425, Rev. 3	ML16298A322
NCP-2016-017	Revised FAQ 08-0046 Retirement NEI Response Letter	ML16327A451
NCP-2016-018	Mitigation of Beyond-Design-Basis Events Rule	ML16312A020
NCP-2016-020	Indian Point Integrated Inspection Report	ML17013A245
NCP-2016-021	Reactor Inspection Procedures	ML16341C689
NCP-2016-022	North Anna 3 Final Safety Evaluation Report	ML17011A203
NCP-2017-001	Perry Integrated Inspection Report	ML17076A186
NCP-2017-004	Donald C. Cook, Nuclear Plant, Units 1 and 2-Issuance of Amendment Re: Adoption of TSIF-425, Rev. 3	ML17074A089
NCP-2017-005	Cooper Nuclear Station - Issuance of Amendment No. 258 Re: Adoption of TSTF-425, Rev. 3.	ML17079A256
NCP-2017-006	Brunswick Steam Electric Plant-Re: Adoption of TSTF-425	ML17109A134
NCP-2017-008	Vogtle 4b LAR	ML17193A323
NCP-2017-009	Response to Disputed NCV at VC Summer	ML17230A129
NCP-2017-010	Grand Gulf Special Inspection Report	ML17304A014
NCP-2017-011	Diablo Canyon Supplemental Inspection- Closeout of White Finding	ML17271A438
NCP-2017-012	NRR Response Letter to David Lochbaum Concerning Palo Verde License Amendments 199 and 200	ML17269A048
NCP-2017-013	Watts Bar Integrated Inspection Report	ML17326A235
NCP-2017-014	IMC 0611, "Power Reactor Inspection Reports"	ML17353A319
NCP-2017-016	Vogtle Staff Review of Seismic PRA on NTTF Recommendation 2.1	ML18008A305
NCP-2018-001	Oconee Relief Request Safety Evaluation	ML18060A028
NCP-2018-002	Final ASP Program Analysis-Precursor LaSalle County Station, Unit 2, HPCS System Inoperable	ML18157A264
NCP-2018-003	"Clarification of Regulatory Approaches for Lead Test Assemblies," from Brian Holian, NRC, to Pamela Cowan, NEI	ML18151B016
NCP-2018-004	Response to Disputed Non-Cited Violation Documented in Palisades Nuclear Plant—NRC Design Basis Assurance Inspection (Teams) Inspection Report 05000255/2017007—Withdrawal of Non-Cited Violation	ML18337A440
NCP-2018-006	Oconee Single Failure Condition	ML18311A013
NCP-2018-008	Safety Evaluation of Vogtle Tier 2* LAR	ML18256A400
NCP-2018-009	TSTF-505, Provide Risk Informed Completion Times- RITSTF Initiative 4b, Rev 2	ML18310A175
NCP-2019-001	Amendment for the Oconee Physical Security Plan LAR	ML19274B077
NCP-2019-002	Vogtle Electric Generating Plant, Units 3 and 4 - NRC Inspection Reports 05200025/2019010 and 05200026/2019010	ML20197A032
NCP-2019-004	NuScale Phase 4 Chapter 3	ML20049A058
NCP-2019-005	Monticello Nuclear Generating Plant - Follow-Up Inspection Regarding the Assessment and Management of Shutdown Risk	ML19331A275
NCP-2019-006	LIC-500 Topical Report Process Revision 8	ML20044D226

NCP-2020-001	Safety Evaluation Report Related to the Subsequent License Renewal of Surry Power Station - Selective Leaching Op E Issue	ML20066J465
NCP-2020-002	Safety Evaluation Report Related to the Subsequent License Renewal of Surry Power Station - Units 1 and 2	ML20066J740
NCP-2020-004	Draft Regulatory Guide DG-1363: Revision 4 of Regulatory Guide 1.105, "Setpoints for Safety-Related Instrumentation"	ML20181A524
NCP-2020-005	RG 1.187 Draft Rev. 2: Guidance for Implementation of 10 CFR 50.59, "Change, Tests and Experiments"	ML20197A381
NCP-2020-006	Phase 4 NuScale DC SER Chapters 6 and 15	ML20230A245
NCP-2020-008	Withdrawal of a Non-Cited Violation (NCV) Associated with the Failure to Qualify WPS [Welding Procedure Specification] in Accordance with Applicable Code, Involving Vogtle Units 3 and 4	ML20345A198

DPO-2009-001	Fire Protection NFPA 805 Additional Risk Associated with Previously Approved Actions	ML101590266
DPO-2010-001	Interpretation of Categorical Exclusions in Part 51	ML11228A281
DPO-2011-001	Enforcement Policy Issues	ML11234A302
DPO-2011-002	Inspection Access at LES Gas Centrifuge Facility	ML12151A376
DPO-2012-001	Applicability of Reporting Requirements in 10 CFR 70.72 for Shaw Areva MOX Services	ML13014A193
DPO-2012-002	Acceptability of AP1000 Shield Building	ML19057A509
DPO-2012-003	Protection from External Flooding of Watts Bar Unit 1	ML13115A273
DPO-2013-001	Commercial Grade Dedication at Mixed Oxide Fuel Fabrication Facility	ML13346A967
DPO-2013-002	Diablo Canyon Seismic Issues	ML14252A743
DPO-2014-001	FAQ for Fire Protection (08-0048: "Fire Ignition Frequency")	ML15273A079
DPO-2014-002	Use of Conditional Core Damage Probability (CCDP) to Evaluate Performance Deficiencies that Cause Initiating Events	ML14344A291
DPO-2014-003	November 20, 2014 Revision to IMC 0305, "Operating Reactor Assessment Program"	ML15194A444
DPO-2015-001	Significance of Yellow Finding at ANO-1	ML16061A362
DPO-2016-001	PRA Language in RG 1.174 and 1.200	ML17013A015
DPO-2016-002	Boral Degradation in Spent Fuel Casks	ML17069A437
DPO-2016-004	FAQ for Fire Protection (08-0046, "Incipient Fire Detection Systems")	ML18066A700
DPO-2017-001	Approval of Emergency Amendment for Palo Verde Unit 3	ML17202G468
DPO-2017-002	Approval of Emergency Amendment for Palo Verde Unit 3	ML17202G468
DPO-2017-003	Grand Gulf NCV Involving Occupational Doses ALARA	ML18269A345
DPO-2017-004	NEI Guidance on Closure of PRA Peer Review Facts and Observations	ML18078A786
DPO-2017-005	DMNS Recordkeeping	ML17297B585
DPO-2017-007	Operator Licensing Written Examinations- Tier 1 Test Items	ML19350C551
DPO-2017-008	Dose Limits in Non-Vital Areas during Accidents	ML18152B664
DPO-2017-009	Significance Determination for Loss of Decay Heat Removal at Grand Gulf	ML19043A950
DPO-2017-010	Five Inspection Findings/NCVs at Cooper	ML19078A362
DPO-2017-011	Documentation of a Finding with Insignificant to No Safety Significance Contrary to ROP Guidance	ML18192A599

DPO-2018-001	Closure of a White Finding at Columbia	ML19052A108
DPO-2018-002	NRC Response to NEI Concerning the Regulatory Path for Accident Tolerant Fuel (ATF) Lead Test Assemblies (LTAs)	ML19141A075
DPO-2018-003	Regulatory Framework Governing Power Reactor Licensee Security Plan Changes Submitted Under 10 CFR 50.54(p)(2)	ML19085A043