

**File: Letter to NRC and State Agency**

Director of FSMA

Attn: **GLTS**

U.S. Nuclear Regulatory Commission

Washington, DC 20555-0001

Subject: Notification of Proper Disposal of Tritium Exit Signs

This letter is to provide notification that the signs listed on the attached documents have been shipped to SRB Technologies, Inc. (NC Radioactive Materials License # 034-0534-2) for proper disposal.

These signs were originally installed at:

**Home Depot 6809  
252 N Custer Rd  
McKinney TX 75071**

Sincerely,

Alison Umi

Signature - Installation facility

12/4/19

Date

Senior manager

Title

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: Home Depot 6809

RMA#:

Unique ID 154604 154608 unique used on more

Item	MFG	MFG DATE	MODEL	SERIAL	CI	DECAYED
1	Isolite	10/1/03	2000	242048	9.500	3.94
2	Isolite	10/1/03	2000	242048	9.500	3.94
3	Isolite	10/1/03	2000	242053	9.500	3.94
4	Isolite	10/1/03	2000	242053	9.500	3.94
5	Isolite	8/1/03	2000	235031	9.500	3.91
6	Isolite	8/1/03	2000	235031	9.500	3.91
7	Isolite	10/1/03	2000	242052	9.500	3.94
8	Isolite	10/1/03	2000	242052	9.500	3.94
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						

TRITIUM (H-3) EXIT SIGN INVENTORY

Package Number: 1

Generator: Home Depot #6809 Customer: EZ on the Earth

RMA#: A190251 EZ unique ID # 000145822 000145782  
000145821

Item	MFG	MFG DATE	MODEL	SERIAL	CI	DECAYED
1	Isolite	8/1/03	2000	234998	9.500	3.96
2	Isolite	8/1/03	2000	235008	9.500	3.96
3	Isolite	8/1/03	2000	235007	9.500	3.96
4	Isolite	8/1/03	2000	235013	9.500	3.96
5	Isolite	8/1/03	2000	235011	9.500	3.96
6	Isolite	8/1/03	2000	235004	9.500	3.96
7	Isolite	8/1/03	2000	234999	9.500	3.96
8	Isolite	8/1/03	2000	235005	9.500	3.96
9	Isolite	8/1/03	2000	235030	9.500	3.96
10	Isolite	8/1/03	2000	235030	9.500	3.96
11	Isolite	8/1/03	2000	235032	9.500	3.96
12	Isolite	8/1/03	2000	235032	9.500	3.96
13	Isolite	8/1/03	2000	235029	9.500	3.96
14	Isolite	8/1/03	2000	235029	9.500	3.96
15	Isolite	10/1/03	2000	242054	9.500	4.00
16	Isolite	10/1/03	2000	242054	9.500	4.00
17	Isolite	10/1/03	2000	242046	9.500	4.00
18	Isolite	10/1/03	2000	242046	9.500	4.00
19	Isolite	10/1/03	2000	242043	9.500	4.00
20	Isolite	10/1/03	2000	242043	9.500	4.00
21	Isolite	8/1/03	2000	235012	9.500	3.96
22	Isolite	8/1/03	2000	235003	9.500	3.96
23	Isolite	8/1/03	2000	NA	9.500	3.96
24	Isolite	8/1/03	2000	235009	9.500	3.96
25	Isolite	8/1/03	2000	234997	9.500	3.96
26	Isolite	8/1/03	2000	235010	9.500	3.96
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						