

Facility: Monticello	Date of Exam: 10/27/20	Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>	
Item Description	Initials		
	a	b	c
1. Clean answer sheets copied before grading	B	SMO	CDZ
2. Proposed answer key changes and question deletions justified and documented (facility reviewer initials not required (N/R) if NO post-examination comments are submitted)	N/R	N/R	CDZ
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	B	SMO	CDZ
4. Grading for all borderline cases (80% ±2% overall and 70% or 80%, as applicable, ±4% on the SRO-only exam) reviewed in detail	N/A	N/A	N/A CDZ
5. All other failing examinations checked to ensure that grades are justified	N/A	N/A	N/A CDZ
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by one-half or more of the applicants	B	SMO	CDZ
Printed Name/Signature		Date	
a. Grader	<u>Roman Becker / <i>[Signature]</i></u>	<u>10/28/20</u>	
b. Facility Reviewer(*)	<u>Scott Gundlach / <i>[Signature]</i></u>	<u>10/28/20</u>	
c. NRC Chief Examiner (*)	_____	_____	
d. NRC Supervisor (*)	_____	_____	
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.			