

October 27, 2020

Report to:

Kent Applegate
Rio Algom Mining Company
P.O. Box 218
Grants, NM 87020

Bill to:

Accounts Payable
Rio Algom Mining Company
P.O. Box 218
Grants, NM 87020

cc: Clark Short, Angela Persico, Michaela Gorospe, jcarroll

Project ID: 4508122295

ACZ Project ID: L61784

Kent Applegate:

Enclosed are the analytical results for sample(s) submitted to ACZ Laboratories, Inc. (ACZ) on September 25, 2020. This project has been assigned to ACZ's project number, L61784. Please reference this number in all future inquiries.

All analyses were performed according to ACZ's Quality Assurance Plan. The enclosed results relate only to the samples received under L61784. Each section of this report has been reviewed and approved by the appropriate Laboratory Supervisor, or a qualified substitute.

Except as noted, the test results for the methods and parameters listed on ACZ's current NELAC certificate letter (#ACZ) meet all requirements of NELAC.

This report shall be used or copied only in its entirety. ACZ is not responsible for the consequences arising from the use of a partial report.

All samples and sub-samples associated with this project will be disposed of after November 26, 2020. If the samples are determined to be hazardous, additional charges apply for disposal (typically \$11/sample). If you would like the samples to be held longer than ACZ's stated policy or to be returned, please contact your Project Manager or Customer Service Representative for further details and associated costs. ACZ retains analytical raw data reports for ten years.

If you have any questions or other needs, please contact your Project Manager.

S. Habermehl

Scott Habermehl has reviewed
and approved this report.



Rio Algom Mining Company

Project ID: 4508122295

Sample ID: 32-45 KD-R

ACZ Sample ID: **L61784-01**

Date Sampled: 09/23/20 15:11

Date Received: 09/25/20

Sample Matrix: *Groundwater*

Metals Analysis

| Parameter | EPA Method | Dilution | Result | Qual | XQ | Units | MDL | PQL | Date | Analyst |
|-----------------------|---------------|----------|--------|------|----|-------|--------|--------|----------------|---------|
| Molybdenum, dissolved | M200.8 ICP-MS | 1 | 0.149 | | | mg/L | 0.0002 | 0.0005 | 10/14/20 13:47 | enb |
| Uranium, dissolved | M200.8 ICP-MS | 1 | 0.0445 | | | mg/L | 0.0001 | 0.0005 | 10/15/20 13:41 | enb |

Rio Algom Mining Company

Project ID: 4508122295

Sample ID: 31-02 TRB-R

ACZ Sample ID: **L61784-02**

Date Sampled: 09/23/20 16:02

Date Received: 09/25/20

Sample Matrix: *Groundwater*

Metals Analysis

| Parameter | EPA Method | Dilution | Result | Qual | XQ | Units | MDL | PQL | Date | Analyst |
|--------------------|---------------|----------|---------|------|----|-------|--------|--------|----------------|---------|
| Uranium, dissolved | M200.8 ICP-MS | 1 | 0.00452 | | | mg/L | 0.0001 | 0.0005 | 10/14/20 13:50 | enb |

Report Header Explanations

| | |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Batch</i> | A distinct set of samples analyzed at a specific time |
| <i>Found</i> | Value of the QC Type of interest |
| <i>Limit</i> | Upper limit for RPD, in %. |
| <i>Lower</i> | Lower Recovery Limit, in % (except for LCSS, mg/Kg) |
| <i>MDL</i> | Method Detection Limit. Same as Minimum Reporting Limit unless omitted or equal to the PQL (see comment #5). Allows for instrument and annual fluctuations. |
| <i>PCN/SCN</i> | A number assigned to reagents/standards to trace to the manufacturer's certificate of analysis |
| <i>PQL</i> | Practical Quantitation Limit. Synonymous with the EPA term "minimum level". |
| <i>QC</i> | True Value of the Control Sample or the amount added to the Spike |
| <i>Rec</i> | Recovered amount of the true value or spike added, in % (except for LCSS, mg/Kg) |
| <i>RPD</i> | Relative Percent Difference, calculation used for Duplicate QC Types |
| <i>Upper</i> | Upper Recovery Limit, in % (except for LCSS, mg/Kg) |
| <i>Sample</i> | Value of the Sample of interest |

QC Sample Types

| | | | |
|--------------|--------------------------------------------------------|--------------|----------------------------------------------|
| <i>AS</i> | Analytical Spike (Post Digestion) | <i>LCSWD</i> | Laboratory Control Sample - Water Duplicate |
| <i>ASD</i> | Analytical Spike (Post Digestion) Duplicate | <i>LFB</i> | Laboratory Fortified Blank |
| <i>CCB</i> | Continuing Calibration Blank | <i>LFM</i> | Laboratory Fortified Matrix |
| <i>CCV</i> | Continuing Calibration Verification standard | <i>LFMD</i> | Laboratory Fortified Matrix Duplicate |
| <i>DUP</i> | Sample Duplicate | <i>LRB</i> | Laboratory Reagent Blank |
| <i>ICB</i> | Initial Calibration Blank | <i>MS</i> | Matrix Spike |
| <i>ICV</i> | Initial Calibration Verification standard | <i>MSD</i> | Matrix Spike Duplicate |
| <i>ICSAB</i> | Inter-element Correction Standard - A plus B solutions | <i>PBS</i> | Prep Blank - Soil |
| <i>LCSS</i> | Laboratory Control Sample - Soil | <i>PBW</i> | Prep Blank - Water |
| <i>LCSSD</i> | Laboratory Control Sample - Soil Duplicate | <i>PQV</i> | Practical Quantitation Verification standard |
| <i>LCSW</i> | Laboratory Control Sample - Water | <i>SDL</i> | Serial Dilution |

QC Sample Type Explanations

| | |
|-------------------------|-------------------------------------------------------------------------------------------------|
| Blanks | Verifies that there is no or minimal contamination in the prep method or calibration procedure. |
| Control Samples | Verifies the accuracy of the method, including the prep procedure. |
| Duplicates | Verifies the precision of the instrument and/or method. |
| Spikes/Fortified Matrix | Determines sample matrix interferences, if any. |
| Standard | Verifies the validity of the calibration. |

ACZ Qualifiers (Qual)

| | |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| B | Analyte concentration detected at a value between MDL and PQL. The associated value is an estimated quantity. |
| H | Analysis exceeded method hold time. pH is a field test with an immediate hold time. |
| L | Target analyte response was below the laboratory defined negative threshold. |
| U | The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit. |

Method References

- (1) EPA 600/4-83-020. Methods for Chemical Analysis of Water and Wastes, March 1983.
- (2) EPA 600/R-93-100. Methods for the Determination of Inorganic Substances in Environmental Samples, August 1993.
- (3) EPA 600/R-94-111. Methods for the Determination of Metals in Environmental Samples - Supplement I, May 1994.
- (4) EPA SW-846. Test Methods for Evaluating Solid Waste.
- (5) Standard Methods for the Examination of Water and Wastewater.

Comments

- (1) QC results calculated from raw data. Results may vary slightly if the rounded values are used in the calculations.
- (2) Soil, Sludge, and Plant matrices for Inorganic analyses are reported on a dry weight basis.
- (3) Animal matrices for Inorganic analyses are reported on an "as received" basis.
- (4) An asterisk in the "XQ" column indicates there is an extended qualifier and/or certification qualifier associated with the result.
- (5) If the MDL equals the PQL or the MDL column is omitted, the PQL is the reporting limit.

For a complete list of ACZ's Extended Qualifiers, please click:

<https://acz.com/wp-content/uploads/2019/04/Ext-Qual-List.pdf>

Rio Algom Mining Company

ACZ Project ID: **L61784**

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

Molybdenum, dissolved

M200.8 ICP-MS

| ACZ ID | Type | Analyzed | PCN/SCN | QC | Sample | Found | Units | Rec% | Lower | Upper | RPD | Limit | Qual |
|-----------------|------|----------------|------------|--------|--------|--------|-------|------|----------|---------|-----|-------|------|
| WG507239 | | | | | | | | | | | | | |
| WG507239ICV | ICV | 10/14/20 12:48 | MS201001-3 | .01992 | | .01914 | mg/L | 96 | 90 | 110 | | | |
| WG507239ICB | ICB | 10/14/20 12:51 | | | | U | mg/L | | -0.00044 | 0.00044 | | | |
| WG507239ICB1 | ICB | 10/14/20 12:54 | | | | U | mg/L | | -0.00044 | 0.00044 | | | |
| L61875-01AS | AS | 10/14/20 14:15 | MS200926-3 | .0501 | .00951 | .05957 | mg/L | 100 | 70 | 130 | | | |
| L61875-01ASD | ASD | 10/14/20 14:18 | MS200926-3 | .0501 | .00951 | .05923 | mg/L | 99 | 70 | 130 | 1 | 20 | |
| WG507239LFB | LFB | 10/14/20 14:27 | MS200926-3 | .0501 | | .04562 | mg/L | 91 | 85 | 115 | | | |

Uranium, dissolved

M200.8 ICP-MS

| ACZ ID | Type | Analyzed | PCN/SCN | QC | Sample | Found | Units | Rec% | Lower | Upper | RPD | Limit | Qual |
|-----------------|------|----------------|------------|-----|--------|--------|-------|------|----------|---------|-----|-------|------|
| WG507239 | | | | | | | | | | | | | |
| WG507239ICV | ICV | 10/14/20 12:48 | MS201001-3 | .05 | | .04828 | mg/L | 97 | 90 | 110 | | | |
| WG507239ICB | ICB | 10/14/20 12:51 | | | | U | mg/L | | -0.00022 | 0.00022 | | | |
| WG507239ICB1 | ICB | 10/14/20 12:54 | | | | U | mg/L | | -0.00022 | 0.00022 | | | |
| L61875-01AS | AS | 10/14/20 14:15 | MS200926-3 | .05 | .00054 | .05315 | mg/L | 105 | 70 | 130 | | | |
| L61875-01ASD | ASD | 10/14/20 14:18 | MS200926-3 | .05 | .00054 | .05369 | mg/L | 106 | 70 | 130 | 1 | 20 | |
| WG507239LFB | LFB | 10/14/20 14:27 | MS200926-3 | .05 | | .04707 | mg/L | 94 | 85 | 115 | | | |
| WG507374 | | | | | | | | | | | | | |
| WG507374ICV | ICV | 10/15/20 12:52 | MS201001-3 | .05 | | .04988 | mg/L | 100 | 90 | 110 | | | |
| WG507374ICB | ICB | 10/15/20 12:55 | | | | U | mg/L | | -0.00022 | 0.00022 | | | |
| WG507374LFB | LFB | 10/15/20 12:58 | MS200926-3 | .05 | | .04476 | mg/L | 90 | 85 | 115 | | | |
| L61783-05AS | AS | 10/15/20 13:35 | MS200926-3 | 1 | 6.07 | 6.926 | mg/L | 86 | 70 | 130 | | | |
| L61783-05ASD | ASD | 10/15/20 13:38 | MS200926-3 | 1 | 6.07 | 7.084 | mg/L | 101 | 70 | 130 | 2 | 20 | |

Rio Algom Mining Company

ACZ Project ID: **L61784**

| ACZ ID | WORKNUM | PARAMETER | METHOD | QUAL | DESCRIPTION |
|--------|---------|-----------|--------|------|-------------|
|--------|---------|-----------|--------|------|-------------|

No extended qualifiers associated with this analysis

Rio Algom Mining Company

Project ID: 4508122295

Sample ID: 32-45 KD-R

Locator:

ACZ Sample ID: **L61784-01**

Date Sampled: 09/23/20 15:11

Date Received: 09/25/20

Sample Matrix: *Groundwater*

Gross Alpha - Corrected

Prep Method:

Calculation

| Parameter | Measure Date | Prep Date | Result | Error(+/-) | LLD | Units | XQ | Analyst |
|-------------------------|----------------|-----------|--------|------------|-----|-------|----|---------|
| Gross Alpha - Corrected | 10/27/20 11:42 | | 69 | | | pCi/L | | calc |

Gross Alpha, dissolved

Prep Method:

M900.0

| Parameter | Measure Date | Prep Date | Result | Error(+/-) | LLD | Units | XQ | Analyst |
|------------------------|---------------|-----------|--------|------------|-----|-------|----|---------|
| Gross Alpha, dissolved | 10/26/20 0:28 | | 99 | 16 | 22 | pCi/L | * | tjr/fdw |

Rio Algom Mining Company

Project ID: 4508122295

Sample ID: 31-02 TRB-R

Locator:

ACZ Sample ID: **L61784-02**

Date Sampled: 09/23/20 16:02

Date Received: 09/25/20

Sample Matrix: *Groundwater*

Gross Alpha - Corrected

Prep Method:

Calculation

| Parameter | Measure Date | Prep Date | Result | Error(+/-) | LLD | Units | XQ | Analyst |
|-------------------------|----------------|-----------|--------|------------|-----|-------|----|---------|
| Gross Alpha - Corrected | 10/27/20 11:42 | | 4.2 | | | pCi/L | | calc |

Gross Alpha, dissolved

Prep Method:

M900.0

| Parameter | Measure Date | Prep Date | Result | Error(+/-) | LLD | Units | XQ | Analyst |
|------------------------|---------------|-----------|--------|------------|-----|-------|----|---------|
| Gross Alpha, dissolved | 10/26/20 0:30 | | 7.2 | 18 | 84 | pCi/L | * | tjr/fdw |

Report Header Explanations

| | |
|-------------------|------------------------------------------------------------------------------------------------|
| <i>Batch</i> | A distinct set of samples analyzed at a specific time |
| <i>Error(+/-)</i> | Calculated sample specific uncertainty |
| <i>Found</i> | Value of the QC Type of interest |
| <i>Limit</i> | Upper limit for RPD, in %. |
| <i>LCL</i> | Lower Control Limit, in % (except for LCSS, mg/Kg) |
| <i>LLD</i> | Calculated sample specific Lower Limit of Detection |
| <i>PCN/SCN</i> | A number assigned to reagents/standards to trace to the manufacturer's certificate of analysis |
| <i>PQL</i> | Practical Quantitation Limit |
| <i>QC</i> | True Value of the Control Sample or the amount added to the Spike |
| <i>Rec</i> | Amount of the true value or spike added recovered, in % (except for LCSS, mg/Kg) |
| <i>REr</i> | Relative Error Ratio, calculation used for Dup. QC taking into account the error factor. |
| <i>RPD</i> | Relative Percent Difference, calculation used for Duplicate QC Types |
| <i>UCL</i> | Upper Control Limit, in % (except for LCSS, mg/Kg) |
| <i>Sample</i> | Value of the Sample of interest |

QC Sample Types

| | | | |
|-------------|-----------------------------------|---------------|-------------------------------------|
| <i>DUP</i> | Sample Duplicate | <i>MS/MSD</i> | Matrix Spike/Matrix Spike Duplicate |
| <i>LCSS</i> | Laboratory Control Sample - Soil | <i>PBS</i> | Prep Blank - Soil |
| <i>LCSW</i> | Laboratory Control Sample - Water | <i>PBW</i> | Prep Blank - Water |

QC Sample Type Explanations

| | |
|-----------------|----------------------------------------------------------------------------------|
| Blanks | Verifies that there is no or minimal contamination in the prep method procedure. |
| Control Samples | Verifies the accuracy of the method, including the prep procedure. |
| Duplicates | Verifies the precision of the instrument and/or method. |
| Matrix Spikes | Determines sample matrix interferences, if any. |

ACZ Qualifiers (Qual)

| | |
|---|-------------------------------------|
| H | Analysis exceeded method hold time. |
|---|-------------------------------------|

Method Prefix Reference

| | |
|-----|---------------------------------------------------------------|
| M | EPA methodology, including those under SDWA, CWA, and RCRA |
| SM | Standard Methods for the Examination of Water and Wastewater. |
| D | ASTM |
| RP | DOE |
| ESM | DOE/ESM |

Comments

- (1) Solid matrices are reported on a dry weight basis.
- (2) Preparation method: "Method" indicates preparation defined in analytical method.
- (3) QC results calculated from raw data. Results may vary slightly if the rounded values are used in the calculations.
- (4) An asterisk in the "XQ" column indicates there is an extended qualifier and/or certification qualifier associated with the result.

For a complete list of ACZ's Extended Qualifiers, please click:

<https://acz.com/wp-content/uploads/2019/04/Ext-Qual-List.pdf>

Rio Algom Mining Company

ACZ Project ID: **L61784**

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

Gross Alpha, dissolved

M900.0

Units: pCi/L

| ACZ ID | Type | Analyzed | PCN/SCN | QC | Sample | Error | LLD | Found | Error | LLD | Rec% | Lower | Upper | RPD/RER | Limit | Qual |
|-----------------|---------|----------|----------|-------|--------|-------|-----|-------|-------|------|------|-------|-------|---------|-------|------|
| WG507567 | | | | | | | | | | | | | | | | |
| WG507567PBW | PBW | 10/26/20 | | | | | | .52 | 0.74 | 0.83 | | | 1.66 | | | |
| WG507567LCSWA | LCSW | 10/26/20 | PCN60283 | 100 | | | | 100 | 8.6 | 1.4 | 100 | 67 | 144 | | | |
| L61657-02DUP | DUP-RPD | 10/26/20 | | | 0.97 | 1.4 | 1.6 | 1 | 1.4 | 1.6 | | | | 3 | 20 | |
| L61657-03MSA | MS | 10/26/20 | PCN60283 | 66.67 | 4 | 2.1 | 1.6 | 79 | 8 | 1.4 | 113 | 67 | 144 | | | |
| L61769-01DUP | DUP-RPD | 10/26/20 | | | 21 | 11 | 27 | 38 | 14 | 24 | | | | 58 | 20 | RG |
| L61769-01DUP | DUP-RER | 10/26/20 | | | 21 | 11 | 27 | 38 | 14 | 24 | | | | 0.95 | 2 | |

Rio Algom Mining CompanyACZ Project ID: **L61784**

| ACZ ID | WORKNUM | PARAMETER | METHOD | QUAL | DESCRIPTION |
|-----------|----------|------------------------|--------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| L61784-01 | WG507567 | Gross Alpha, dissolved | M900.0 | RG | Sample concentration is less than 5x LLD; RPD was not used for data validation. Replicate Error Ratio (RER) is less than 2. Precision judged to be in control. |
| L61784-02 | WG507567 | Gross Alpha, dissolved | M900.0 | RG | Sample concentration is less than 5x LLD; RPD was not used for data validation. Replicate Error Ratio (RER) is less than 2. Precision judged to be in control. |

Rio Algom Mining Company

ACZ Project ID: **L61784**

No certification qualifiers associated with this analysis

Rio Algom Mining Company
 4508122295

ACZ Project ID: L61784
 Date Received: 09/25/2020 11:54
 Received By:
 Date Printed: 10/21/2020

Receipt Verification

| | YES | NO | NA |
|---------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1) Is a foreign soil permit included for applicable samples? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2) Is the Chain of Custody form or other directive shipping papers present? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3) Does this project require special handling procedures such as CLP protocol? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 4) Are any samples NRC licensable material? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 5) If samples are received past hold time, proceed with requested short hold time analyses? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 6) Is the Chain of Custody form complete and accurate? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 7) Were any changes made to the Chain of Custody form prior to ACZ receiving the samples? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Samples/Containers

| | YES | NO | NA |
|-----------------------------------------------------------------------------------------|-------------------------------------|--------------------------|-------------------------------------|
| 8) Are all containers intact and with no leaks? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 9) Are all labels on containers and are they intact and legible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 10) Do the sample labels and Chain of Custody form match for Sample ID, Date, and Time? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 11) For preserved bottle types, was the pH checked and within limits? ¹ | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 12) Is there sufficient sample volume to perform all requested work? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 13) Is the custody seal intact on all containers? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 14) Are samples that require zero headspace acceptable? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 15) Are all sample containers appropriate for analytical requirements? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 16) Is there an Hg-1631 trip blank present? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 17) Is there a VOA trip blank present? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 18) Were all samples received within hold time? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

NA indicates Not Applicable

Chain of Custody Related Remarks

Client Contact Remarks

Shipping Containers

| Cooler Id | Temp (°C) | Temp Criteria (°C) | Rad (µR/Hr) | Custody Seal Intact? |
|-----------|-----------|--------------------|-------------|----------------------|
| 5182 | 8.9 | NA | 15 | Yes |

Was ice present in the shipment container(s)?

Yes - Wet ice was present in the shipment container(s).

Client must contact an ACZ Project Manager if analysis should not proceed for samples received outside of their thermal preservation acceptance criteria.

Rio Algom Mining Company
4508122295

ACZ Project ID: L61784
Date Received: 09/25/2020 11:54
Received By:
Date Printed: 10/21/2020

¹ The preservation of the following bottle types is not checked at sample receipt: Orange (oil and grease), Purple (total cyanide), Pink (dissolved cyanide), Brown (arsenic speciation), Sterile (fecal coliform), EDTA (sulfite), HCl preserved vial (organics), Na₂S₂O₃ preserved vial (organics), and HG-1631 (total/dissolved mercury by method 1631).



Laboratories, Inc. L61784

CHAIN of CUSTODY

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Report to:

Name: Kent Applegate
Company: Rio Algom Mining LLC
E-mail: Kent.KC.Applegate@bhpbilliton.com

Address: PO Box 218
Grants, NM 87020
Telephone: 1-505-287-8851

Copy of Report to:

Name: See Remarks
Company: INTERA, INC.

E-mail: See Remarks
Telephone: 505-246-1600 x1207

Invoice to:

Name: Kent Applegate
Company: Rio Algom Mining LLC
E-mail: Kent.KC.Applegate@bhpbilliton.com

Address: PO Box 218
Grants, NM 87020
Telephone: 1-505-287-8851

If sample(s) received past holding time (HT), or if insufficient HT remains to complete analysis before expiration, shall ACZ proceed with requested short HT analyses? YES NO

Are samples for SDWA Compliance Monitoring? Yes No

Sampler's Name: B. Williamson Sampler's Site Information State NM Zip code 87020 Time Zone MST

*Sampler's Signature: [Signature]

PROJECT INFORMATION

Quote #: N/A
PO#: 4902696293
Reporting state for compliance testing: NM
Check box if samples include NRC licensed material?

| SAMPLE IDENTIFICATION | DATE/TIME | Matrix | # of Containers | ANALYSES REQUESTED | | | | | | | | | | | | |
|-----------------------|--------------|--------|-----------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | | 32-45 KD-R | 31-02 TRB-R | | | | | | | | | | | |
| 32-45 KD-R | 9/29/20 1741 | GW | 2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 31-02 TRB-R | 9/29/20 1602 | GW | 2 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Matrix: SW (Surface Water) - GW (Ground Water) - WW (Waste Water) - DW (Drinking Water) - SL (Sludge) - SO (Soil) - OL (Oil) - Other (Specify)

REMARKS: RAML COC#: 20-59. Note different COC's may have different PO's. Shipment of 4 Coolers.

Please CC report to: cshort@intera.com, apersico@intera.com, Michaela.Gorospe@bhpbilliton.com, jcarroll@intera.com

Please refer to ACZ's terms & conditions located on the reverse side of this COC.

| RELINQUISHED BY | DATE/TIME | RECEIVED BY | DATE/TIME |
|----------------------|----------------|--------------------|--------------|
| <u>B. Williamson</u> | <u>9/24/20</u> | <u>[Signature]</u> | <u>11:54</u> |
| | | | |

FRMAD050.06.14.14 White - Return with sample. Yellow - Retain for your records.

L61784 Chain of Custody