



REPLY TO  
ATTENTION OF

DEPARTMENT OF THE ARMY  
US ARMY INSTALLATION MANAGEMENT COMMAND  
2405 GUN SHED ROAD  
JOINT BASE SAN ANTONIO FORT SAM HOUSTON, TX 78234-1223

December 14, 2020

ATTN: Document Control Desk  
Deputy Director, Division of Decommissioning, Uranium Recovery and Waste Programs  
Office of Nuclear Material Safety and Safeguards  
Mailstop T8 F5  
US Nuclear Regulatory Commission  
Washington, DC 20555-0001

Dear Deputy Director:

This letter responds to condition 18 in Amendment No. 5 of Nuclear Regulatory Commission Source Materials License No. SUC-1593, dated October 8, 2020, which says "Within 3 months of the issuance of Amendment 5, the Army will submit a revised version of the Quality Assurance Project Plan that reflects requirements for the timing of semiannual surface water sampling (i.e., capture lower and higher flow rates) and surface water analytical protocols (i.e., samples preserved in the original sample containers, reported total uranium includes both particle-associated and dissolved uranium)."

We enclose the revised version of the Quality Assurance Project Plan that reflects requirements for the timing of semiannual surface water sampling and surface water analytical protocols.

If you have any questions concerning this letter, please contact me by telephone at 210- 466-0368 or by email at [robert.n.cherry.civ@mail.mil](mailto:robert.n.cherry.civ@mail.mil).

Sincerely,

A handwritten signature in black ink that reads "Robert N. Cherry".

Robert N. Cherry  
License Radiation Safety Officer

Enclosure