
WATER SEPARATOR WEST D002
WATER SEPARATOR EAST D001
WEST PREHEATER B002
EAST PREHEATER B001
RECOMBINER D004
RECOMBINER D003
AT CONDENSER
COLLECTION TANK A008
COLLECTOR TANK
20" MANIFOLD
18" MANIFOLD
LOW ALLOY PIPE
RUPTURE DISC.
HEATERS 1 THRU IV (TYP.)
FOR SPECIFIC INSTR. ND'S SEE CECO
14962 LB/HR. STEAM
180 LB/HR. AIR
14,500 LB/HR STEAM
410 LB/HR O2
58 LB/HR H2
180 LB/HR AIR
(TYP. FOR 2)
1100 LB/HR.
200 PSIG
30 G.P.M.
2 G.P.M.
6 G.P.M.
2 MINUTE DELAY
PRECIP TEST (TYP. 2 PLACES)
EQUIP'T DRAIN
INTERNALS REMOVED
DRAIN (TYP.) (4 PLACES)
STEAM SUPPLY M-2002 (B-4)
CONDENSATE SUPPLY M-2004 (B-7)
CONDENSATE RETURN M-2004 (B-7)
STEAM SUPPLY(A-3) M-2002 (B-4)
CONDENSATE SUPPLY M-2004 (B-7)
DEMIN WATER M-2678 (D-8)
OFF-GAS TO ANALYZER SAMPLE RETURN
DECO FILE NO. S16-439
P.I.S. N6101G003
FILTER HOUSING N6101D006 INTERNALS REMOVED
FILTER HOUSING N6101D005 INTERNALS REMOVED
N6101G001
FILTER HOUSING N6101D002 INTERNALS REMOVED
MECHANICAL VACUUM PUMP 'A' N6101C001
MECHANICAL VACUUM PUMP 'B' N6101C002
MECHANICAL VACUUM PUMP N6101C003 WEST
N6101G004
FUTURE-CHILLER
RECIRC LINE (IF REQ'D)
STEAM JET AIR EJECTOR #1 (TYP.) N6101D001
#2 N6101D003
#3 N6101D004
#4 N6101D002
N6100F010A
N6100F010B
N6100F010C
N6100F010D
N6100F014A
N6100F014B
N6100F014C
N6100F014D
N6100F100A
N6100F100B
N6100F105A
N6100F105B
N6100F009 THROTTLED IN AN INTERMEDIATE OPEN POSITION.
GLAND SEALING SYSTEM M-2136 (D-6)
VACUUM TO REHEATER TUBES M-4504-1 (E-4)
VACUUM TO M-2003 (F-4) M-2985-1 (G-6)
MAIN TURBINE EXTRACTION SYSTEM
SEE DWG. M-2197-1 FOR COMPLETE INSTR. SEE FOREIGN DWG. FILE #T2-96
FOR COMPLETE INSTRUMENTATION SEE DWG. 1-2181-3
MATCHLINE DRAWING M-2017-1A ZONE C-8
MATCHLINE DRAWING M-2017-1A ZONE C-5
MATCHLINE DRAWING M-2017-1A ZONE E,F,G-8
10" DELAY PIPING M-2017-2 (E-8)
TO ROOF VENT M-2017-2 (G-2)
M-2017-2 (H-6)
M-2017-2 (F-4)
M-2017-2 (G-2)
TRA-R815 (G-4)
TRA-R815 (G-3)
TY-K824B
TRE-R802
MV/I K821 B
MV/I K821 A
TEW N422 B
TEW N422 A
TEW N424 B
TEW N424 A
TYA K824 B
TYA K824 A
TEW N418 B
TEW N418 A
TEW N419 B
TEW N419 A
TEW N409 B
TEW N409 A
TEW N408 B
TEW N408 A
TEW N448
TEW N418
TYA K807 B
TYA K807 A
TSE K803 B
TSE K803 A
TRE K801 B
TRE K801 A
TCE K800 B
TCE K800 A
TIC K815
ZYC K822
MS
ZCP K420
TCV F400
ZIV R822
ZIV R820 A
ZIV R820 B
ZXV N436
ZXV N435 A
ZXV N435 B
PXE N400
PIE R800
PT L400
PSE N401
ZSV N434 A,B
ZSV N417 A,B
ZSV N510A B
ZSV N511A B
ZSV N421 A,B
ZSV N423 A,B,C
ZSV N62 N421 A,B
ZSV N62 N423 A,B,C
PSE N407
PT L525
PTH N61 L451 A
PTL N61 L450 A
PDI N61 R405 A
PTT N61 L501
FTH N61 L051 A
FTL N61 L435 A
FI R102 A
FI R102 B
PTH N61 L451 B
PTL N61 L450 B
PDI N61 R405 B
PTT N61 L500
FTH N61 L051 B
FTL N61 L435 B
TIC N61 K100 A
TIC N61 K100 B
RT D11 L418 A
LT L492
LT L493
LT L491
LT L490
LT L487
LT L496
LT L497
LT L498
LT L448
LT L449
LT L436 A
LT L437 A
LT L438 A
LT L439 A
LT L436 B
LT L437 B
LT L438 B
LT L439 B
LTT L003 A
LTT L004 A
LTT L003 B
LTT L004 B
LSE N404
LSE N495
LSE N494
LSE N493
LSE N552 A
LSE N551 A
LSE N414 A
LSE N415 A
LSE N552 B
LSE N551 B
LSE N414 B
LSE N415 B
LSE N444
LSE N445
LSE N440
LSE N554
LSE N487
LSE N496
LSE N497
LSE N498
LSE N405 A
LSE N405 B
PSE N413 A
PSE N413 B
PT L409 A
PT L409 B
TCV F401 A
TCV F401 B
TE/P K401 A
TE/P K401 B
ZXV N411 A
ZXV N411 B
LCV F413 A
LCV F413 B
LCV F412
E/V F414 A
E/V F414 B
E/V F423 A
E/V F423 B
E/V F421 A
E/V F421 B
E/V F424 A
E/V F424 B
E/V F425
RD D027
RD D028
RME D11 K814
RME D11 K815
RE D11 N414
RE D11 N415
R1 D11 R819
R1 D11 R047
VR3 2535
VR3 2536
VR3 2537
VR3 2538
VR3 2539
VR3 2540
VR3 2528
VR3 2529
VR3 2530
VR3 2531
VR3 2532
VR3 2533
VR3 2534
VR3 2687
VR3 2688
VR3 2689
VR3 2690
VR3 2691
VR3 2692
VR3 2693
VR3 2517
VR3 2518
VR3 2187
VR3 2708
VR3 2709
VR3 2710
VR3 2695
VR3 2694
VR3 2696
VR3 2697
VR3 2698
VR3 2699
VR3 2700
VR3 2701
VR3 2702
VR3 2703
VR3 2704
VR3 2705
VR3 2706
VR3 2707
VR3 2013
VR3 2014
VR3 2015
VR3 2016
VR3 2017
VR3 2018
VR3 2019
VR3 2020
VR3 2021
VR3 2022
VR3 2023
VR3 2024
VR3 2025
VR3 2026
VR3 2027
VR3 2028
VR3 2029
VR3 2030
VR3 2031
VR3 2032
VR3