PUBLIC SUBMISSION

As of: 3/10/21 10:03 AM **Received:** March 04, 2021 **Status:** Pending Post

Tracking No. klv-luy4-dex6 Comments Due: March 08, 2021

Submission Type: Web

Docket: NRC-2021-0036

Palisades Nuclear Plant and Big Rock Point Plant Consideration of Approval of Transfer of Control of

Licenses and Conforming Amendments

Comment On: NRC-2021-0036-0001

Palisades Nuclear Plant and Big Rock Point Plant Consideration of Approval of Transfer of Control of

Licenses and Conforming Amendments

Document: NRC-2021-0036-DRAFT-0015

Comment on FR Doc # 2021-02357

Submitter Information

Name: Jeremy Thong

Address:

Grand Rapids, MI, 49546

Phone: 6094022227

General Comment

I believe the Palisades should shut for good. It never should have been constructed and operated in the first place. For health, environment, safety, and security's sake, it should have been shut not years, but decades ago.

However, the radioactive risks will continue, even after reactor shutdown. There is significant contamination of the entire site, with hazardous radioactivity and toxic chemicals. There is also a vast amount of high-level radioactive waste stored on-site, where it will almost certainly remain not for years, but for decades to come.

It is unacceptable to put crooked, untrustworthy companies like Holtec and SNC-Lavalin in charge of radiological clean up and high-level radioactive waste management at Palisades. They will do as little radiological clean up, and will take as many shortcuts on high-level radioactive waste management, as the complicit Nuclear Regulatory Commission will allow. They will then put the lion's share of the Nuclear Decommissioning Trust Fund in their pockets, as pure profit. The radioactive risks -- lingering contamination, irradiated nuclear fuel -- left behind at Palisades after that will continue to haunt the public forevermore into the future.

For these reasons, Palisades' (and Big Rock Point's), licenses should not be transferred to Holtec and its decommissioning partner SNC-Lavalin