

From: Nelson, Gianni
Sent: Thursday, April 15, 2021 5:00 PM
To: dennis.Earp@duke-energy.com
Cc: Arthur.Zaremba@duke-energy.com; Mahoney, Michael
Subject: Acceptance Review - Shearon Harris Nuclear Power Plant, Unit 1- RA-21-0052
- Revise Containment Spray Nozzle Surveillance Frequency (L-2021-LLA-0058)

Dennis,

By letter RA-21-0052, dated March 24, 2021 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML21083A317), Duke Energy Carolinas, LLC and Duke Energy Progress, LLC (Duke Energy, the licensee) submitted a license amendment request (LAR) to revise the Shearon Harris Nuclear Power Plant, Unit 1 (HNP) technical specifications. The proposed change would revise the surveillance frequency associated with containment spray nozzle testing specified by Surveillance Requirement 4.6.2.1.d. Specifically, the proposed change would replace the current testing frequency, as specified by the Surveillance Frequency Control Program, with an event-based frequency.

The purpose of this e-mail is to provide the results of the U.S. Nuclear Regulatory Commission (NRC) staff's acceptance review of this amendment request. The acceptance review was performed to determine if there is sufficient technical information in scope and depth to allow the NRC staff to complete its detailed technical review. The acceptance review is also intended to identify whether the application has any readily apparent information insufficiencies in its characterization of the regulatory requirements or the licensing basis of the plant.

Consistent with Section 50.90 of Title 10 of the Code of Federal Regulations (10 CFR), an application for an amendment to a license (including the technical specifications) must fully describe the changes requested, and following as far as applicable, the form prescribed for original applications. Section 50.34 of 10 CFR addresses the content of technical information required. This section stipulates that the submittal address the design and operating characteristics, unusual or novel design features, and principal safety considerations.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed amendment in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. If additional information is needed, you will be advised by separate correspondence.

Based on the information provided in your submittal, the NRC staff has estimated that this licensing request will take approximately 215 hours to complete. The NRC staff expects to complete this review in approximately 12 months, which is April 15, 2022. If there are emergent complexities or challenges in our review that would cause changes to the initial forecasted completion date or significant changes in the forecasted hours, the reasons for the changes, along with the new estimates, will be communicated during the routine interactions with the assigned project manager.

These estimates are based on the NRC staff's initial review of the application, and they could change, due to several factors including requests for additional information, unanticipated addition of scope to the review, and review by NRC advisory committees or hearing-related activities.

If you have any questions, please contact me or Michael Mahoney.

Thanks

Gianni Nelson | Nuclear Engineer
U.S. Nuclear Regulatory Commission | NRCAN
301-415-3550 | Gianni.Nelson@nrc.gov

Hearing Identifier: NRR_DRMA
Email Number: 1128

Mail Envelope Properties (BLAPR09MB723472BA23B099BA110860C1E84D9)

Subject: Acceptance Review - Shearon Harris Nuclear Power Plant, Unit 1- RA-21-0052 -
Revise Containment Spray Nozzle Surveillance Frequency (L-2021-LLA-0058)
Sent Date: 4/15/2021 5:00:18 PM
Received Date: 4/15/2021 5:00:21 PM
From: Nelson, Gianni

Created By: gianni.nelson@nrc.gov

Recipients:

"Arthur.Zaremba@duke-energy.com" <Arthur.Zaremba@duke-energy.com>
Tracking Status: None
"Mahoney, Michael" <Michael.Mahoney@nrc.gov>
Tracking Status: None
"dennis.Earp@duke-energy.com" <dennis.Earp@duke-energy.com>
Tracking Status: None

Post Office: BLAPR09MB7234.namprd09.prod.outlook.com

Files	Size	Date & Time
MESSAGE	3632	4/15/2021 5:00:21 PM

Options

Priority: Normal
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date: