

PBAPS UFSAR

SECTION 2.0 - SITE

TABLE OF CONTENTS

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|--|
| 2.1 | <u>SUMMARY DESCRIPTION</u> |
| 2.2 | <u>SITE DESCRIPTION</u> |
| 2.2.1 | Location |
| 2.2.2 | Property Ownership |
| 2.2.3 | Site Arrangement and Exclusion Area |
| 2.2.4 | Topography |
| 2.2.5 | Site Access and Control |
| 2.2.6 | Land Use |
| 2.2.6.1 | On-Site |
| 2.2.6.2 | Off-Site |
| 2.2.7 | Population |
| 2.2.7.1 | Five- to Sixty-Mile Population Distribution |
| 2.2.7.2 | Zero- to Five-Mile Population Distribution |
| 2.2.7.3 | Parameters and Characteristics for a Low Population Zone |
| 2.3 | <u>METEOROLOGY</u> |
| 2.3.1 | General Meteorological Features |
| 2.3.2 | Sources of Data |
| 2.3.3 | Onsite Meteorological Measurements |
| 2.3.3.1 | Meteorological Measurements Program, 1976 - 1982 |
| 2.3.3.2 | Meteorological Measurements Program, 1983 - Present |
| 2.3.3.2.1 | Measurements and Instrumentation |
| 2.3.3.2.1.1 | Siting |
| 2.3.3.2.1.2 | Instrumentation and Performance Specifications |
| 2.3.3.2.1.3 | Windspeed |
| 2.3.3.2.1.4 | Wind Direction |
| 2.3.3.2.1.5 | Sigma Theta (Standard Deviation) |
| 2.3.3.2.1.6 | Temperature |
| 2.3.3.2.1.7 | Temperature Difference |
| 2.3.3.2.1.8 | Dew Point |
| 2.3.3.2.1.9 | Precipitation |
| 2.3.3.2.2 | Calibration and Maintenance Procedures |
| 2.3.3.2.2.1 | Calibration |
| 2.3.3.2.2.2 | Maintenance |
| 2.3.3.2.3 | Data Communication, Recording and Display |
| 2.3.3.2.3.1 | Data Analysis Procedures |
| 2.3.3.2.3.1.1 | Data Quality Control |
| 2.3.3.2.3.1.2 | Data Reduction |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|---|
| 2.3.4 | Standard Meteorological Data |
| 2.3.4.1 | Temperature |
| 2.3.4.2 | Precipitation |
| 2.3.4.3 | High Winds |
| 2.3.4.4 | Ice Storms |
| 2.3.5 | Diffusion Meteorology |
| 2.3.5.1 | Turbulence Classification |
| 2.3.5.2 | Wind Direction Distributions |
| 2.3.5.2.1 | Class II |
| 2.3.5.2.2 | Class V |
| 2.3.5.3 | Wind Speed Distributions |
| 2.3.5.4 | Lapse Rates |
| 2.3.5.5 | Steadiness Analysis |
| 2.3.5.6 | Bivariate Fluctuations |
| 2.3.5.7 | Dispersion Parameters |
| 2.3.5.8 | Least Favorable Meteorological Conditions |
| 2.3.6 | Summary and Conclusions |
| 2.3.7 | Accident Diffusion Estimates |
| 2.3.7.1 | Objective |
| 2.3.7.2 | Selection of Meteorological Data |
| 2.3.7.3 | Calculation of χ/Q at EAB and LPZ |
| 2.3.7.3.1 | PAVAN Meteorological Databases |
| 2.3.7.3.2 | Model Input Parameters |
| 2.3.7.3.3 | EAB and LPZ χ/Q Modeling Results |
| 2.3.7.4 | Calculation of χ/Q at the Control Room Intake |
| 2.3.7.4.1 | ARCON96 Model Analysis |
| 2.3.7.4.1.1 | ARCON96 Meteorological Databases |
| 2.3.7.4.1.2 | ARCON96 Input Parameters |
| 2.3.7.4.1.3 | ARCON96 Control Room χ/Q Results |
| 2.3.7.4.2 | PAVAN Model Analysis |
| 2.3.7.4.2.1 | PAVAN Meteorological Databases |
| 2.3.7.4.2.2 | PAVAN Input Parameters |
| 2.3.7.4.2.3 | PAVAN Control Room χ/Q Results |
| 2.3.7.4.3 | Control Room χ/Q Results (in accordance with RG 1.194) |
| 2.4 | <u>HYDROLOGY</u> |
| 2.4.1 | General |
| 2.4.2 | Land Area Ground Hydrology |
| 2.4.2.1 | Introduction |
| 2.4.2.2 | Surface Water |
| 2.4.2.2.1 | Regional |
| 2.4.2.2.2 | Site |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|--|
| 2.4.2.3 | Ground Water |
| 2.4.2.3.1 | Regional |
| 2.4.2.3.2 | Site |
| 2.4.2.4 | Conclusions |
| 2.4.3 | River Hydrology |
| 2.4.3.1 | Introduction |
| 2.4.3.2 | Stream Flow |
| 2.4.3.3 | Factors Influencing the Concentration of Radioactivity in Conowingo Pond After Release |
| 2.4.3.4 | Temperature |
| 2.4.3.5 | Floods |
| 2.4.3.5.1 | River and Dams |
| 2.4.3.5.2 | Flood History |
| 2.4.3.5.3 | Flood Studies or Flood Design Considerations |
| 2.4.3.5.4 | Conowingo Dam |
| 2.4.3.5.5 | Emergency Shutdown due to a High or Low Water Level in the Conowingo Pond |
| 2.4.3.5.6 | Wind-Generated Waves and Wave Run-Up |
| 2.4.3.5.7 | Safe Shutdown of Structures and Components for Units 2 and 3 due to Run-Up of the Maximum Wave Superimposed on the Probable Maximum Flood Water Level |
| 2.4.4 | Uses of River |
| 2.4.4.1 | Introduction |
| 2.4.4.2 | Industrial Use |
| 2.4.4.3 | Public Use |
| 2.5 | <u>GEOLOGY AND SEISMOLOGY</u> |
| 2.5.1 | Introduction |
| 2.5.1.1 | Field Explorations |
| 2.5.1.1.1 | Test Borings |
| 2.5.1.1.2 | Geologic Survey |
| 2.5.1.1.3 | Seismic Refraction Survey |
| 2.5.1.1.4 | Micromotion Measurements |
| 2.5.1.2 | Laboratory Tests |
| 2.5.1.2.1 | Unconfined Compression Tests |
| 2.5.1.2.2 | Tensile Tests |
| 2.5.1.2.3 | Shockscope Tests |
| 2.5.2 | Geology |
| 2.5.2.1 | Introduction |
| 2.5.2.1.1 | Summary |
| 2.5.2.1.2 | Geological Program |
| 2.5.2.2 | Regional Geology |
| 2.5.2.2.1 | Physiography |
| 2.5.2.2.2 | Stratigraphy |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|---|
| 2.5.2.2.3 | Structure |
| 2.5.2.2.4 | Geologic History |
| 2.5.2.3 | Site Geology |
| 2.5.2.3.1 | General |
| 2.5.2.3.2 | Physiography |
| 2.5.2.3.3 | Stratigraphy |
| 2.5.2.3.4 | Structure |
| 2.5.2.3.5 | River Geology |
| 2.5.2.3.6 | Conclusions |
| 2.5.3 | Seismology |
| 2.5.3.1 | Introduction |
| 2.5.3.1.1 | Summary |
| 2.5.3.2 | Program of Investigation |
| 2.5.3.3 | Geologic and Tectonic Background |
| 2.5.3.3.1 | Regional Geology |
| 2.5.3.3.2 | Site Geology |
| 2.5.3.4 | Seismicity |
| 2.5.3.4.1 | General |
| 2.5.3.4.2 | Regional Relationship of Tectonics to Earthquakes |
| 2.5.3.4.3 | Regional Seismicity |
| 2.5.3.4.4 | Local Seismicity |
| 2.5.3.5 | Site Seismic Evaluation |
| 2.5.3.5.1 | Selection of Maximum Credible Earthquake |
| 2.5.3.5.2 | Selection of Design Earthquake |
| 2.5.3.6 | Seismic Design Criteria |
| 2.5.3.6.1 | Response Spectra |
| 2.6 | <u>ENVIRONMENTAL RADIATION MONITORING PROGRAM</u> |
| 2.6.1 | General |
| 2.6.2 | Pre-operational Radiation Monitoring Program Description |
| 2.6.3 | Pre-operational Radiation Monitoring Program Results |
| 2.6.4 | Additional Cooperative Monitoring Programs |
| 2.7 | <u>FOUNDATION ANALYSIS</u> |
| 2.7.1 | General |
| 2.7.2 | Field Explorations |
| 2.7.2.1 | Test Borings |
| 2.7.2.2 | Field Permeability Tests |
| 2.7.3 | Laboratory Tests |
| 2.7.4 | Subsurface Conditions |
| 2.7.5 | General Foundation Criteria |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|------------------------------------|
| 2.7.5.1 | General |
| 2.7.5.2 | Spread or Mat Foundations |
| 2.7.5.3 | Pile Foundations |
| 2.7.6 | Foundations for Structures |
| 2.7.6.1 | General |
| 2.7.6.2 | Design Considerations |
| 2.7.6.3 | Major Structures |
| 2.7.6.4 | Auxiliary Structures |
| 2.7.6.5 | Marine Structures |
| 2.7.6.5.1 | Pump Structure |
| 2.7.6.5.2 | Cooling Towers |
| 2.7.6.5.3 | Offshore Embankments |
| 2.7.6.5.4 | Additional Structures |
| 2.8 | <u>SITE PREPARATION</u> |
| 2.8.1 | General |
| 2.8.2 | Major Slopes |
| 2.8.2.1 | General |
| 2.8.2.1.1 | Soil |
| 2.8.2.1.2 | Weathered Rock |
| 2.8.2.1.3 | Relatively Fresh Rock |
| 2.8.2.2 | Benches |
| 2.8.3 | Surface Ravelling and Rock Falls |
| 2.8.4 | Rock Blasting |
| 2.8.5 | Dewatering |
| 2.8.6 | Backfilling |
| 2.9 | <u>SLOPE STABILITY</u> |
| 2.9.1 | General |
| 2.9.2 | Rock Character |
| 2.9.3 | Geometry of Constructed Slopes |
| 2.9.4 | Stability Analysis |
| 2.9.5 | Rock Properties |
| 2.9.6 | Sliding Block Analyses |
| 2.9.7 | Curved Surface of Sliding Analyses |
| 2.9.8 | Finite Element Analyses |
| 2.9.9 | Bore Hole Extensometers |
| 2.9.10 | Conclusions |

PBAPS UFSAR

SECTION 2.0 - SITE

LIST OF TABLES

| <u>TABLE</u> | <u>TITLE</u> |
|--------------|---|
| 2.2.1 | Maximum Elevation of Terrain Versus Distance From Off-Gas Stack |
| 2.2.2 | Percent of County Land Used for Farming in the Five-County Area Surrounding the Peach Bottom Site |
| 2.2.3 | Agricultural Employment in the Five-County Area Surrounding the Peach Bottom Site |
| 2.2.4 | Value of Farm Products Sold in the Five-County Area Surrounding the Peach Bottom Site |
| 2.2.5 | Employment in Five-County Area Surrounding the Peach Bottom Site |
| 2.2.6 | Manufacturing Establishments and Employment in Chester County, Pennsylvania |
| 2.2.7 | Manufacturing Establishments and Employment in Lancaster County, Pennsylvania |
| 2.2.8 | Manufacturing Establishments and Employment in York County, Pennsylvania |
| 2.2.9 | Manufacturing Establishments and Employment in Cecil County, Maryland |
| 2.2.10 | Manufacturing Establishments and Employment in Harford County, Maryland |
| 2.2.11 | Manufacturing Establishments and Employment in the Five-County Area Surrounding the Peach Bottom Site |
| 2.2.12 | Companies Located Within 10 Miles of the Peach Bottom Site |
| 2.2.13 | Counties Lying Within About 50 Miles of the Peach Bottom Site |

PBAPS UFSAR

LIST OF TABLES (cont'd)

| <u>TABLE</u> | <u>TITLE</u> |
|--------------|--|
| 2.2.14 | Employment in Counties Within 50 Miles of the Peach Bottom Site |
| 2.2.15 | Manufacturing Establishments and Employments in Counties Within Approximately 50 Miles of the Peach Bottom Site |
| 2.2.15.1 | Airports Within 10 Miles of the Peach Bottom Atomic Power Station |
| 2.2.16 | Bureau of Census and Projected Population of Counties Lying Within 60-Mile Radius of the Peach Bottom Site |
| 2.2.17 | Population of Minor Civil Subdivisions Lying Between 5 Miles and 10 Miles of Peach Bottom Units 2 and 3 (HISTORICAL) |
| 2.2.18 | Population of Minor Civil Subdivisions Lying Between 10 Miles and 20 Miles of Peach Bottom Units 2 and 3 (HISTORICAL) |
| 2.2.19 | Population of Minor Civil Subdivisions Lying Between 20 Miles and 30 Miles of Peach Bottom Units 2 and 3 (HISTORICAL) |
| 2.2.20 | Population of Minor Civil Subdivisions Lying Between 30 Miles and 40 Miles of Peach Bottom Units 2 and 3 (HISTORICAL) |
| 2.2.21 | Population of Minor Civil Subdivisions Lying Between 40 Miles and 50 Miles of Peach Bottom Units 2 and 3 (HISTORICAL) |
| 2.2.22 | Population of Minor Civil Subdivisions Lying Between 50 Miles and 60 Miles of Peach Bottom Units 2 and 3 (HISTORICAL) |
| 2.2.23 | Population Distribution Between 5 Miles and 60 Miles of Peach Bottom Units 2 and 3 by Radial Increment and by Direction from Site (HISTORICAL) |

PBAPS UFSAR

LIST OF TABLES (cont'd)

| <u>TABLE</u> | <u>TITLE</u> |
|--------------|--|
| 2.2.23.1 | Comparison Between 1970 Projected and 1970 Census Population Distribution Between 5 Miles and 60 Miles of the Peach Bottom Units 2 and 3 by Radial Increment and by Direction from Site (HISTORICAL) |
| 2.2.24 | Population Density Between 5 Miles and 60 Miles of Peach Bottom Units 2 and 3 by Radial Increment and by Direction from Site (HISTORICAL) |
| 2.2.24.1 | Comparison Between 1970 Projected and 1970 Census Population Density Between 5 Miles and 60 Miles of Peach Bottom Units 2 and 3 by Radial Increment and by Direction from Site (HISTORICAL) |
| 2.2.25 | Initial Estimated Population Distribution Within 5 Miles of Peach Bottom Units 2 and 3 by Radial 1-Mile Increments and by Direction from Site |
| 2.2.25.1 | Current Estimated Population Distribution Within 5 Miles of Peach Bottom Units 2 and 3 by Radial 1-Mile Increments and by Direction from Site |
| 2.2.26 | Initial Estimated Population Density Within 5 Miles of Peach Bottom Units 2 and 3 by Radial 1-Mile Increments and by Direction from Site |
| 2.2.26.1 | Current Estimated Population Density Within 5 Miles of Peach Bottom Units 2 and 3 by Radial 3-Mile Increments and by Direction from Site |
| 2.2.27 | Current Estimated Population Distribution Within the Low Population Zone Around Peach Bottom Units 2 and 3 by Radial 1-Mile Increments and by Direction from Site |
| 2.3.1 | Elevation of Peach Bottom Weather Instruments |
| 2.3.1-A | Elevation of Peach Bottom Weather Instruments (a) - 1983 System Upgrade |
| 2.3.2 | Sample Weather Data Listings, Weather Station No. 1 |

PBAPS UFSAR

LIST OF TABLES (cont'd)

| <u>TABLE</u> | <u>TITLE</u> |
|--------------|--|
| 2.3.3 | Sample Weather Data Listings, Weather Station No. 2 |
| 2.3.4 | Distribution of Hourly Temperatures, Peach Bottom Weather Station No. 1, Location T1 (Nominal 30-Ft Level, EL 152 Ft MSL) |
| 2.3.5 | Distribution of Hourly Temperatures, Peach Bottom Weather Station No. 2, Location T5 (Nominal 75-Ft Level, EL 443 Ft MSL) |
| 2.3.6 | Precipitation, Peach Bottom Weather Station No. 1 |
| 2.3.7 | Precipitation, Peach Bottom Weather Station No. 2 |
| 2.3.8 | Distribution of Peak Winds, Philadelphia International Airport |
| 2.3.9 | Highest Mean Hourly Wind Speed and Estimated Peak Gust, Peach Bottom Weather Station No. 2, Location W6 (Nominal 320-Ft Level, EL 688 Ft MSL) |
| 2.3.10 | Turbulence Classification |
| 2.3.11 | Percentage Frequency of Turbulence Classes, Peach Bottom Weather Station No. 1, Location W2 (Nominal 100-Ft Level, EL 211 Ft MSL) |
| 2.3.12 | Percentage Frequency of Turbulence Classes, Peach Bottom Weather Station No. 2, Location W6 (Nominal 320-Ft Level, EL 688 Ft MSL) |
| 2.3.13 | Relation Between Lapse Rates and Turbulence Classes |
| 2.3.14 | Annual Distribution of Wind by Turbulence Class and Direction, Peach Bottom Weather Station No. 1, Location W2 (Nominal 100-Ft Level, EL 211 Ft MSL) |
| 2.3.15 | Annual Distribution of Wind by Turbulence Class and Direction, Peach Bottom Weather Station No. 2, Location W6 (Nominal 320-Ft Level, EL 688 Ft MSL) |

PBAPS UFSAR

LIST OF TABLES (cont'd)

| <u>TABLE</u> | <u>TITLE</u> |
|--------------|--|
| 2.3.16 | Mean Annual Wind Speeds at Various Levels, Peach Bottom Weather Stations Nos. 1 and 2 |
| 2.3.17 | Percentage Frequency of Wind Speeds By Turbulence Classes, Location W1 (Nominal 30-Ft Level, EL 152 Ft MSL) |
| 2.3.18 | Percentage Frequency of Wind Speeds by Turbulence Classes, Location W2 (Nominal 100-Ft Level, EL 211 Ft MSL) |
| 2.3.19 | Percentage Frequency of Wind Speeds by Turbulence Classes, Location W3 (Hill Pole, EL 302 Ft MSL) |
| 2.3.20 | Percentage Frequency of Wind Speeds by Turbulence Classes, Location W4 (Nominal 75-Ft Level, EL 443 Ft MSL) |
| 2.3.21 | Percentage Frequency of Wind Speeds by Turbulence Classes, Location W6 (Nominal 320-Ft Level, EL 688 Ft MSL) |
| 2.3.22 | Percentage Frequency of Wind Speeds by Turbulence Classes, Location W7 (River Tower, EL 164 Ft MSL) |
| 2.3.23 | Percentage Frequency of Lapse Rates, Peach Bottom Weather Station No. 1 |
| 2.3.24 | Percentage Frequency of Lapse Rates, Peach Bottom Weather Station No. 2 |
| 2.3.25 | Steadiness Factors, Peach Bottom Weather Station No. 1, Nominal 100-Ft Level (EL 211 Ft MSL) |
| 2.3.26 | Steadiness Factors, Peach Bottom Weather Station No. 2, Nominal 320-Ft Level (EL 688 Ft MSL) |
| 2.3.27 | Bivane Measurements, Peach Bottom Weather Station No. 2, Nominal 150-Ft Level (EL 518 Ft MSL) |
| 2.3.28 | Least Favorable Meteorological Conditions |

PBAPS UFSAR

LIST OF TABLES (cont'd)

| <u>TABLE</u> | <u>TITLE</u> |
|--------------|--|
| 2.3.29 | Joint Frequency Distributions |
| 2.4.1 | Field Permeability Test Data, Pump-In Tests |
| 2.4.2 | Field Permeability Test Data, Pump-Out Tests |
| 2.4.3 | Percolation Test Data |
| 2.4.4 | Water Temperature Data |
| 2.4.5 | Natural River Flow of the Susquehanna River at Conowingo Dam |
| 2.4.6 | Minimum Average 7-Day Flows at Conowingo for the Various Months of the Year |
| 2.4.7 | Dams and Reservoirs on Tributaries of the Susquehanna River |
| 2.4.8 | Maximum Concentration in Conowingo Pond from a One-Millicurie/Day Steady-State Discharge from Peach Bottom Units 2 and 3 |
| 2.4.9 | Maximum Concentration Resulting from an Arbitrary One-Curie Slug Release into the Peach Bottom Discharge Canal |
| 2.4.10 | Time in Days After Release to Reach Various Concentrations for an Arbitrary One-Curie Slug Release from the Peach Bottom Discharge |
| 2.4.11 | Chronological List of Floods Peak Discharges For Susquehanna River at Harrisburg, Pa. |
| 2.5.1 | Rock Tensile Test Data |
| 2.5.2 | Shockscope Test Results |
| 2.5.3 | Significant Earthquakes Within About 100 Miles of Peach Bottom, Pennsylvania |
| 2.9.1 | Design Slopes |
| 2.9.2 | Rock Properties |
| 2.9.3 | Parameters Used in Curved Surface Stability Analyses |

PBAPS UFSAR

LIST OF TABLES (cont'd)

TABLE

TITLE

2.9.4

Parameters Used in Finite Element Analyses

PBAPS UFSAR

SECTION 2.0 - SITE

LIST OF FIGURES

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|--|
| 2.2.1 | Map of Area Surrounding Peach Bottom Atomic Power Station |
| 2.2.2 | Ten-Mile Radius Topographical Map - Northern Region |
| 2.2.3 | Ten-Mile Radius Topographical Map - Southern Region |
| 2.2.4 | Site Access |
| 2.2.5 | Exclusion Area |
| 2.2.6 | Aerial Photograph of Site, Looking Approximately Toward the West, Prior to Construction of Unit 1 |
| 2.2.7 | Aerial Photograph of Site, Looking Approximately Toward the North-Northeast, Prior to Construction of Unit 1 |
| 2.2.8 | Aerial Photograph of Site, Looking Approximately Toward the West-Northwest, After Completion of Unit 1 |
| 2.2.9 | Deleted |
| 2.2.10 | Deleted |
| 2.2.11 | Aerial Photograph of Site, Looking Approximately Toward the Northwest, December 1969 |
| 2.2.12 | Aerial Photograph of Site, Looking Approximately Toward the East-Southeast, November 1969 |
| 2.2.13 | Maximum Elevation of Terrain vs. Distance from Stack |
| 2.2.14 | 1980 Population Projection for Various Counties of Maryland |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|--|
| 2.2.15 | 1966 and 1970 Estimated Population Cumulative from Reactor Location-by Direction to 5 Miles |
| 2.2.16 | 1970 Estimated and Census Population Cumulative from Reactor Location By Direction from 5 Miles to 60 Miles |
| 2.2.17 | Population Center Distances Within a 60 Mile Radius |
| 2.3.1 | Location of Meteorological Instruments |
| 2.3.2 | Elevations of Meteorological Instruments and Gaseous Release Points |
| 2.3.2-A | Elevations of Meteorological Instruments and Gaseous Release Points - 1983 System Upgrade |
| 2.3.3 | Jan-Feb-Mar Wind Rose, Peach Bottom Weather Station No. 1, Location W1 (Tower No. 1), Nominal 30-Ft Level, El 153 Ft MSL, Turbulence Class II |
| 2.3.4 | Jul-Aug-Sep Wind Rose, Peach Bottom Weather Station No. 1, Location W1 (Tower No. 1), Nominal 30-Ft Level, El 153 Ft MSL, Turbulence Class II |
| 2.3.5 | Jan-Feb-Mar Wind Rose, Peach Bottom Weather Station No. 1, Location W2 (Tower No. 1), Nominal 100-Ft Level, El 211 Ft MSL, Turbulence Class II |
| 2.3.6 | Jul-Aug-Sep Wind Rose, Peach Bottom Weather Station No. 1, Location W2 (Tower No. 1), Nominal 100-Ft Level, El 211 Ft MSL, Turbulence Class II |
| 2.3.7 | Jan-Feb-Mar Wind Rose, Peach Bottom Weather Station No. 1, Location W3 (Hill Pole), Nominal 40-Ft Level, El 302 Ft MSL, Turbulence Class II |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|--|
| 2.3.8 | Jul-Aug-Sep Wind Rose, Peach Bottom Weather Station No. 1, Location W3 (Hill Pole), Nominal 40-Ft Level, El 302 Ft MSL, Turbulence Class II |
| 2.3.9 | Jan-Feb-Mar Wind Rose, Peach Bottom Weather Station No. 2, Location W6 (Microwave Tower), Nominal 320-Ft Level, El 688 Ft MSL, Turbulence Class II |
| 2.3.10 | Jul-Aug-Sep Wind Rose, Peach Bottom Weather Station No. 2, Location W6 (Microwave Tower) Nominal 320-Ft Level, El 688 Ft MSL, Turbulence Class II |
| 2.3.11 | Jan-Feb-Mar Wind Rose, Peach Bottom Weather Station No. 2, Location W7 (River Tower), Nominal 50-Ft Level, El 164 Ft MSL, Turbulence Class II |
| 2.3.12 | Jul-Aug-Sep Wind Rose, Peach Bottom Weather Station No. 2, Location W7 (River Tower), Nominal 50-Ft Level, El 164 Ft MSL, Turbulence Class II |
| 2.3.13 | Jan-Feb-Mar Wind Rose, Peach Bottom Weather Station No. 1, Location W1 (Tower No. 1), Nominal 30-Ft Level, El 153 Ft MSL, Turbulence Class V |
| 2.3.14 | Jul-Aug-Sep Wind Rose, Peach Bottom Weather Station No. 1, Location W1 (Tower No. 1) Nominal 30-Ft Level, El 153 Ft MSL, Turbulence Class V |
| 2.3.15 | Jan-Feb-Mar Wind Rose, Peach Bottom Weather Station No. 1, Location W2 (Tower No. 1), Nominal 100-Ft Level, El 211 Ft MSL, Turbulence Class V |
| 2.3.16 | Jul-Aug-Sep Wind Rose, Peach Bottom Weather Station No. 1, Location W2 (Tower No. 1), Nominal 100-Ft Level, El 211 Ft MSL, Turbulence Class V |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|---|
| 2.3.17 | Jan-Feb-Mar Wind Rose, Peach Bottom Weather Station No. 1, Location W3 (Hill Pole), Nominal 40-Ft Level, El 302 Ft MSL, Turbulence Class V |
| 2.3.18 | Jul-Aug-Sep Wind Rose, Peach Bottom Weather Station No. 1, Location W3 (Hill Pole), Nominal 40-Ft Level, El 302 Ft MSL, Turbulence Class V |
| 2.3.19 | Jan-Feb-Mar Wind Rose, Peach Bottom Weather Station No. 2, Location W6 (Microwave Tower), Nominal 320-Ft Level, El 688 Ft MSL, Turbulence Class V |
| 2.3.20 | Jul-Aug-Sep Wind Rose, Peach Bottom Weather Station No. 2, Location W6 (Microwave Tower) Nominal 320-Ft Level, El 688 Ft MSL, Turbulence Class V |
| 2.3.21 | Jan-Feb-Mar Wind Rose, Peach Bottom Weather Station No. 2, Location W7 (River Tower), Nominal 50-Ft Level, El 164 Ft MSL, Turbulence Class V |
| 2.3.22 | Jul-Aug-Sep Wind Rose, Peach Bottom Weather Station No. 2, Location W7 (River Tower), Nominal 50-Ft Level, El 164 Ft MSL, Turbulence Class V |
| 2.3.23 | Annual Wind Rose, Peach Bottom Weather Station No. 1, Location W1 (Tower No. 1), Nominal 30-Ft Level, El 153 Ft MSL, All Turbulence Classes |
| 2.3.24 | Annual Wind Rose, Peach Bottom Weather Station No. 1, Location W2 (Tower No. 1), Nominal 100-Ft Level, El 211 Ft MSL, All Turbulence Classes |
| 2.3.25 | Annual Wind Rose, Peach Bottom Weather Station No. 1, Location W3 (Hill Pole), Nominal 40-Ft Level, El 302 Ft MSL, All Turbulence Classes |
| 2.3.26 | Annual Wind Rose, Peach Bottom Weather Station No. 2, Location W4 (Microwave Tower), Nominal 75-Ft Level, El 443 Ft MSL, All Turbulence Classes |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|--|
| 2.3.27 | Annual Wind Rose, Peach Bottom Weather Station No. 2, Location W6 (Microwave Tower), Nominal 320-Ft Level, El 688 Ft MSL, All Turbulence Classes |
| 2.3.28 | Annual Wind Rose, Peach Bottom Weather Station No. 2, Location W7 (River Tower), Nominal 50-Ft Level, El 164 Ft MSL, All Turbulence Classes |
| 2.3.29 | Diurnal Variation of Lapse Rate, Peach Bottom Weather Station No. 1, January, 1968 |
| 2.3.30 | Diurnal Variation of Lapse Rate, Peach Bottom Weather Station No. 1, April, 1968 |
| 2.3.31 | Diurnal Variation of Lapse Rate, Peach Bottom Weather Station No. 1, August, 1967 |
| 2.3.32 | Diurnal Variation of Lapse Rate, Peach Bottom Weather Station No. 1, October, 1967 |
| 2.3.33 | Diurnal Variation of Lapse Rate, Peach Bottom Weather Station No. 2, January, 1968 |
| 2.3.34 | Diurnal Variation of Lapse Rate, Peach Bottom Weather Station No. 2, April, 1968 |
| 2.3.35 | Diurnal Variation of Lapse Rate, Peach Bottom Weather Station No. 2, August, 1967 |
| 2.3.36 | Diurnal Variation of Lapse Rate, Peach Bottom Weather Station No. 2, October, 1967 |
| 2.3.37 | Relative Elevations of Meteorological Sensors and Release Points |
| 2.4.1 | Major Gaging Stations and Corresponding Drainage Areas |
| 2.4.2 | Flow Duration Curves - Susquehanna River at Conowingo |
| 2.4.3 | Susquehanna River Basin |
| 2.5.1 | Epicentral Location |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|---|
| 2.6.1 | Environmental Radiation Sampling Stations Within 10 Miles of Site |
| 2.6.2 | Environmental Radiation Sampling Stations Farther Than 10 Miles from Site |
| 2.7.1 | Boring Plan - Plant Area |
| 2.7.2 | Log of Boring |
| 2.7.3 | Log of Boring |
| 2.7.4 | Log of Boring |
| 2.7.5 | Log of Boring |
| 2.7.6 | Log of Boring |
| 2.7.7 | Log of Boring |
| 2.7.8 | Log of Borings |
| 2.7.9 | Log of Boring |
| 2.8.1 | Subsurface Section |
| 2.8.2 | Subsurface Section |
| 2.8.3 | Attenuation Curves |
| 2.9.1 | Soil-Rock Profile |
| 2.9.2 | Finite Element Mesh |
| 2.9.3 | Maximum Principal Stress |
| 2.9.4 | Minimum Principal Stress |
| 2.9.5 | Stress Directions |