

PBAPS UFSAR

SECTION 7.0 - CONTROL AND INSTRUMENTATION

TABLE OF CONTENTS

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|----------------------------------------------------------------------------|
| 7.1 | <u>SUMMARY DESCRIPTION</u> |
| 7.1.1 | Safety Systems |
| 7.1.2 | Power Generation Systems |
| 7.1.3 | Safety Functions |
| 7.1.4 | Plant Operational Control |
| 7.1.5 | Definitions |
| 7.1.6 | Redundant System Wiring Independence, Protection, and Marking |
| 7.1.6.1 | Cable Routing and Separation |
| 7.1.6.2 | Fire Protection |
| 7.1.6.3 | Cable and Tray Marking |
| 7.1.6.4 | Cable Derating |
| 7.1.7 | Reactor Protection System and Engineered Safeguard Equipment Marking |
| 7.1.8 | Periodic Testing of Instrumentation and Control Equipment |
| 7.2 | <u>REACTOR PROTECTION SYSTEM</u> |
| 7.2.1 | Safety Objective |
| 7.2.2 | Safety Design Basis |
| 7.2.3 | Description |
| 7.2.3.1 | General |
| 7.2.3.2 | Power Supply |
| 7.2.3.3 | Physical Arrangement |
| 7.2.3.4 | Logic |
| 7.2.3.5 | Operation |
| 7.2.3.6 | Scram Functions and Bases for Trip Settings |
| 7.2.3.7 | Mode Switch |
| 7.2.3.8 | Scram Bypasses |
| 7.2.3.9 | Instrumentation |
| 7.2.3.10 | Wiring |
| 7.2.4 | Safety Evaluation |
| 7.2.5 | Inspection and Testing |
| 7.3 | <u>PRIMARY CONTAINMENT AND REACTOR VESSEL ISOLATION CONTROL SYSTEM</u> |
| 7.3.1 | Safety Objective |
| 7.3.2 | Definitions |
| 7.3.3 | Safety Design Basis |
| 7.3.4 | Description |
| 7.3.4.1 | Identification |
| 7.3.4.2 | Power Supply |
| 7.3.4.3 | Physical Arrangement |
| 7.3.4.4 | Logic |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|------------------------------------------------------------------------------|
| 7.3.4.5 | Operation |
| 7.3.4.6 | Isolation Valve Closing Devices and Circuits |
| 7.3.4.7 | Isolation Functions and Settings |
| 7.3.4.8 | Instrumentation |
| 7.3.4.9 | Environmental Capabilities |
| 7.3.5 | Safety Evaluation |
| 7.3.6 | Inspection and Testing |
| 7.4 | <u>CORE STANDBY COOLING SYSTEMS CONTROL AND INSTRUMENTATION</u> |
| 7.4.1 | Safety Objective |
| 7.4.2 | Safety Design Basis |
| 7.4.3 | Description |
| 7.4.3.1 | Identification |
| 7.4.3.2 | High Pressure Coolant Injection System Control and Instrumentation |
| 7.4.3.2.1 | Identification and Physical Arrangement |
| 7.4.3.2.2 | High Pressure Coolant Injection System Initiation Signals and Logic |
| 7.4.3.2.3 | High Pressure Coolant Injection System Initiating Instrumentation |
| 7.4.3.2.4 | High Pressure Coolant Injection System Turbine and Turbine Auxiliary Control |
| 7.4.3.2.5 | High Pressure Coolant Injection System Valve Control |
| 7.4.3.2.6 | High Pressure Coolant Injection System Environmental Considerations |
| 7.4.3.3 | Automatic Depressurization System Control and Instrumentation |
| 7.4.3.3.1 | Identification and Physical Arrangement |
| 7.4.3.3.2 | Automatic Depressurization System Initiating Signals and Logic |
| 7.4.3.3.3 | Automatic Depressurization System Initiation Instrumentation |
| 7.4.3.3.4 | Automatic Depressurization System Alarms |
| 7.4.3.3.5 | Automatic Depressurization System Environmental Considerations |
| 7.4.3.4 | Core Spray System Control and Instrumentation |
| 7.4.3.4.1 | Identification and Physical Arrangement |
| 7.4.3.4.2 | Core Spray System Initiating Signals and Logic |
| 7.4.3.4.3 | Core Spray System Pump Control |
| 7.4.3.4.4 | Core Spray System Valve Control |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|-------------------------------------------------------------|
| 7.4.3.4.5 | Core Spray Alarms and Indications |
| 7.4.3.4.6 | Core Spray System Environmental Considerations |
| 7.4.3.5 | Low Pressure Coolant Injection Control and Instrumentation |
| 7.4.3.5.1 | Identification and Physical Arrangement |
| 7.4.3.5.2 | Low Pressure Coolant Injection Initiating Signals and Logic |
| 7.4.3.5.3 | Low Pressure Coolant Injection Pump Mode Control |
| 7.4.3.5.4 | Low Pressure Coolant Injection Valve Control |
| 7.4.3.5.5 | Low Pressure Coolant Injection Environmental Considerations |
| 7.4.3.5.6 | Low Pressure Coolant Injection Load Shed |
| 7.4.4 | Safety Evaluation |
| 7.4.5 | Inspection and Testing |
| 7.5 | <u>NEUTRON MONITORING SYSTEM</u> |
| 7.5.1 | Safety Objective |
| 7.5.2 | Power Generation Objective |
| 7.5.3 | Identification |
| 7.5.4 | Wide Range Neutron Monitor Subsystem |
| 7.5.4.1 | Power Generation Design Basis |
| 7.5.4.2 | Safety Design Basis |
| 7.5.4.3 | Description |
| 7.5.4.3.1 | Identification |
| 7.5.4.3.2 | Power Supply |
| 7.5.4.3.3 | Physical Arrangement |
| 7.5.4.3.4 | Signal Conditioning |
| 7.5.4.3.5 | Trip Functions |
| 7.5.4.4 | Power Generation Evaluation |
| 7.5.4.5 | Safety Evaluation |
| 7.5.4.6 | Inspection and Testing |
| 7.5.5 | Deleted |
| 7.5.6 | Local Power Range Monitor Subsystem |
| 7.5.6.1 | Power Generation Design Basis |
| 7.5.6.2 | Description |
| 7.5.6.2.1 | Identification |
| 7.5.6.2.2 | Power Supply |
| 7.5.6.2.3 | Physical Arrangement |
| 7.5.6.2.4 | Signal Conditioning |
| 7.5.6.2.5 | Trip Functions |
| 7.5.6.3 | Power Generation Evaluation |
| 7.5.6.4 | Inspection and Testing |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|---------------------------------------|
| 7.5.7 | Average Power Range Monitor Subsystem |
| 7.5.7.1 | Safety Design Basis |
| 7.5.7.2 | Power Generation Design Basis |
| 7.5.7.3 | Description |
| 7.5.7.3.1 | Identification |
| 7.5.7.3.2 | Power Supply |
| 7.5.7.3.3 | Signal Conditioning |
| 7.5.7.3.4 | Trip Function |
| 7.5.7.4 | Safety Evaluation |
| 7.5.7.5 | Power Generation Evaluation |
| 7.5.7.6 | Inspection and Testing |
| 7.5.8 | Rod Block Monitor Subsystem |
| 7.5.8.1 | Power Generation Design Basis |
| 7.5.8.2 | Description |
| 7.5.8.2.1 | Identification |
| 7.5.8.2.2 | Power Supply |
| 7.5.8.2.3 | Signal Conditioning |
| 7.5.8.2.4 | Trip Function |
| 7.5.8.3 | Power Generation Evaluation |
| 7.5.8.4 | Inspection and Testing |
| 7.5.9 | Traversing In-Core Probe Subsystem |
| 7.5.9.1 | Power Generation Design Basis |
| 7.5.9.2 | Description |
| 7.5.9.2.1 | Identification |
| 7.5.9.2.2 | Physical Arrangement |
| 7.5.9.2.3 | Signal Conditioning |
| 7.5.9.3 | Power Generation Evaluation |
| 7.5.9.4 | Inspection and Testing |
| 7.6 | <u>REFUELING INTERLOCKS</u> |
| 7.6.1 | Safety Objective |
| 7.6.2 | Safety Design Basis |
| 7.6.3 | Description |
| 7.6.4 | Safety Evaluation |
| 7.6.5 | Inspection and Testing |
| 7.7 | <u>REACTOR MANUAL CONTROL SYSTEM</u> |
| 7.7.1 | Power Generation Objective |
| 7.7.2 | Safety Design Basis |
| 7.7.3 | Power Generation Design Basis |
| 7.7.4 | Description |
| 7.7.4.1 | Identification |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|--------------------------------------------------------------|
| 7.7.4.2 | Operation |
| 7.7.4.2.1 | General |
| 7.7.4.2.2 | Insert Cycle |
| 7.7.4.2.3 | Withdraw Cycle |
| 7.7.4.2.4 | Control Rod Drive Hydraulic System Control |
| 7.7.4.3 | Rod Block Interlocks |
| 7.7.4.3.1 | General |
| 7.7.4.3.2 | Rod Block Functions |
| 7.7.4.3.3 | Rod Block Bypasses |
| 7.7.4.4 | Control Rod Information Displays |
| 7.7.4.5 | DELETED |
| 7.7.4.5.1 | DELETED |
| 7.7.4.5.2 | DELETED |
| 7.7.5 | Safety Evaluation |
| 7.7.6 | Inspection and Testing |
| 7.8 | <u>REACTOR VESSEL INSTRUMENTATION</u> |
| 7.8.1 | Safety Objective |
| 7.8.2 | Safety Design Basis |
| 7.8.3 | Power Generation Objective |
| 7.8.4 | Power Generation Design Basis |
| 7.8.5 | Description |
| 7.8.5.1 | Reactor Vessel Surface Temperature |
| 7.8.5.2 | Reactor Vessel Water Level |
| 7.8.5.3 | Reactor Vessel Coolant Flow Rates and Differential Pressures |
| 7.8.5.4 | Reactor Vessel Internal Pressure |
| 7.8.5.5 | Reactor Vessel Top Head Flange Leak Detection |
| 7.8.6 | Safety Evaluation |
| 7.8.7 | Inspection and Testing |
| 7.9 | <u>RECIRCULATION FLOW CONTROL SYSTEM</u> |
| 7.9.1 | Power Generation Objective |
| 7.9.2 | Power Generation Design Basis |
| 7.9.3 | Safety Design Basis |
| 7.9.4 | Description |
| 7.9.4.1 | General |
| 7.9.4.2 | Adjustable Speed Drive |
| 7.9.4.3 | Speed Control for the Adjustable Speed Drives |
| 7.9.4.4 | System Operation |
| 7.9.4.4.1 | Recirculation Loop Starting Sequence |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|-------------------------------------------------------------------------------|
| 7.9.4.4.2 | Anticipated Transient Without Scram Recirculation Pump Trip |
| 7.9.5 | Safety Evaluation |
| 7.9.6 | Inspection and Testing |
| 7.10 | <u>FEEDWATER CONTROL SYSTEM</u> |
| 7.10.1 | Power Generation Objective |
| 7.10.2 | Power Generation Design Basis |
| 7.10.3 | Description |
| 7.10.3.1 | Reactor Vessel Water Level Measurement |
| 7.10.3.2 | Steam Flow Measurement |
| 7.10.3.3 | Feedwater Flow Measurement |
| 7.10.3.4 | Feedwater Control System |
| 7.10.3.4.1 | Three (3) Element Reactor Level Control |
| 7.10.3.4.2 | Single or One (1) Element Reactor Level Control |
| 7.10.3.4.3 | High Pressure Startup Level Control |
| 7.10.3.4.4 | Low Pressure Startup Level Control |
| 7.10.3.4.5 | Reactor Feedwater Pump Minimum Flow Protection |
| 7.10.3.4.6 | Reactor Feedwater Pump Discharge Check Valve Control on Low Flow |
| 7.10.3.4.7 | ATWS Control Mode |
| 7.10.3.4.8 | Interlocks to Rod Worth Minimizer from Total Feedwater and Steam Flow Signals |
| 7.10.3.4.9 | Runbacks to the Recirculation Control System |
| 7.10.3.4.10 | Input Signal Validation Logic |
| 7.10.3.4.11 | 90% Flow Limiter on Loss of Condensate Pump or Reactor Scram |
| 7.10.3.4.12 | Deleted |
| 7.10.3.4.13 | Feedwater Flow Response Following a Reactor Scram |
| 7.10.3.4.14 | Deleted |
| 7.10.3.4.15 | Deleted |
| 7.10.3.4.16 | Fault Tolerant Logic |
| 7.10.3.4.17 | Bumpless Transfer Between Automatic and Manual Modes |
| 7.10.3.4.18 | Testability and Maintainability |
| 7.10.3.4.19 | Total Feedwater Flow Signal to the Hydrogen Water Chemistry System |
| 7.10.4 | Turbine Driven Feedwater Pump Control |
| 7.11 | <u>PRESSURE REGULATOR AND TURBINE GENERATOR CONTROL SYSTEM</u> |
| 7.11.1 | Power Generation Objective |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|------------------------------------------------------------------------------|
| 7.11.2 | Power Generation Design Basis |
| 7.11.3 | Description |
| 7.11.3.1 | Normal Control System |
| 7.11.3.2 | Emergency Control System |
| 7.11.4 | Power Generation Evaluation |
| 7.11.5 | Inspection and Testing |
| 7.11.5.1 | Turbine-Generator Supervisory Instruments |
| 7.11.5.2 | Testing Provisions |
| 7.12 | <u>PROCESS RADIATION MONITORING</u> |
| 7.12.1 | Main Steam Line Radiation Monitoring System |
| 7.12.1.1 | Safety Objective |
| 7.12.1.2 | Safety Design Basis |
| 7.12.1.3 | Description |
| 7.12.1.4 | Safety Evaluation |
| 7.12.1.5 | Inspection and Testing |
| 7.12.2 | Air Ejector Discharge and Adsorber Bed Outlet Radiation Monitoring System |
| 7.12.2.1 | Power Generation Objective |
| 7.12.2.2 | Power Generation Design Basis |
| 7.12.2.3 | Description |
| 7.12.2.3.1 | Air Ejector Discharge Radiation Monitor |
| 7.12.2.3.2 | Adsorber Bed Outlet Radiation Monitor |
| 7.12.2.4 | Power Generation Evaluation |
| 7.12.2.5 | Inspection, Testing, and Calibration |
| 7.12.2.5.1 | Air Ejector Discharge Radiation Monitor |
| 7.12.2.5.2 | Adsorber Bed Outlet Radiation Monitor |
| 7.12.3 | Stack Radiation Monitoring System |
| 7.12.3.1 | Safety Objective |
| 7.12.3.2 | Safety Design Basis |
| 7.12.3.3 | Description |
| 7.12.3.4 | Safety Evaluation |
| 7.12.3.5 | Inspection, Testing, and Calibration |
| 7.12.4 | Liquid Process Radiation Monitoring System |
| 7.12.4.1 | Power Generation Objective |
| 7.12.4.2 | Power Generation Design Basis |
| 7.12.4.3 | Description |
| 7.12.4.4 | Power Generation Evaluation |
| 7.12.4.5 | Inspection and Testing |
| 7.12.5 | Ventilation Radiation Monitoring |
| 7.12.5.1 | Safety Objective |
| 7.12.5.2 | Safety Design Basis |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------|
| 7.12.5.3 | Power Generation Objective |
| 7.12.5.4 | Power Generation Design Basis |
| 7.12.5.5 | Description |
| 7.12.5.5.1 | Ventilation Stack Radiation Monitoring |
| 7.12.5.5.2 | Reactor Building Ventilation Exhaust Radiation Monitoring and Refueling Floor Ventilation Exhaust Radiation Monitoring |
| 7.12.5.5.3 | Control Room Ventilation Intake Radiation Monitoring |
| 7.12.5.5.4 | Radwaste Ventilation Exhaust Radiation Monitoring, and Off-Gas Recombiner Building Duct Ventilation Exhaust Radiation Monitoring |
| 7.12.5.6 | Alarm and Isolation Logic |
| 7.12.5.6.1 | Reactor Building Isolation |
| 7.12.5.6.2 | Ventilation Stack Alarms |
| 7.12.5.6.3 | Control Room Ventilation Intake Alarm and Bypass |
| 7.12.5.6.4 | Radwaste Ventilation Alarm and Isolation |
| 7.12.5.6.5 | Off-Gas Recombiner Building Duct Ventilation Exhaust Radiation Monitoring |
| 7.12.5.7 | Safety Evaluation |
| 7.12.5.8 | Inspection and Testing |
| 7.13 | <u>AREA RADIATION MONITORING SYSTEM</u> |
| 7.13.1 | Power Generation Objective |
| 7.13.2 | Power Generation Design Basis |
| 7.13.3 | Description |
| 7.13.3.1 | Monitors |
| 7.13.3.2 | Locations |
| 7.13.4 | Inspection and Testing |
| 7.14 | <u>SITE ENVIRONS RADIATION MONITORING PROGRAM</u> |
| 7.14.1 | Deleted |
| 7.14.2 | Deleted |
| 7.14.3 | Deleted |
| 7.14.3.1 | Deleted |
| 7.14.3.2 | Deleted |
| 7.14.4 | Deleted |
| 7.15 | <u>HEALTH PHYSICS AND LABORATORY ANALYSIS RADIATION MONITORS</u> |
| 7.16 | <u>PROCESS COMPUTER SYSTEM</u> |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|---------------------------------------------------------|
| 7.16.1 | Power Generation Objective |
| 7.16.2 | Power Generation Design Basis |
| 7.16.3 | Description |
| 7.16.3.1 | Computer System Components |
| 7.16.3.1.1 | Central Processor |
| 7.16.3.1.2 | Deleted |
| 7.16.3.1.3 | Deleted |
| 7.16.3.1.4 | Process Input/Output Subsystems |
| 7.16.3.1.5 | Operator Console |
| 7.16.3.1.6 | Programming and Maintenance Console |
| 7.16.3.2 | Reactor Core Performance Function |
| 7.16.3.2.1 | Power Distribution Evaluation |
| 7.16.3.2.2 | Fast Core Monitoring |
| 7.16.3.2.3 | Local Power Range Monitor Calibration |
| 7.16.3.2.4 | Fuel Exposure |
| 7.16.3.3 | Rod Worth Minimizer Function |
| 7.16.3.3.1 | Rod Worth Minimizer Inputs |
| 7.16.3.3.2 | Rod Worth Minimizer Outputs |
| 7.16.3.3.3 | Rod Worth Minimizer Indications |
| 7.16.3.4 | Monitor, Alarm, and Logging Functions |
| 7.16.3.4.1 | Analog Monitor and Alarm |
| 7.16.3.4.2 | Digital Monitor and Alarm |
| 7.16.3.4.3 | Alarm Logging |
| 7.16.4 | Power Generation Evaluation |
| 7.16.5 | Inspection and Testing |
| 7.17 | <u>NUCLEAR SYSTEM STABILITY ANALYSIS</u> |
| 7.17.1 | Safety Objective |
| 7.17.2 | Safety Design Basis |
| 7.17.3 | Power Generation Design Basis |
| 7.17.4 | Description and Performance Analysis |
| 7.17.5 | Operational Verification of Nuclear System Stability |
| 7.17.6 | Conclusion |
| 7.18 | <u>SEPARATE SHUTDOWN CONTROL PANELS</u> |
| 7.18.1 | Power Generation Objective |
| 7.18.2 | Power Generation Design Basis |
| 7.18.3 | Description |
| 7.18.3.1 | Control Panels |
| 7.18.3.2 | Operation |
| 7.18.3.2.1 | Reactor Shutdown |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|-----------------------------------------------------------------------------------------------------|
| 7.18.3.2.2 | Reactor Level Control |
| 7.18.3.2.3 | Reactor Pressure Control |
| 7.18.3.2.4 | Heat Removal |
| 7.18.3.2.5 | Instrumentation and Controls |
| 7.18.3.3 | Physical Location |
| 7.18.4 | Inspection and Testing |
| 7.19 | <u>CLASS 1E EQUIPMENT ENVIRONMENTAL QUALIFICATION</u> |
| 7.19.1 | Effects of Loss of Air Conditioning and Ventilation on Control Room and Equipment Room Equipment |
| 7.19.2 | Seismic Qualification |
| 7.19.2.1 | General |
| 7.19.2.2 | Nuclear Steam Supply System - GE-Supplied Equipment |
| 7.19.2.3 | Non-Nuclear Steam Supply System Equipment - Bechtel-Supplied Equipment |
| 7.20 | <u>ACCIDENT MONITORING</u> |
| 7.20.1 | Safety Objective |
| 7.20.2 | Safety Design Basis |
| 7.20.3 | Power Generation Design Bases |
| 7.20.4 | Description |
| 7.20.4.1 | Reactor Water Level |
| 7.20.4.2 | Reactor Pressure |
| 7.20.4.3 | Containment Pressure |
| 7.20.4.4 | Containment Temperature |
| 7.20.4.5 | Containment Atmosphere Analysis |
| 7.20.4.6 | Coolant Sampling and Analysis |
| 7.20.4.7 | Suppression Pool Water Temperature |
| 7.20.4.8 | Suppression Pool Water Level |
| 7.20.4.9 | Safety/Relief Valve Position Indication |
| 7.20.4.10 | Vent Stack Wide Range and Main Stack Wide Range Noble Gas Monitors |
| 7.20.4.11 | Primary Containment Isolation Valve Position Indication |
| 7.20.5 | Safety Evaluation |
| 7.20.6 | Inspection and Testing |
| 7.21 | <u>SEISMIC INSTRUMENTATION</u> |
| 7.21.1 | Safety Design Objective |
| 7.21.2 | Safety Design Basis |
| 7.21.3 | Description |

PBAPS UFSAR

TABLE OF CONTENTS (cont'd)

| <u>SECTION</u> | <u>TITLE</u> |
|----------------|-----------------------------------------------------------------|
| 7.21.4 | Safety Evaluation |
| 7.21.5 | Inspection and Testing |
| 7.22 | <u>HIGH PRESSURE SERVICE WATER (HPSW) POWER TRANSFER SWITCH</u> |
| 7.22.1 | Power Generation Objective |
| 7.22.2 | Power Generation Design Basis |
| 7.22.3 | Description |
| 7.22.3.1 | Power Transfer Switch |
| 7.22.3.2 | Operation |
| 7.22.3.3 | Physical Location |
| 7.23 | <u>RESIDUAL HEAT REMOVAL (RHR) POWER TRANSFER SWITCH</u> |
| 7.23.1 | Power Generation Objective |
| 7.23.2 | Power Generation Design Basis |
| 7.23.3 | Description |
| 7.23.3.1 | Power Transfer Switch |
| 7.23.3.2 | Operation |
| 7.23.3.3 | Physical Location |
| 7.23.4 | Inspection and Testing |

PBAPS UFSAR

SECTION 7.0 CONTROL AND INSTRUMENTATION

LIST OF TABLES

| <u>TABLE</u> | <u>TITLE</u> |
|--------------|------------------------------------------------------------------------------------------------|
| 7.2.1 | Reactor Protection System Instrumentation Specifications |
| 7.2.2 | Reactor Protection System Actions (Various Positions of the Mode Switch) |
| 7.2.3 | Reactor Protection System Instrument Calibration Methods |
| 7.3.1 | Principal Primary Containment Isolation Valves |
| 7.3.2 | Primary Containment and Reactor Vessel Isolation Control System Instrumentation Specifications |
| 7.4.1 | High Pressure Coolant Injection System Instrument Specifications |
| 7.4.2 | Automatic Depressurization System Instrument Specifications |
| 7.4.3 | Core Spray System Instrument Specifications |
| 7.4.4 | Low Pressure Coolant Injection System Instrument Specifications |
| 7.5.1 | Deleted |
| 7.5.2 | Wide Range Neutron Monitor Trips and Alarms |
| 7.5.3 | Local Power Range Monitor Trips |
| 7.5.4 | Average Power Range Monitor Trips |
| 7.6.1 | Refueling Interlock Effectiveness |
| 7.7.1 | Reactor Manual Control System Instrument Specifications |
| 7.8.1 | Reactor Vessel Instrumentation Instrument Specifications |
| 7.12.1 | Process Radiation Monitoring Systems Characteristics |

PBAPS UFSAR

LIST OF TABLES (cont'd)

| <u>TABLE</u> | <u>TITLE</u> |
|--------------|--------------------------------------------------------------------------------------|
| 7.12.2 | Process Radiation Monitoring System Environmental and Power Supply Design Conditions |
| 7.13.1 | Area Radiation Monitoring System, Environmental and Power Supply Design Conditions |
| 7.13.2 | Location of Area Radiation Monitors |
| 7.16.1 | Deleted |
| 7.16.2 | Instrumentation Output Summary, Signal Output Description |
| 7.20.1 | Regulatory Guide 1.97 Category 1 Instrumentation |

SECTION 7.0 - CONTROL AND INSTRUMENTATION

LIST OF FIGURES

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|--------------------------------------------------------------------------------|
| 7.1.1 | Use of Protection System and Instrumentation Definitions |
| 7.2.1 | Deleted |
| 7.2.2 | Typical Configuration for Main Steam Line Isolation Scram |
| 7.2.3 | Deleted |
| 7.2.4 | Schematic Diagram of Logics in One Trip System |
| 7.2.5 | Schematic Diagram of Actuator and Actuator Logics |
| 7.2.6 | Reactor Protection System Scram Functions |
| 7.2.7 | Deleted |
| 7.2.8 | Relationship Between Neutron Monitoring System and Reactor Protection System |
| 7.2.9 | Functional Control Diagram for Neutron Monitoring System Logics |
| 7.2.10 | Typical Arrangement of Channels and Logics |
| 7.2.11 | Typical Configuration for Turbine Stop Valve Closure Scram |
| 7.2.12 | Typical Assessment of Condenser Pressure Instrument Channels and Logics |
| 7.3.1 | Deleted |
| 7.3.2 | Typical Isolation Control System Using Motor-Operated Valves (Fail-Safe Logic) |
| 7.3.3 | Typical Isolation Control System for Main Steam Line Isolation Valves |
| 7.3.4 | Main Steam Line Isolation Valve Schematic Control Diagram |
| 7.3.5A | Deleted |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|----------------------------------------------------------------------------|
| 7.3.5B | Deleted |
| 7.3.5C | Deleted |
| 7.3.5D | Deleted |
| 7.3.5E | Deleted |
| 7.3.5F | Deleted |
| 7.3.5G | Deleted |
| 7.3.5H | Deleted |
| 7.3.5I | Deleted |
| 7.3.5J | Deleted |
| 7.3.5K | Deleted |
| 7.3.6 | Area and Compartment Leakage Detection by Temperature Measurement |
| 7.3.7 | Typical Main Steam Line Space High Temperature Channel |
| 7.3.8 | Typical Arrangement for Main Steam Line Leak Detection by Flow Measurement |
| 7.3.9 | Main Steam Line High Flow Channels |
| 7.3.10 | Typical Elbow Tap Arrangement for Gross Leak Detection |
| 7.3.11a | Legend for Containment Isolation Valve Arrangement |
| 7.3.11b | Main Steam Line and Main Steam Line Drains |
| 7.3.11c | Feedwater |
| 7.3.11d | RCIC and HPCI Steam Supplies |
| 7.3.11e | RHR Shutdown Cooling Suction |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|-----------------------------------------------------------------------------------------|
| 7.3.11f | RHR Shutdown Cooling Return Core Spray Discharge |
| 7.3.11g | Reactor Water Cleanup Pump Suction Instrument Line |
| 7.3.11h | RHR Head Spray |
| 7.3.11i | Drywell Equipment Drain Sump Pump Discharge, Drywell Floor Drain Sump Pump Discharge |
| 7.3.11j | Service Air Supply and Breathing Air Supply |
| 7.3.11k | Instrument Nitrogen Supply |
| 7.3.11l | Reactor Building Cooling Water |
| 7.3.11m | Drywell and Torus Purge Supplies |
| 7.3.11n | Drywell Purge Exhaust |
| 7.3.11o | Tip Purge |
| 7.3.11p | Tip Drives |
| 7.3.11q | Instrument Lines |
| 7.3.11r | Not Used |
| 7.3.11s | Integrated Leak Rate Test Connections |
| 7.3.11t | Instrument Lines, Drywell Pressure |
| 7.3.11u | Not Used |
| 7.3.11v | CRD Insert and Withdrawal |
| 7.3.11w | RHR Containment Spray |
| 7.3.11x | Recirculation Loop and Main Steam Samples |
| 7.3.11y | Standby Liquid Control |
| 7.3.11z | Containment Atmospheric Control System Sample Lines |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|-------------------------------------------------------------|
| 7.3.11aa | Containment Atmospheric Control System/CADS Sample Lines |
| 7.3.11bb | Containment Atmospheric Control System Sample Return |
| 7.3.11cc | Drywell Chilled Water |
| 7.3.11dd | Torus Vacuum Breaker |
| 7.3.11ee | Instrument Lines, Torus Levels |
| 7.3.11ff | RHR Torus Spray and RHR Test and Pool Cooling Return |
| 7.3.11gg | RCIC and HPCI Turbine Exhaust - RCIC and HPCI Vacuum Relief |
| 7.3.11hh | HPCI Minimum Flow |
| 7.3.11ii | Torus Purge Exhaust |
| 7.3.11jj | RCIC Vacuum Pump Discharge - HPCI Turbine Drain |
| 7.3.11kk | Core Spray Test Line |
| 7.3.11ll | RCIC and Torus Water Cleanup Suction |
| 7.3.11mm | RHR Pump Suction |
| 7.3.11nn | HPCI Suction |
| 7.3.11oo | Core Spray Pump Suction |
| 7.3.11pp | Core Spray Pump Minimum Flow |
| 7.3.11qq | RCIC Pump Minimum Flow |
| 7.3.11rr | HPCI Test Line |
| 7.3.11ss | Core Spray Test Line |
| 7.3.11tt | Pump Minimum Flow |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|--------------------------------------------------|
| 7.3.12 | ADS Safety Grade Pneumatic Supply Leak Detection |
| 7.4.1A | Deleted |
| 7.4.1B | Deleted |
| 7.4.2A | Deleted |
| 7.4.2B | Deleted |
| 7.4.2C | Deleted |
| 7.4.2D | Deleted |
| 7.4.2E | Deleted |
| 7.4.2F | Deleted |
| 7.4.2G | Deleted |
| 7.4.3A | Deleted |
| 7.4.3B | Deleted |
| 7.4.4 | Deleted |
| 7.4.5A | Deleted |
| 7.4.5B | Deleted |
| 7.4.5C | Deleted |
| 7.4.5D | Deleted |
| 7.4.6 | Deleted |
| 7.4.7A | Deleted |
| 7.4.7B | Deleted |
| 7.4.7C | Deleted |
| 7.4.7D | Deleted |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|--------------------------------------------------------------------------------------------------|
| 7.4.7E | Deleted |
| 7.4.7F | Deleted |
| 7.4.7G | Deleted |
| 7.4.8 | Reactor Recirculation Loop Valves Functional Control Diagram |
| 7.4.9 | Typical Core Standby Cooling Systems Trip Systems Actuation Logic |
| 7.5.1 | Deleted |
| 7.5.2 | WRNMS Configuration (One Channel) |
| 7.5.3 | Deleted |
| 7.5.4 | Functional Block Diagram of WRNM Channel |
| 7.5.5 | Deleted |
| 7.5.6 | Core Location of Neutron Monitoring System Detectors |
| 7.5.7 | Deleted |
| 7.5.8 | LPRM Locations |
| 7.5.9 | Power Range Neutron Monitoring Unit |
| 7.5.10a | LPRM to APRM Assignment Scheme (System A) |
| 7.5.10b | LPRM to APRM Assignment Scheme (System B) |
| 7.5.11 | APRM Tracking, Reduction in Power by Flow Control |
| 7.5.12 | Envelope of Maximum APRM Deviation for APRM Tracking with On-Limit-Limits Control Rod Withdrawal |
| 7.5.13 | Typical Assignment of LPRM Assemblies to RBM's |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|------------------------------------------------------------------------|
| 7.5.14 | RBM Trip Setpoint Variation with Reference APRM Power |
| 7.5.15 | LPRM to RBM Assignment |
| 7.5.16 | Assignment of LPRM Strings to TIP Machines |
| 7.5.17 | Traversing In-Core Probe Subsystem Block Diagram |
| 7.5.18 | Traversing In-Core Probe Assembly |
| 7.5.19 | Neutron Monitoring System Arrangement |
| 7.5.20 | Deleted |
| 7.5.21 | Ranges of Neutron Monitoring System |
| 7.5.22 | Typical WRNM Circuit Arrangement for Reactor Protection System Input |
| 7.5.23 | Typical APRM Circuit Arrangement for Reactor Protection System Input |
| 7.5.24 | APRM Trip Setdown, 15 Percent Power in Startup Mode |
| 7.6.1 | CRD Hydraulic System, Refueling Interlocks, Functional Control Diagram |
| 7.7.1A | Deleted |
| 7.7.1B | Deleted |
| 7.7.1C | Deleted |
| 7.7.1D | Deleted |
| 7.7.1E | Deleted |
| 7.7.1F | Deleted |
| 7.7.1G | Deleted |
| 7.7.1H | DELETED |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|-------------------------------------------------------------------------------|
| 7.7.1I | Deleted |
| 7.7.2 | Deleted |
| 7.7.3 | Reactor Control Board |
| 7.7.4 | Input Signals to Four-Rod Display |
| 7.7.5 | Typical Process Computer Printout |
| 7.7.6 | Rod Block Functions |
| 7.8.1 | Nuclear Boiler Instrumentation, P&ID (Deleted) |
| 7.8.2 | Nuclear Boiler Thermocouple Locations |
| 7.9.1 | Recirculation Flow Control Illustration |
| 7.9.3 | Deleted |
| 7.9.4A | Deleted |
| 7.9.4B | Deleted |
| 7.9.4C | Deleted |
| 7.9.4D | Deleted |
| 7.9.4E | Deleted |
| 7.9.4F | Deleted |
| 7.10.1 | Feedwater Control System Dual Redundant, Independent Computer Architecture |
| 7.10.2 | Feedwater Control System, DFCS Logic Structure Overview |
| 7.11.1 | Deleted |
| 7.11.2 | Block Diagram, Pressure, Load and Speed Control |
| 7.12.1 | Deleted |

PBAPS UFSAR

LIST OF FIGURES (cont'd)

| <u>FIGURE</u> | <u>TITLE</u> |
|---------------|--------------------------------------------------------------------|
| 7.12.2 | Process Radiation Monitoring System Instrument Electrical Drawings |
| 7.12.3 | Deleted |
| 7.13.1 | Deleted |
| 7.16.1 | Rod Worth Minimizer Functional Control Diagram |
| 7.17.1 | Damping Coefficient Versus Decay Ratio (Second Order Systems) |
| 7.20.1 | Deleted |