

RENEWED AMENDMENT NUMBER 17 TO COC 1004

APPENDIX B

TECHNICAL SPECIFICATIONS FOR THE STANDARDIZED NUHOMS® HORIZONTAL  
MODULAR STORAGE SYSTEM

DOCKET 72-1004

## TABLE OF CONTENTS

		<u>Page</u>
1.0	Use and Application .....	1-1
1.1	Definitions .....	1-1
1.2	Logical Connectors .....	1-4
1.3	Completion Times .....	1-6
1.4	Frequency .....	1-9
2.0	Functional and Operating Limits .....	2-1
2.1	Fuel to be Stored in the Standardized NUHOMS® System.....	2-1
2.2	Functional and Operating Limits Violations Immediate Actions .....	2-2
3.0	Limiting Condition for Operation (LCO) and Surveillance Requirement (SR) Applicability .....	3-1
3.1	Fuel Integrity .....	3-3
3.1.1	DSC Bulkwater Removal Medium and Vacuum Drying Pressure .....	3-3
3.1.2	DSC Helium Backfill Pressure .....	3-5
3.1.3	Time Limit for Completion of DSC Transfer (24PTH, 61BTH Type 2, 32PTH1, 69BTH, or 37PTH DSC Only).....	3-7
3.2	Cask Criticality Control .....	3-9
3.3	Radiation Safety .....	3-11
3.3.1	Dry Shielded Canister Surface Contamination Levels.....	3-11
4.0	Administrative Controls .....	4-1
4.1	Functional and Operating Limits Violations Reportability Actions.....	4-1
4.2	Procedures .....	4-2
4.2.1	Procedures .....	4-2
4.2.2	Aging Management Program Procedures and Reporting.....	4-2
4.3	Programs .....	4-3
4.3.1	Radiological Environmental Monitoring Program .....	4-3
4.3.2	Radiation Protection Program .....	4-3
4.3.3	Hydrogen Gas Monitoring for NUHOMS®.....	4-4
4.3.4	Heavy Loads Requirements .....	4-5
4.3.5	Pre-Operational Testing and Training Exercise.....	4-5
4.3.6	HSM or HSM-H Thermal Monitoring Program.....	4-6
4.4	Cask Transfer Controls .....	4-8
4.4.1	TC/DSC Lifting/Handling Height Limits.....	4-8
4.4.2	Trailer Shielding Drop onto OS197L TC.....	4-9
4.5	HSM-H Configuration Changes .....	4-10

## LIST OF TABLES

		<u>Page</u>
Table 1-1a	PWR Fuel Specifications for Fuel to be Stored in the Standardized NUHOMS®-24P DSC.....	T-1
Table 1-1b	BWR Fuel Specifications for Fuel to be Stored in the Standardized NUHOMS®-52B DSC.....	T-2
Table 1-1c	BWR Fuel Specifications for Fuel to be Stored in the Standardized NUHOMS®-61BT DSC .....	T-3
Table 1-1d	(Not Used).....	T-4
Table 1-1e	PWR Fuel Specifications for Fuel to be Stored in the NUHOMS®-32PT DSC.....	T-5
Table 1-1f	(Not Used).....	T-7
Table 1-1g	Maximum Planar Average Initial Enrichment and Required Number of PRAs and Minimum Soluble Boron Loading (NUHOMS®-32PT DSC) – Intact Fuel.....	T-8
Table 1-1g1	Maximum Planar Average Initial Enrichment for Type A1 and A2 Basket and Minimum Soluble Boron Loading (NUHOMS®-32PT DSC) – Intact Fuel .....	T-9
Table 1-1g2	Maximum Planar Average Initial Enrichment for Type A1 and A2 Basket and Minimum Soluble Boron Loading (NUHOMS®-32PT DSC) – Damaged Fuel.....	T-11
Table 1-1g3	Maximum Planar Average Initial Enrichment for Type A1 and A2 Basket and Minimum Soluble Boron Loading (NUHOMS®-32PT DSC) –Failed Fuel .....	T-12
Table 1-1h	Specification for the NUHOMS®-32PT Poison Plates and PRAs .....	T-13
Table 1-1i	PWR Fuel Specifications for Fuel to be Stored in the Standardized NUHOMS®-24PHB DSC.....	T-14
Table 1-1j	BWR Fuel Specification of Damaged Fuel to be Stored in the Standardized NUHOMS®-61BT DSC .....	T-16
Table 1-1k	B10 Specification for the NUHOMS®-61BT Poison Plates .....	T-18
Table 1-1l	PWR Fuel Specification for the Fuel to be Stored in the NUHOMS®-24PTH DSC.....	T-19
Table 1-1m	(Not Used).....	T-22
Table 1-1n	Radiological Characteristics for Control Components Stored in the NUHOMS® -24PTH DSC and 24PHB DSC.....	T-23
Table 1-1o	(Not Used).....	T-24
Table 1-1p	Maximum Planar Average Initial Enrichment v/s Neutron Poison Requirements for the NUHOMS® -24PTH DSC (Intact Fuel) .....	T-25
Table 1-1q	Maximum Planar Average Initial Enrichment v/s Neutron Poison Requirements for the NUHOMS®-24PTH DSC (Damaged Fuel) .....	T-27
Table 1-1q1	Maximum Planar Average Initial Enrichment v/s Neutron Poison Requirements for the NUHOMS®-24PTH DSC (up to 8 Damaged/Failed Fuel) .....	T-28
Table 1-1r	B10 Specification for the NUHOMS®-24PTH Poison Plates .....	T-30
Table 1-1s	(Deleted).....	T-31
Table 1-1t	BWR Fuel Specification for the Fuel to be Stored in the NUHOMS®-61BTH DSC.....	T-32
Table 1-1u	(Not Used).....	T-34

Table 1-1v	Maximum Fuel Assembly Lattice Average Initial Enrichment v/s Minimum B-10 Requirements for the NUHOMS®-61BTH DSC Poison Plates (Intact Fuel) .....	T-35
Table 1-1w	Maximum Fuel Assembly Lattice Average Initial Enrichment v/s Minimum B-10 Requirements for the NUHOMS®-61BTH DSC Poison Plates (Damaged Fuel) .....	T-36
Table 1-1w1	BWR Fuel Assembly Initial Lattice Average Initial Enrichment v/s Minimum B-10 Requirements for the NUHOMS®-61BTH DSC Poison Plates (Failed and Damaged Fuel).....	T-37
Table 1-1x	BWR Fuel Assembly Initial Lattice Average Enrichments v/s Minimum B-10 Requirements for the NUHOMS® -61BTH DSC Poison Plates for > 16 Damaged Fuel Assemblies .....	T-38
Table 1-1y	(Not Used) .....	T-39
Table 1-1z	(Not Used) .....	T-40
Table 1-1aa	PWR Fuel Specification for the Fuel to be Stored in the NUHOMS®-32PTH1 DSC.....	T-41
Table 1-1bb	(Not Used) .....	T-43
Table 1-1cc	Maximum Planar Average Initial Enrichment v/s Neutron Poison Requirements for 32PTH1 DSC (Intact Fuel).....	T-44
Table 1-1dd	Maximum Planar Average Initial Enrichment v/s Neutron Poison Requirements for 32PTH1 DSC (Damaged and Failed <sup>(3)</sup> Fuel).....	T-46
Table 1-1dd1	Maximum Planar Average Initial Enrichment for 32PTH1 DSC (Up to 16 FFCs – 16 empty slots) .....	T-49
Table 1-1ee	Radiological Characteristics for Control Components Stored in the NUHOMS®-32PT and NUHOMS®-32PTH1 DSCs.....	T-50
Table 1-1ff	B10 Specification for the NUHOMS®-32PTH1 Poison Plates .....	T-51
Table 1-1gg	BWR Fuel Specification for the Fuel to be Stored in the NUHOMS®-69BTH DSC.....	T-52
Table 1-1hh	Not Used .....	T-54
Table 1-1ii	(Not Used) .....	T-55
Table 1-1jj	BWR Fuel Assembly Lattice Average Initial Enrichment vs Minimum B10 Requirements for the NUHOMS®-69BTH DSC Poison Plates (Intact Fuel) ....	T-56
Table 1-1kk	BWR Fuel Assembly Lattice Average Initial Enrichment vs Minimum B10 Requirements for the NUHOMS®-69BTH DSC Poison Plates (Damaged Fuel) .....	T-57
Table 1-1ll	PWR Fuel Specification for the Fuel to be Stored in the NUHOMS®-37PTH DSC.....	T-58
Table 1-1mm	Not Used .....	T-60
Table 1-1nn	(Not Used) .....	T-61
Table 1-1oo	Maximum Planar Average Initial Enrichment vs. Minimum Soluble Boron Concentration for 37PTH DSC (Intact and Damaged Fuel) .....	T-62
Table 1-1pp	Maximum Planar Average Initial Enrichment versus Minimum Soluble Boron Concentration for 37PTH DSC and Poison Rod Assemblies (Intact and Damaged Fuel).....	T-63
Table 1-1qq	Radiological Characteristics for Control Components Stored in the NUHOMS®-37PTH DSC .....	T-64
Table 1-1rr	B10 Specification for the NUHOMS®-37PTH Poison Plates .....	T-65
Table 1-1ss	B-10 Specification for the NUHOMS® - 37PTH PRAs .....	T-65
Table 1-2a	PWR Fuel Qualification Table for the Standardized NUHOMS®-24P DSC (Fuel Without BPRAs) .....	T-66
Table 1-2b	BWR Fuel Qualification Table for the Standardized NUHOMS®-52B DSC .....	T-67

Table 1-2c	PWR Fuel Qualification Table for the Standardized NUHOMS®-24P DSC (Fuel with BPRAs) .....	T-68
Table 1-2p	PWR Fuel Qualification Table for Zone 3 with 1.3 kW per Assembly, Fuel with or without CCs, for the NUHOMS®-24PHB DSC .....	T-70
Table 1-2q	BWR Fuel Qualification Table for NUHOMS®-61BT DSC .....	T-71
Table 1-3i	PWR Fuel Qualification Table for 1.2 kW per Fuel Assembly for the NUHOMS® 37PTH DSC .....	T-73
Table 1-3k	PWR Fuel Qualification Table for 1.5 kW per Fuel Assembly for the NUHOMS® 24PTH-S-LC and 32PTH1 DSCs.....	T-77
Table 1-3m	PWR Fuel Qualification Table for 2.0 kW per Fuel Assembly for the NUHOMS® 24PTH-S/-L DSC .....	T-81
Table 1-3n	PWR Fuel Qualification Table for 2.2 kW per Fuel Assembly for the NUHOMS® 32PT DSC .....	T-84
Table 1-3o	PWR Fuel Qualification Table for 2.5 kW per Fuel Assembly for the NUHOMS® 24PTH-S/-L DSC .....	T-86
Table 1-3p	PWR Fuel Qualification Table for 0.2 to 0.6 wt.% U-235 for the NUHOMS® 24PTH, 32PT, 32PTH1, and 37PTH DSCs .....	T-89
Table 1-4e	BWR Fuel Qualification Table for the NUHOMS®-61BTH DSC in the Standardized HSM .....	T-93
Table 1-4f	BWR Fuel Qualification Table for the NUHOMS®-61BTH DSC in the HSM-H.....	T-97
Table 1-6a	Fuel Qualification Table for 0.3 kW BWR FAs in Zone 1 of a NUHOMS®-61BT DSC Contained in an OS197L TC .....	T-102
Table 1-6b	Fuel Qualification Table for 0.17 kW BWR FAs in Zone 2 of a NUHOMS®-61BT DSC Contained in an OS197L TC .....	T-103
Table 1-6c	Fuel Qualification Table for 0.6 kW PWR FAs in Zone 1 of a NUHOMS®-32PT DSC Contained in an OS197L TC (Fuel with or without CCs).....	T-104
Table 1-6d	Fuel Qualification Table for 0.4 kW PWR FAs in Zone 2 of a NUHOMS®-32PT DSC Contained in an OS197L TC (Fuel with or without CCs).....	T-105
Table 1-7k	BWR Fuel Qualification Table for Fuel with 0.60 kW per FA for the NUHOMS®-69BTH DSC .....	T-108
Table 1-7m	BWR Fuel Qualification Table for Fuel with 0.90 kW per FA for the NUHOMS®-69BTH DSC .....	T-111

## LIST OF FIGURES

		<u>Page</u>
Figure 1-1	PWR Fuel Criticality Acceptance Curve for the 24P DSC .....	F-1
Figure 1-2	Heat Load Zoning Configuration 1 for the NUHOMS®-32PT DSC .....	F-2
Figure 1-3	Heat Load Zoning Configuration 2 for the NUHOMS®-32PT DSC .....	F-3
Figure 1-4	Heat Load Zoning Configuration 3 for the NUHOMS®-32PT DSC .....	F-4
Figure 1-4a	Heat Load Zoning Configuration 4 for the NUHOMS® -32PT DSC .....	F-5
Figure 1-4b	Location of Damaged and Failed Fuel Assemblies inside 32PT DSC.....	F-6
Figure 1-5	Required PRA Locations for the NUHOMS®-32PT DSC Configuration with Four PRAs .....	F-7
Figure 1-6	Required PRA Locations for the NUHOMS®-32PT DSC Configuration with Eight PRAs .....	F-8
Figure 1-7	Required PRA Locations for the NUHOMS®-32PT DSC Configuration with Sixteen PRAs .....	F-9
Figure 1-8	Heat Load Zoning Configuration for Fuel Assemblies (with or without Control Components) Stored in NUHOMS®-24PHB DSC–Configuration 1.....	F-10
Figure 1-9	Heat Load Zoning Configuration for Fuel Assemblies (with or without Control Components) Stored in NUHOMS®-24PHB DSC–Configuration 2.....	F-11
Figure 1-10	Soluble Boron Concentration vs. Fuel Initial U-235 Enrichment (Intact Fuel) for the NUHOMS® 24PHB System .....	F-12
Figure 1-10a	Soluble Boron Concentration vs. Fuel Initial U-235 Enrichment (Damaged Fuel) for the NUHOMS®-24PHB System .....	F-13
Figure 1-11	Heat Load Zoning Configuration Number 1 for 24PTH-S and 24PTH-L DSCs .....	F-14
Figure 1-12	Heat Load Zoning Configuration Number 2 for 24PTH-S and 24PTH-L DSCs .....	F-15
Figure 1-13	Heat Load Zoning Configuration Number 3 for 24PTH-S and 24PTH-L DSCs .....	F-16
Figure 1-14	Heat Load Zoning Configuration Number 4 for 24PTH-S and 24PTH-L DSCs .....	F-17
Figure 1-15	Heat Load Zoning Configuration Number 5 for 24PTH-S-LC <sup>(2)</sup> .....	F-18
Figure 1-15a	Heat Load Zoning Configuration No. 6 for 24PTH-S and 24PTH-L DSCs with Type 1 Basket .....	F-19
Figure 1-16	Location of Failed or Damaged Fuel Inside 24PTH DSC <sup>(1)(2)(3)</sup> .....	F-20
Figure 1-16a	Location of Peripheral and Inner Fuel Locations for the 24PTH DSC .....	F-21
Figure 1-17	Heat Load Zoning Configuration Number 1 for Type 1 or Type 2 61BTH DSCs .....	F-22
Figure 1-18	Heat Load Zoning Configuration Number 2 for Type 1 or Type 2 61BTH DSCs .....	F-23
Figure 1-19	Heat Load Zoning Configuration Number 3 for Type 1 or Type 2 61BTH DSCs .....	F-24
Figure 1-20	Heat Load Zoning Configuration Number 4 for Type 1 or Type 2 61BTH DSCs .....	F-25
Figure 1-21	Heat Load Zoning Configuration Number 5 for Type 2 61BTH DSCs .....	F-26
Figure 1-22	Heat Load Zoning Configuration Number 6 for Type 2 61BTH DSCs .....	F-27
Figure 1-23	Heat Load Zoning Configuration Number 7 for Type 2 61BTH DSCs .....	F-28
Figure 1-24	Heat Load Zoning Configuration Number 8 for Type 2 61BTH DSCs .....	F-29
Figure 1-25	Location of Damaged and Failed Fuel Assemblies inside 61BTH DSC .....	F-30
Figure 1-25a	Heat Load Zoning Configuration No. 9 for Type 1 or Type 2 61BTH DSC.....	F-31
Figure 1-25b	Heat Load Zoning Configuration No. 10 for Type 2 61BTH DSC .....	F-32

Figure 1-25c	Location of Peripheral and Inner Fuel Locations for the 61BTH DSC .....	F-33
Figure 1-25d	Heat Load Zoning Configuration No. 11 for Type 2 61BTH DSC .....	F-34
Figure 1-25e	Heat Load Zoning Configuration No. 12 for Type 2 61BTH DSC .....	F-35
Figure 1-25f	Heat Load Zoning Configuration No. 13 for Type 2 61BTH DSC .....	F-36
Figure 1-26	Heat Load Zoning Configuration Number 1 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 Baskets).....	F-37
Figure 1-27	Heat Load Zoning Configuration Number 2 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 or Type 2 Baskets) .....	F-38
Figure 1-28	Heat Load Zoning Configuration Number 3 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 or Type 2 Baskets) .....	F-39
Figure 1-28a	Heat Load Zoning Configuration No. 4 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 or Type 2 Baskets) .....	F-40
Figure 1-28b	Heat Load Zoning Configuration No. 5 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 Basket) .....	F-41
Figure 1-28c	Heat Load Zoning Configuration No. 6 for 32PTH1-S, 32PTH1-M and 32PTH1-L DSCs (Type 1 Basket) .....	F-42
Figure 1-29	Heat Load Zone Configuration for the 61BT DSC Contained in an OS197L TC .....	F-43
Figure 1-30	Heat Load Zone Configuration for the 32PT DSC Contained in an OS197L TC .....	F-44
Figure 1-31	Heat Load Zoning Configuration Number 1 for 69BTH DSCs .....	F-45
Figure 1-32	Heat Load Zoning Configuration Number 2 for 69BTH DSCs .....	F-46
Figure 1-33	Heat Load Zoning Configuration Number 3 for 69BTH DSCs .....	F-47
Figure 1-34	Heat Load Zoning Configuration Number 4 for 69BTH DSCs .....	F-48
Figure 1-35	Heat Load Zoning Configuration Number 5 for 69BTH DSC .....	F-49
Figure 1-36	Heat Load Zoning Configuration Number 6 for 69BTH DSC .....	F-50
Figure 1-37	Location of Damaged Fuel Assemblies Inside 69BTH DSC.....	F-51
Figure 1-38	Heat Load Zoning Configuration No. 7 for 69BTH DSCs .....	F-52
Figure 1-39	Heat Load Zoning Configuration Number 2 for 37PTH-S and 37PTH-M DSCs .....	F-53
Figure 1-40	Heat Load Zoning Configuration Number 3 for 37PTH-S and 37PTH-M DSCs .....	F-54
Figure 1-41	Required PRA Locations for the NUHOMS®-37PTH DSC Configuration with Five PRAs .....	F-55
Figure 1-42	Required PRA Locations for the NUHOMS®-37PTH DSC Configuration with Nine PRAs .....	F-56