

From: Wall, Scott
Sent: Friday, April 23, 2021 2:38 PM
To: Michael K. Scarpello
Cc: Helen L Levendosky; Joe Tanko
Subject: D.C. Cook Nuclear Plant Unit Nos. 1 and 2 – Acceptance of License Amendment Request Regarding Containment Water Level Instrumentation (EPID No. L-2021-LLA-0050)

Dear Mr. Scarpello:

By letter dated March 23, 2021 (ADAMS Accession No. ML21082A496), Indiana Michigan Power Company submitted a license amendment request (LAR) for Donald C. Cook Nuclear Plant, Unit Nos. 1 and 2 (CNP) to modify the Technical Specification (TS) Bases for TS 3.3.3, “Post Accident Monitoring (PAM) Instrumentation.” The proposed change to the TS Bases would allow one channel of TS 3.3.3, “Post Accident Monitoring (PAM) Instrumentation,” Function 7, Containment Water Level, to be satisfied by a train of two operable containment water level switches in the event that both containment water level channels become inoperable. This alternate method of satisfying containment water level channel requirements would be limited to the remaining duration of the operating cycle each time it is invoked.

The purpose of this e-mail is to provide the results of the U.S. Nuclear Regulatory Commission (NRC) staff’s acceptance review of this amendment request. The acceptance review was performed to determine if there is sufficient technical information in scope and depth to allow the NRC staff to complete its detailed technical review. The acceptance review is also intended to identify whether the application has any readily apparent information insufficiencies in its characterization of the regulatory requirements or the licensing basis of the plant. Consistent with Section 50.90 of Title 10 of the Code of Federal Regulations (10 CFR), an amendment to the license (including the technical specifications) must fully describe the changes requested, and following as far as applicable, the form prescribed for original applications. Section 50.34 of 10 CFR addresses the content of technical information required. This section stipulates that the submittal address the design and operating characteristics, unusual or novel design features, and principal safety considerations.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed exemption in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff’s ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. If additional information is needed, you will be advised by separate correspondence.

Based on the information provided in your submittal, the NRC staff has estimated that this licensing request will take approximately **300 hours** to complete. The NRC staff expects to complete this review by **April 2022**. If there are emergent complexities or challenges in our review that would cause changes to the initial forecasted completion date or significant changes in the forecasted hours, the reasons for the changes, along with the new estimates, will be communicated during the routine interactions with the assigned project manager.

These estimates are based on the NRC staff's initial review of the application and they could change, due to several factors including requests for additional information, unanticipated addition of scope to the review, and review by NRC advisory committees or hearing-related activities.

If you have any questions, please contact me at (301) 415-2855 or e-mail at Scott.Wall@nrc.gov.

Scott P. Wall, LSS BB, BSP
Senior Project Manager
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation
301.415.2855
Scott.Wall@nrc.gov

Hearing Identifier: NRR_DRMA
Email Number: 1141

Mail Envelope Properties (SA0PR09MB605861CD1F705D758CE3874D92459)

Subject: D.C. Cook Nuclear Plant Unit Nos. 1 and 2 – Acceptance of License Amendment Request Regarding Containment Water Level Instrumentation (EPID No. L-2021-LLA-0050)
Sent Date: 4/23/2021 2:38:04 PM
Received Date: 4/23/2021 2:38:09 PM
From: Wall, Scott

Created By: Scott.Wall@nrc.gov

Recipients:
"Helen L Levendosky" <hlevendosky@aep.com>
Tracking Status: None
"Joe Tanko" <jmtanko@aep.com>
Tracking Status: None
"Michael K. Scarpello" <mkscarpello@aep.com>
Tracking Status: None

Post Office: SA0PR09MB6058.namprd09.prod.outlook.com

Files	Size	Date & Time
MESSAGE	3883	4/23/2021 2:38:09 PM

Options
Priority: Normal
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date: