

VOLUME I - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|---|-------------|
| I-3-1 | Documents Incorporated Into the CNS USAR by Reference | I-3-4 |
| I-4-1 | Unacceptable Safety Results for Station Event Categories | I-4-2 |
| I-6-1 | Comparison of Nuclear System Design Characteristics | I-6-2 |
| I-6-2 | Comparison of Power Conversion System Design Characteristics | I-6-10 |
| I-6-3 | Comparison of Electrical Power Systems Design Characteristics | I-6-11 |
| I-6-4 | Comparison of Containment Design Characteristics | I-6-12 |
| I-6-5 | Comparison of Structural Design Characteristics | I-6-14 |
| I-7-1 | Cooper Nuclear Station Topical Reports Submitted to the AEC in Support of Docket | I-7-2 |
| I-7-2 | Cooper Nuclear Station ACRS Concerns - Resolution | I-7-5 |
| I-7-3 | Cooper Nuclear Station AEC Staff Concerns - Resolutions | I-7-7 |
| I-7-4 | AEC-ACRS Concerns on Other Related Dockets - Cooper Capability for Resolution | I-7-9 |

VOLUME I - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|---|-------------|
| II-2-1 | Population Histories and Projections at Various Distances from Reactor Building | II-2-3 |
| II-2-2 | Population Histories and Projections by Selected Counties | II-2-4 |
| II-2-3 | Population Histories and Projections of Selected Cities, Towns, and Villages | II-2-5 |
| II-3-1 | Annual Climatological Data - Lincoln, Nebraska | II-3-4 |
| II-3-2 | Annual Climatological Data - Omaha, Nebraska | II-3-6 |
| II-4-1 | Missouri River Dams | II-4-2 |
| II-4-2 | Analytical Determination of River-Stage Discharge | II-4-4 |
| II-4-3 | Chemical Characteristics of Missouri River Water | II-4-13 |
| II-4-4 | Bacteriological Characteristics of Missouri River Water | II-4-14 |
| II-5-1 | Selected Design Earthquakes | II-5-6 |

VOLUME I - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| III-2-3 | Summary of Leading Experience on Operating Production Fuel - Zircaloy-Clad UO ₂ Pellet Fuel | III-2-7 |
| III-2-4 | General Electric Developmental Irradiations - Zircaloy-Clad 95% TD UO ₂ Pellet Fuel Rods | III-2-8 |
| III-2-5 | General Electric Developmental Irradiations Zircaloy-Clad 95% TD UO ₂ Pellet Capsules General Electric Test Reactor | III-2-9 |
| III-3-1 | Reactor Vessel Fatigue Transient Occurrences | III-3-3 |
| III-3-2 | Pressure Differences Across Reactor Vessel Internals | III-3-12 |
| III-7-1 | End of Life Thermal and Hydraulic Conditions | III-7-10 |
| III-10-1 | Core and Channel Decay Ratio Results | III-10-4 |
| III-10-2 | Coordinates of Exclusion Region Boundary | III-10-4 |

VOLUME II - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|---|-------------|
| IV-2-1 | Typical Reactor Vessel Data | IV-2-4 |
| IV-2-2 | Reactor Pressure Vessel Materials | IV-2-5 |
| IV-2-3 | Reactor Vessel Attachments | IV-2-6 |
| IV-2-4 | Initial RT _{NDT} Estimates for Cooper Vessel A508 Class 2 Forgings | IV-2-13 |
| IV-2-5 | Equivalent Transverse RT _{NDT} Values For Reactor Vessel Materials | IV-2-14 |
| IV-3-1 | Reactor Recirculation System Design Characteristics | IV-3-3 |
| IV-4-1 | Nuclear System Safety and Relief Valves | IV-4-3 |
| IV-4-2 | Low-Low Set Safety/Relief Valve System | IV-4-9 |
| IV-4-3 | Safety Valve - Scram Availability | IV-4-17 |
| IV-7-1 | Reactor Core Isolation Cooling System Turbine-- Pump Design Data | IV-7-2 |
| IV-8-1 | Residual Heat Removal System Equipment Design Data | IV-8-4 |
| IV-9-1 | RWCU System Equipment Design Data | IV-9-3 |

VOLUME II - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| V-2-1 | Primary Containment System Principal Design Parameters and Characteristics | V-2-3 |
| V-2-2 | Containment Vessel Penetration Schedule | V-2-9 |
| V-2-3 | Drywell Atmosphere Cooling Data Sheet | V-2-45 |
| V-2-5 | Primary Containment Pressure Control System Instrumentation | V-2-52 |
| V-2-6 | Suppression Chamber Water Level Instrumentation | V-2-54 |
| V-3-1 | Maximum Elevation of Terrain Within Half-Mile Interval Radial Distances from ERP | V-3-6 |
| V-3-2 | Effective ERP Height Within Half-Mile Interval Radial Distances from ERP | V-3-7 |

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|---|-------------|
| VI-3-1 | Emergency Core Cooling Systems Equipment Design Data Summary | VI-3-3 |
| VI-5-1 | ECCS Performance Results | VI-5-5 |
| VI-5-2 | CNS Single Failure Evaluation | VI-5-6 |
| VI-5-3 | Operational Parameters for LOCA Analysis | VI-5-7 |
| VI-5-4 | Plant ECCS Parameters | VI-5-8 |
| VI-5-5 | Summary of Results | VI-5-12 |

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| VII-1-1 | System and Subsystem Separation | VII-1-9 |
| VII-1-2 | Reactor Protection System and Primary Containment Isolation Inputs Sensor Suffix Letters and Division Allocation | VII-1-25 |
| VII-1-3 | Reactor Protection System Four Division Grouping for a Six Channel Neutron Monitoring System | VII-1-26 |
| VII-1-4 | Engineered Safety Feature (ESF) Sensor Suffix Letters and Division Allocation | VII-1-27 |
| VII-1-5 | System and Subsystem Separation | VII-1-28 |
| VII-1-6 | Documentation of Seismic Compliance with IEE-344 or GIP-3 | VII-1-31 |
| VII-1-7 | Reactor Water Level Instrumentation | VII-1-32 |
| VII-2-1 | Reactor Protection System Instrumentation Environmental Conditions | VII-2-15 |
| VII-2-2 | Reactor Protection System/ATWS Scram Trip Functions and Analytical Limits | VII-2-22 |
| VII-3-2 | Primary Containment Isolation System Instrument Specifications | VII-3-10 |
| VII-3-6 | Primary Containment Isolation System (PCIS) Signals and Isolations | VII-3-21 |
| VII-4-1 | High Pressure Coolant Injection System Instrument Specifications | VII-4-5 |
| VII-4-2 | Automatic Depressurization System Instrument Specifications | VII-4-12 |
| VII-4-3 | Core Spray System Instrument Specifications | VII-4-16 |
| VII-4-4 | Low Pressure Coolant Injection Instrument Specifications | VII-4-20 |
| VII-5-1 | SRM Trips | VII-5-5 |
| VII-5-2 | IRM Trips | VII-5-10 |
| VII-5-3 | LPRM Trips | VII-5-13 |
| VII-5-4 | APRM Trips | VII-5-17 |

LIST OF TABLES (CONT'D)

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| VII-6-1 | Refueling Interlock Effectiveness | VII-6-6 |
| VII-7-1 | Reactor Manual Control System Instrument Specifications | VII-7-11 |
| VII-8-1 | Reactor Vessel Instrumentation Instrument Specifications | VII-8-3 |
| VII-8-2 | Reactor Vessel Level and Pressure Instrument Cross Reference | VII-8-4 |
| VII-12-1 | Process Radiation Monitoring Systems Characteristics | VII-12-3 |
| VII-12-2 | Process Radiation Monitoring System Environmental and Power Supply Design Conditions | VII-12-6 |
| VII-13-1 | Plant and Augmented Radwaste (Drum Handling) Area Radiation Monitoring System Environmental and Power Supply Design Conditions | VII-13-2 |
| VII-13-2 | Plant and Augmented Radwaste (Drum Handling) Area Radiation Monitoring System Channels, Ranges, Locations | VII-13-4 |
| VII-16-1 | Typical Nuclear Process Monitoring Instrumentation Input Summary | VII-16-3 |
| VII-16-2 | Typical PMIS Instrumentation Output Summary Signal Output Description | VII-16-8 |

VOLUME IV - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|---|-------------|
| VIII-1-1 | List of Major Electrical Equipment Normal, Startup and Emergency AC Power Sources | VIII-1-2 |
| VIII-1-2 | List of Major Electrical Equipment Auxiliary Power System | VIII-1-3 |
| VIII-1-3 | List of Major Electrical Equipment 125/250 Volt DC Power Systems | VIII-1-4 |
| VIII-4-1 | List of Major Loads Auxiliary Power System | VIII-4-4 |
| VIII-5-1 | Diesel Generator Loading Table Standby AC Power System | VIII-5-3 |
| VIII-5-2 | Standby Diesel Generator System Typical Sequential Loading of Diesel Generators | VIII-5-6 |
| VIII-5-3 | Standby AC Power Source Equipment Nominal Ratings | VIII-5-11 |
| VIII-5-4 | Abnormal Diesel Generator Disabling Conditions and Control Room Indication | VIII-5-12 |

VOLUME IV - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|---|-------------|
| IX-4-1 | Gaseous Radwaste System Data | IX-4-3 |
| IX-4-2 | Noncondensable Gas Flow Rates (Lb/Hr) Entering Augmented Off-Gas Treatment System | IX-4-7 |
| IX-4-3 | Stream Composition After Dilution | IX-4-9 |
| IX-4-4 | Activity Profile | IX-4-12 |
| IX-4-5 | Maximum Expected Activity Release to the Environment From Gland Seal Leakage | IX-4-15 |
| IX-4-6 | Particulates Buildup in Environment | IX-4-16 |
| IX-4-7 | System Failure Analysis | IX-4-18 |

VOLUME IV - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|---|-------------|
| X-5-1 | Fuel Pool Cooling and Demineralizer System - System Performance | X-5-2 |
| X-6-1 | Equipment Supplied by the REC System | X-6-3 |
| X-6-2 | REC System Equipment Data - No. of Subsystems - 2 | X-6-4 |
| X-7-1 | Equipment Cooled by the TEC System | X-7-2 |
| X-7-2 | Turbine Equipment Cooling System Equipment Data | X-7-3 |

VOLUME IV - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| XII-2-1 | Allowable Stresses for Class I Structures | XII-2-12 |
| XII-2-2 | Live Vertical Loads | XII-2-14 |
| XII-2-3 | Responses Obtained from Modal Analysis | XII-2-24 |
| XII-2-4 | Station Structures - Damping Factor | XII-2-28 |
| XII-2-5 | Jet Forces Loading on Primary Containment | XII-2-32 |
| XII-3-1 | Station Shielding Design Basis Limitations | XII-3-2 |

VOLUME V - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--------------------------------|-------------|
| XIII-3-1 | Job Title Matrix | XIII-3-3 |
| XIII-5-1 | Startup and Power Test Program | XIII-5-3 |
| XIII-10-2 | Power Block Buildings | XIII-10-5 |

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| XIV-5-1 | Input Parameters and Initial Conditions for SAR Transient Analyses for Initial Core Only | XIV-5-4 |
| XIV-5-2 | Input Parameters and Initial Conditions for Transient Analyses for Reload Licensing Analysis (RLA) | XIV-5-6 |
| XIV-5-4 | Conditions for ATWS Event Analyses | XIV-5-48 |
| XIV-6-1 | Determination of the CRDA Source Term | XIV-6-7 |
| XIV-6-2 | X/Q Values for the Exclusion Area Boundary and Low Population Zone | XIV-6-9 |
| XIV-6-3 | CRDA Exclusion Area Boundary, Low Population Zone, and Control Room Radiological Dose Consequences | XIV-6-10 |
| XIV-6-4 | Comparison of Cooper Containment and Bodega Bay Test Facility | XIV-6-18 |
| XIV-6-5 | Input Parameters Used for DBA LOCA Primary Containment Analysis | XIV-6-22 |
| XIV-6-6 | Loss-of-Coolant Accident Primary Containment Response Summary | XIV-6-24 |
| XIV-6-7 | SGT System Flows and Iodine Removal Efficiencies | XIV-6-32 |
| XIV-6-8 | X/Q Values for the Exclusion Area Boundary and Low Population Zone | XIV-6-33 |
| XIV-6-9 | X/Q Values for the Control Room Intake | XIV-6-34 |
| XIV-6-10 | Loss-of-Coolant Accident Exclusion Area Boundary, Low Population Zone, and Control Room Radiological Dose Consequences | XIV-6-35 |
| XIV-6-11 | Fuel Handling Accident Secondary Containment Airborne Fission Product Inventory 24 Hours After Shutdown | XIV-6-39 |
| XIV-6-14 | X/Q Values for the Exclusion Area Boundary and Low Population Zone | XIV-6-42 |
| XIV-6-15 | X/Q Values for the Control Room Intake | XIV-6-43 |
| XIV-6-16 | Fuel Handling Accident Exclusion Area Boundary, Low Population Zone, and Control Room Radiological Dose Consequences | XIV-6-44 |
| XIV-6-17 | Plant Operational Parameters Used in Cooper SAFER/GESTR-LOCA Analysis | XIV-6-47 |

VOLUME V - USAR

LIST OF TABLES (CONT'D)

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| XIV-6-18 | Main Steam Line Break Accident Sequence for 10CFR50.46 and 10CFR50 Appendix K | XIV-6-48 |
| XIV-6-19 | Main Steam Line Break Accident Radiological Dose Consequences | XIV-6-53 |
| XIV-6-20 | Dose for Various Main Steam High Flow Settings | XIV-6-55 |
| XIV-7-1 | Station Safety Analysis, Results of Abnormal Operational Transients | XIV-7-3 |
| XIV-7-2 | Supplemental Reload Licensing Report Results for Cooper Nuclear Station Reload 31 Cycle 32 | XIV-7-5 |
| XIV-7-3 | Station Safety Analysis, Results of Design Basis Accidents | XIV-7-7 |
| XIV-8-1 | Activity, Mass Loading and Heat Loading at Various Locations for TID-14844 Release Assumptions | XIV-8-3 |
| XIV-8-2 | Standby Gas Treatment System Heat Loads and Temperatures for RG 1.183 AST LOCA Release Assumptions | XIV-8-4 |
| XIV-8-3 | Dose Rates and Integrated Doses for Various Equipment and Locations Based on TID-14844 Release Assumptions | XIV-8-6 |

VOLUME VI - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|---|-------------|
| C-2-1 | Reactor Building Foundation | C-2-7 |
| C-2-2 | Reactor Building Floor System | C-2-8 |
| C-2-3 | Reactor Building Concrete Walls | C-2-9 |
| C-2-4 | Reactor Building Structural Steel Columns | C-2-11 |
| C-2-5 | Reactor Building Steel Roof Truss-Frame Above El. 117' | C-2-12 |
| C-2-6 | Drywell Shielding Concrete | C-2-14 |
| C-2-7 | Reactor Concrete Pedestal | C-2-16 |
| C-2-8 | Drywell Membrane Stresses | C-2-19 |
| C-2-9 | Jet Impingement Force Stresses | C-2-20 |
| C-2-10 | Drywell Stabilizer Shear Lugs | C-2-22 |
| C-2-11 | Summary of Mark I Containment and Piping Modifications | C-2-28 |
| C-2-12 | Original Tabulation of Critical Pipe Stresses Due to Dead Weight Plus Pressure, Plus Operating Basis Earthquake, Plus Thermal Loads | C-2-32 |
| C-2-13 | Control Building Foundation | C-2-39 |
| C-2-14 | Control Building Floor System | C-2-40 |
| C-2-15 | Control Building Concrete Walls | C-2-41 |
| C-2-16 | Elevated Release Point Foundations and Tower | C-2-43 |
| C-3-1 | Loading Condition Probabilities | C-3-4 |
| C-3-2 | Deformation Limit | C-3-5 |
| C-3-3 | Primary Stress Limit | C-3-6 |
| C-3-4 | Buckling Stability Limit | C-3-8 |
| C-3-5 | Fatigue Limit | C-3-9 |
| C-3-6 | Minimum Safety Factors | C-3-10 |
| C-3-7 | Loading Criteria | C-3-11 |
| | Reactor Vessel Internals and Associated Equipment | C-3-11 |
| | Main Steam Piping | C-3-24 |
| | Recirculation Loop Piping | C-3-26 |

VOLUME VI - USAR

LIST OF TABLES (CONT'D)

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| C-3-7 Cont. | Class IN/IS - Core Spray Discharge Piping CS-ID | C-3-27 |
| | Class IN/IS - Clean-Up Recirculation Pump Suction Piping CU-IS | C-3-28 |
| | Class IN/IS - Main Steam Piping to HPCI Turbine and Residual Heat Exchangers 1A and 1B | C-3-29 |
| | Class IN/IS - Reactor Feed Piping | C-3-31 |
| | Class IN/IS - Residual Heat Removal Pump Suction Piping | C-3-33 |
| | Class IN/IS - Residual Heat Removal Pump Discharge Piping | C-3-35 |
| | Recirculation Pumps | C-3-37 |
| | RHR Pump | C-3-41 |
| | Core Spray Pump | C-3-43 |
| | HPCI Pump | C-3-45 |
| | RCIC Pump | C-3-47 |
| | Standby Liquid Control Pump | C-3-49 |
| | HPCI Turbine | C-3-51 |
| | RCIC Turbine | C-3-55 |
| | Main Steam Isolation Valves | C-3-59 |
| | Main Steam Safety Valves | C-3-62 |
| | Main Steam Relief Valves | C-3-67 |
| | Recirculation Valves | C-3-70 |
| | Standby Liquid Control Tank | C-3-73 |

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--------------------------|-------------|
| D(1)-1-1 | Quality Assurance Manual | |
| | List of Abbreviations | D(1)-1-2 |

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|---|-------------|
| G-3-1 | BWR Operating States | G-3-2 |
| G-4-1 | Events Applicable in Each BWR Operating State | G-4-2 |

VOLUME VI - USAR

LIST OF TABLES

| <u>Table No.</u> | <u>Title</u> | <u>Page</u> |
|------------------|--|-------------|
| K-2-1 | Newly-Identified SSCs Requiring Aging Management | K-2-35 |
| K-4-1 | Consolidated List of License Renewal Commitments | K-4-2 |