



**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

April 1, 2021

Director, Office of Nuclear Safeguards
Attn: Document Control Desk/GLTS
US Nuclear Regulatory Commission
Washington, DC 20555-0001

RE: Transfer of Self-Luminous Exit Signs

In fulfillment of the requirements of 10 CFR 31.5(c)(8), we hereby notify you that on 01 April 21 we transferred the self-luminous exit signs listed on the attached spreadsheet to Curie Environmental Services, 4020 Vassar Drive NE, Suite D, Albuquerque NM 87107, State of New Mexico Specific License RS500-03.

As required, for each sign listed on the spreadsheet, we include the name of the manufacturer, model number, and serial number.

If you should have any questions, please contact me at 402.988.4655.

Sincerely,

A handwritten signature in black ink, appearing to read 'Joe'.

Joe Oswalt
Environmental Health Safety Manager

Encl.

Cc: File

NMSS10
NMSS



General Licensed Exit Signs

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: E Energy Adams
 Curie RMA#:
 Receipt Date:
 Curie Cont. #

Customer:
 Unique ID #:
 UPS/FedEx #
 Box Number: 1 of 6

Item #	Manufacturer Name	Mfg. Date	Model #	Serial #	Reference Activity (Ci)	Decayed Activity (Ci) as of March 31, 2021	Comments
1	Safety Light Corporation	Jan-07	SLX-60	339737	11.500	5.17	
2	Safety Light Corporation	Jan-07	SLX-60	339736	11.500	5.17	
3	Safety Light Corporation	Jan-07	SLX-60	339735	11.500	5.17	
4	Safety Light Corporation	Jan-07	SLX-60	435780	11.500	5.17	
5	Safety Light Corporation	Jan-07	SLX-60	435786	11.500	5.17	
6	Isolate Corporation	Oct-15	SLX-60	H40459	6.000	4.41	
7	Isolate Corporation	Oct-15	SLX-60	H40460	6.000	4.41	
8	Safety Light Corporation	Jan-07	SLX-60	435782	11.500	5.17	
9	Safety Light Corporation	Jan-07	SLX-60	435784	11.500	5.17	
10	Safety Light Corporation	Jan-07	SLX-60	435783	11.500	5.17	
11						0.00	
12						0.00	
13						0.00	
14						0.00	
15						0.00	
16						0.00	
17						0.00	
18						0.00	
19						0.00	
20						0.00	
21						0.00	
22						0.00	
23						0.00	
24						0.00	
25						0.00	
26						0.00	
27						0.00	
28						0.00	
29						0.00	
30						0.00	
31						0.00	
ivity (must be <100 Ci per Curie return kit. Refer to instructions.)						50.14	

NOTES:

For standard architectural exit signs, a maximum of 10 sign faces per box are allowed. Only aircraft articles may be >10 per box.

The customer/generator certifies there are no damaged or compromised exit signs in this container and all Curie packaging procedures have been followed. Additional surcharges will be assessed if undeclared damaged or compromised exit signs are present in the container upon receipt by Curie.



General Licensed Exit Signs

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: E Energy Adams Customer:
 Curie RMA#: Unique ID #:
 Receipt Date: UPS/FedEx #
 Curie Cont. # Box Number: 2 of 6

Item #	Manufacturer Name	Mfg. Date	Model #	Serial #	Reference Activity (Ci)	Decayed Activity (Ci) as of March 31, 2021	Comments
1	Safety Light Corporation	Jan-07	SLX-60	339745	11.500	5.17	
2	Safety Light Corporation	Jan-07	SLX-60	339734	11.500	5.17	
3	Safety Light Corporation	Jan-07	SLX-60	339750	11.500	5.17	
4	Safety Light Corporation	Jan-07	SLX-60	339749	11.500	5.17	
5	Safety Light Corporation	Jan-07	SLX-60	339738	11.500	5.17	
6	Safety Light Corporation	Jan-07	SLX-60	435785	11.500	5.17	
7	Safety Light Corporation	Jan-07	SLX-60	399733	11.500	5.17	
8	Safety Light Corporation	Jan-07	SLX-60	387154	11.500	5.17	
9	Safety Light Corporation	Jan-07	SLX-60	399755	11.500	5.17	
10	Safety Light Corporation	Jan-07	SLX-60	399756	11.500	5.17	
11						0.00	
12						0.00	
13						0.00	
14						0.00	
15						0.00	
16						0.00	
17						0.00	
18						0.00	
19						0.00	
20						0.00	
21						0.00	
22						0.00	
23						0.00	
24						0.00	
25						0.00	
26						0.00	
27						0.00	
28						0.00	
29						0.00	
30						0.00	
31						0.00	
ivity (must be <100 Ci per Curie return kit. Refer to instructions.)						51.66	

NOTES:

For standard architectural exit signs, a maximum of 10 sign faces per box are allowed. Only aircraft articles may be >10 per box.

The customer/generator certifies there are no damaged or compromised exit signs in this container and all Curie packaging procedures have been followed. Additional surcharges will be assessed if undeclared damaged or compromised exit signs are present in the container upon receipt by Curie.



General Licensed Exit Signs

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: E Energy Adams Customer:
 Curie RMA#: Unique ID #:
 Receipt Date: UPS/FedEx #
 Curie Cont. # Box Number: 3 of 6

Item #	Manufacturer Name	Mfg. Date	Model #	Serial #	Reference Activity (Ci)	Decayed Activity (Ci) as of March 31, 2021	Comments
1	Safety Light Corporation	Jan-07	SLX-60	399753	11.500	5.17	
2	Safety Light Corporation	Jan-07	SLX-60	399754	11.500	5.17	
3	Safety Light Corporation	Jan-07	SLX-60	399757	11.500	5.17	
4	Safety Light Corporation	Jan-07	SLX-60	387155	11.500	5.17	
5	Safety Light Corporation	Jan-07	SLX-60	399759	11.500	5.17	
6	Safety Light Corporation	Jan-07	SLX-60	399741	11.500	5.17	
7	Safety Light Corporation	Jan-07	SLX-60	399744	11.500	5.17	
8	Safety Light Corporation	Jan-07	SLX-60	399752	11.500	5.17	
9	Safety Light Corporation	Jan-07	SLX-60	399751	11.500	5.17	
10	Safety Light Corporation	Jan-07	SLX-60	399758	11.500	5.17	
11						0.00	
12						0.00	
13						0.00	
14						0.00	
15						0.00	
16						0.00	
17						0.00	
18						0.00	
19						0.00	
20						0.00	
21						0.00	
22						0.00	
23						0.00	
24						0.00	
25						0.00	
26						0.00	
27						0.00	
28						0.00	
29						0.00	
30						0.00	
31						0.00	
ivity (must be <100 Ci per Curie return kit. Refer to instructions.)						51.66	

NOTES:

For standard architectural exit signs, a maximum of 10 sign faces per box are allowed. Only aircraft articles may be >10 per box.

The customer/generator certifies there are no damaged or compromised exit signs in this container and all Curie packaging procedures have been followed. Additional surcharges will be assessed if undeclared damaged or compromised exit signs are present in the container upon receipt by Curie.



General Licensed Exit Signs

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator:	E Energy Adams	Customer:	
Curie RMA#:		Unique ID #:	
Receipt Date:		UPS/FedEx #	
Curie Cont. #		Box Number:	4 of 6

Item #	Manufacturer Name	Mfg. Date	Model #	Serial #	Reference Activity (Ci)	Decayed Activity (Ci) as of March 31, 2021	Comments
1	Safety Light Corporation	Jan-07	SLX-60	399748	11.500	5.17	
2	Safety Light Corporation	Jan-07	SLX-60	399743	11.500	5.17	
3	Safety Light Corporation	Jan-07	SLX-60	399739	11.500	5.17	
4	Safety Light Corporation	Jan-07	SLX-60	399742	11.500	5.17	
5	Safety Light Corporation	Jan-07	SLX-60	399740	11.500	5.17	
6	Safety Light Corporation	Jan-07	SLX-60	Y2246	11.500	5.17	
7	Safety Light Corporation	Jan-07	SLX-60	Y2247	11.500	5.17	
8	Safety Light Corporation	Jan-07	SLX-60	399746	11.500	5.17	
9	Safety Light Corporation	Jan-07	SLX-60	399747	11.500	5.17	
10	Safety Light Corporation	Jan-07	SLX-60	399730	11.500	5.17	
11						0.00	
12						0.00	
13						0.00	
14						0.00	
15						0.00	
16						0.00	
17						0.00	
18						0.00	
19						0.00	
20						0.00	
21						0.00	
22						0.00	
23						0.00	
24						0.00	
25						0.00	
26						0.00	
27						0.00	
28						0.00	
29						0.00	
30						0.00	
31						0.00	
ivity (must be <100 Ci per Curie return kit. Refer to instructions.)						51.66	

NOTES:

For standard architectural exit signs, a maximum of 10 sign faces per box are allowed. Only aircraft articles may be >10 per box.

The customer/generator certifies there are no damaged or compromised exit signs in this container and all Curie packaging procedures have been followed. Additional surcharges will be assessed if undeclared damaged or compromised exit signs are present in the container upon receipt by Curie.



General Licensed Exit Signs

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: E Energy Adams Customer:
 Curie RMA#: Unique ID #:
 Receipt Date: UPS/FedEx #
 Curie Cont. # Box Number: 5 of 6

Item #	Manufacturer Name	Mfg. Date	Model #	Serial #	Reference Activity (Ci)	Decayed Activity (Ci) as of March 31, 2021	Comments
1	Safety Light Corporation	Jan-07	SLX-60	399731	11.500	5.17	
2	Safety Light Corporation	Jan-07	SLX-60	435512	11.500	5.17	
3	Safety Light Corporation	Jan-07	SLX-60	399727	11.500	5.17	
4	Safety Light Corporation	Jan-07	SLX-60	399732	11.500	5.17	
5	Safety Light Corporation	Jan-07	SLX-60	399729	11.500	5.17	
6	Safety Light Corporation	Jan-07	SLX-60	435781	11.500	5.17	
7	Safety Light Corporation	Jan-07	SLX-60	399728	11.500	5.17	
8	Isoliare Corporation	Oct-15	SLX-60	H40461	6.000	4.41	
9	Isoliare Corporation	Oct-15	SLX-60	H40464	6.000	4.41	
10	Isoliare Corporation	Oct-15	SLX-60	H40463	6.000	4.41	
11						0.00	
12						0.00	
13						0.00	
14						0.00	
15						0.00	
16						0.00	
17						0.00	
18						0.00	
19						0.00	
20						0.00	
21						0.00	
22						0.00	
23						0.00	
24						0.00	
25						0.00	
26						0.00	
27						0.00	
28						0.00	
29						0.00	
30						0.00	
31						0.00	
ivity (must be <100 Ci per Curie return kit. Refer to instructions.)						49.39	

NOTES:

For standard architectural exit signs, a maximum of 10 sign faces per box are allowed. Only aircraft articles may be >10 per box.

The customer/generator certifies there are no damaged or compromised exit signs in this container and all Curie packaging procedures have been followed. Additional surcharges will be assessed if undeclared damaged or compromised exit signs are present in the container upon receipt by Curie.



General Licensed Exit Signs

TRITIUM (H-3) EXIT SIGN INVENTORY

Generator: E Energy Adams Customer:
 Curie RMA#: Unique ID #:
 Receipt Date: UPS/FedEx #
 Curie Cont. # Box Number: 6 of 6

Item #	Manufacturer Name	Mfg. Date	Model #	Serial #	Reference Activity (Ci)	Decayed Activity (Ci) as of March 31, 2021	Comments
1	SRB Technologies	Oct-12	BX-10-WH	C093589	9.210	5.71	
2	Isolate Corporation	Oct-15	SLX-60	H40466	6.000	4.40	
3	Isolate Corporation	Oct-15	SLX-60	H40462	6.000	4.40	
4	Isolate Corporation	Oct-15	SLX-60	H40465	6.000	4.40	
5						0.00	
6						0.00	
7						0.00	
8						0.00	
9						0.00	
10						0.00	
11						0.00	
12						0.00	
13						0.00	
14						0.00	
15						0.00	
16						0.00	
17						0.00	
18						0.00	
19						0.00	
20						0.00	
21						0.00	
22						0.00	
23						0.00	
24						0.00	
25						0.00	
26						0.00	
27						0.00	
28						0.00	
29						0.00	
30						0.00	
31						0.00	
ivity (must be <100 Ci per Curie return kit. Refer to instructions.)						18.92	

NOTES:

For standard architectural exit signs, a maximum of 10 sign faces per box are allowed. Only aircraft articles may be >10 per box.

The customer/generator certifies there are no damaged or compromised exit signs in this container and all Curie packaging procedures have been followed. Additional surcharges will be assessed if undeclared damaged or compromised exit signs are present in the container upon receipt by Curie.