

PUBLIC SUBMISSION

SUNI Review Complete
Template=ADM-013
E-RIDS=ADM-03

ADD: Jerry Dozier, Tekia
Govan, Kevin Hsueh, Mary
Neely
Comment (21)
Publication Date: 5/21/2021
Citation: 86 FR 27657

As of: 6/22/21 11:18 AM
Received: June 21, 2021
Status: Pending_Post
Tracking No. kq7-4p4f-pew2
Comments Due: June 21, 2021
Submission Type: Web

Docket: NRC-2021-0106

Supplemental Guidance for Radiological Consequence Analyses Using Alternative Source Terms

Comment On: NRC-2021-0106-0001

Supplemental Guidance for Radiological Consequence Analyses Using Alternative Source Terms

Document: NRC-2021-0106-DRAFT-0023

Comment on FR Doc # 2021-10748

Submitter Information

Name: Anonymous Anonymous

General Comment

The NRC staff's approach in the ISG is inappropriately weighted by looking narrowly at the safe shutdown earthquake (SSE) at the exclusion of other initiating events. It is not apparent that control room dose would be met by the NRC staff's rationale in the ISG. The full spectrum of accidents and mitigating systems in Chapters 6 and 15 of the UFSAR should be analyzed. Presumed hold-up characteristics may not be realistic, particularly if human error is considered.