



Region I Office  
Division of Nuclear Materials Safety  
2100 Renaissance Boulevard, Suite 100  
King of Prussia, PA 19406-2713  
(610)337-5000

## Telephone Conversation Record

Date: June 24, 2021

License No. 24-16178-01

Docket No.(no hyphens): 030-10532

Mail Control/Report No. 624703

Licensee Name: Liberty Hospital

Participant(s) Name/Title: Dayra Haley, Lead Nuclear Medicine Technologist

Work Telephone No. 816-415-7791

Business Cellphone No.

NRC Representative Name/Title: Briana DeBoer, Health Physicist

Subject: Additional questions regarding RAI response

Discussion: A phone call was held with Ms. Haley on June 24, 2021 to discuss three items:

1) We further discussed the licensee's request to remove the Depleted Uranium from the license. Ms. Haley indicated that they heard back from the manufacturer who informed them that no depleted uranium was received with the Cs-137 source that was previously returned. The licensee looked again for the depleted uranium and they think they may have located them. They sent a picture of what they found to the manufacturer and are waiting to hear back. They will give us an update when they have one.

2) I let them know that we will be sending a follow-up RAI asking them to confirm that they will perform surveys in accordance with Part 20.1501 and Part 35.70 outside of Room 277 where they will be performing inpatient iodine I-131 and brachytherapy procedures.

3) The renewal request letter dated February 24, 2021 and the RAI response dated June 16, 2021 indicate that the name of the hospital is "The New Liberty Hospital," I asked if there had been any recent changes to ownership at the hospital. She indicated that the name of the hospital has always been "The New Liberty Hospital," and that they regularly go by "Liberty Hospital."

Action Required: Send a second RAI regarding item 2.

**SUNSI REVIEW**

**Document Availability:**  Public or  Non-Public

**Document Sensitivity:**

*(select "1" value to the right)*

- |                                     |   |                          |   |
|-------------------------------------|---|--------------------------|---|
| <input checked="" type="checkbox"/> | Non-Sensitive   | <input type="checkbox"/> | MD 3.4 Non-Public B.1 (Non-Sensitive)                 |
| <input type="checkbox"/>            | Non-Sensitive Copyright   | <input type="checkbox"/> | MD 3.4 Non-Public A.3 (Sensitive Security Related)    |
| <input type="checkbox"/>            | Sensitive – Proprietary   | <input type="checkbox"/> | MD 3.4 Non-Public A.4 (Sensitive Proprietary)         |
| <input type="checkbox"/>            | Sensitive – Privacy Act (includes Personally Identifiable Information (PII))        | <input type="checkbox"/> | MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)         |
| <input type="checkbox"/>            | Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.) | <input type="checkbox"/> | MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc) |
| <input type="checkbox"/>            | Sensitive – Security-Related-Periodic Review Required                               | <input type="checkbox"/> | MD 3.4 Non-Public A.7 ( Internal)                     |

SUNSI Review Completed by: B. DeBoer 6/24/2021