



**CERTIFICATE OF DISPOSITION  
OF MATERIALS**

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the FOIA, Library, and Information Collections Branch (T-6 A10M), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by e-mail to Infocollects.Resource@nrc.gov, and the OMB reviewer at: OMB Office of Information and Regulatory Affairs, (3150-0028), Attn: Desk Officer for the Nuclear Regulatory Commission, 725 17th Street NW, Washington, DC 20503; e-mail: oira\_submission@omb.eop.gov. The NRC may not conduct or sponsor, and a person is not required to respond to, a collection of information unless the document requesting or requiring the collection displays a currently valid OMB control number.

LICENSEE NAME AND ADDRESS

Western Sugar Cooperative  
400 Main Street  
Torrington, WY 82240

D757;H76  
")!\*!\$' \$#

LICENSE NUMBER

49-35259-01

DOCKET NUMBER

LICENSE EXPIRATION DATE

08/31/2025

**A. LICENSE STATUS (Check the appropriate box)**

- This license has expired.  This license has not yet expired; please terminate it.

**B. DISPOSAL OF RADIOACTIVE MATERIAL**

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

1. No radioactive materials have ever been procured or possessed by the licensee under this license.
2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.
- a. Transfer of radioactive materials to the licensee listed below:  
Qal-Tek Associates LLC. 3998 Commerce Circle Idaho Falls, ID 83401  
License Number: 11-27610-01 Expiration Date: November 30, 2034
- b. Disposal of radioactive materials:
1. Directly by the licensee: ? S[^5a` fcb^@g\_ TW ( \$ ) \$ \*  
6aU W@g\_ TW, %'%\*'  
>[UWeW@g\_ TW, &+Z% \$ +Z #  
>[UWeW@S\_ WFWW WFWW EgYsd5aabWsfhW
2. By licensed disposal site:
3. By waste contractor:
- c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

**C. SURVEYS PERFORMED AND REPORTED**

1. A radiation survey was conducted by the licensee. The survey confirms:
- a. the absence of licensed radioactive materials
- b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
2. A copy of the radiation survey results:
- a. is attached; or  b. is not attached (Provide explanation); or  c. was forwarded to NRC on: \_\_\_\_\_ Date
3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
- a. The results of the latest leak test are attached; and/or  b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME	TITLE	TELEPHONE (Include Area Code)	E-MAIL ADDRESS
John Salway	Director of Safety	720-456-8492	jsalway@westernsugar.com

Mail all future correspondence regarding this license to:

Western Sugar Cooperative 7555 E. Hampden Ave Suite 520 Denver, CO 80231

**C. CERTIFYING OFFICIAL**

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE	SIGNATURE	DATE
John Salway Director of Safety		7/1/2021

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

RECEIVED  
JUL 8 2021



3998 Commerce Circle  
 (208) 523-5557  
 www.qaltek.com

Idaho Falls, Idaho 83401  
 Fax (208) 524-8470

### Authorization to Ship Radioactive Material / Sources

#### SOURCE OWNER

Contact: <u>John Salway</u>	ATS#: <u>2021:11405</u>
Phone: <u>(303) 813-3519</u>	Fax: _____
License #: <u>49-35259-01</u>	Expiration Date: <u>2/1/2022</u>
Company: <u>Western Sugar Torrington</u>	_____
<u>400 Main Street</u>	_____
<u>Torrington, WY, 82240</u>	_____

Western Sugar Torrington, upon signature of Qal-Tek's Radiation Safety Officer, is authorized by Qal-Tek Associates to transfer the sealed source(s) and/or device(s) indicated below to the Qal-Tek Associates facility located at: 3998 Commerce Circle, Idaho Falls, ID 83401.

#### GAUGE/DEVICE/LICENSED MATERIAL INFORMATION

<u>Device/Inst.</u>			<u>Source</u>			<u>Assay</u>	<u>Assay</u>	
<u>Mfr.</u>	<u>Model</u>	<u>Serial</u>	<u>Mfr.</u>	<u>Model</u>	<u>Serial</u>	<u>Isotope</u>	<u>Activity (mCi)</u>	<u>Date</u>
KAY RAY	7063	18851				Cs-137	1000	7/6/1994
OHMART	SR-1A	M3886				Cs-137	200	7/1/1989
RONAN	SA-1	M2630				Cs-137	5	3/30/1989
RONAN	SA-8	M3302				Cs-137	50	5/15/1986
RONAN	SA-1	M3594				Cs-137	5	3/30/1989
TEXAS NUCLEAR	5030	B35				Cs-137	100	12/1/1996
TEXAS NUCLEAR	5190	B394				Cs-137	200	7/1/1985

#### AUTHORIZATION SIGNATURES

This authorization is only effective once all parties below have signed this authorization.

#### **SOURCE OWNER:**

By signing below, I agree to the price quoted by Qal-Tek Associates on DSPQ # 2021:11405. I have received a copy and agree to abide by the Terms and Conditions.

<u>John Salway</u>	<u>Director of Safety</u>
Name	Title
	<u>04/14/2021</u>
Signature	Date

**QAL-TEK ASSOCIATES SALESMAN:**

Scott Brown	Radiological Compliance Advisor
Name	Title
<i>Scott Brown</i>	4/13/2021
Signature	Date

**---- DO NOT SHIP ----**

**FINAL SHIPMENT APPROVAL IS NOT AUTHORIZED UNTIL SIGNATURE OF THE RADIATION SAFETY OFFICER (RSO) (or designee) HAS BEEN PROVIDED AND THIS FORM HAS BEEN RETURNED TO THE SOURCE OWNER.**

**QAL-TEK RADIATION SAFETY OFFICER (or Designee):**

Michael Albanese	Radiation Safety Officer or Designee
Name	Title
<i>Michael Albanese</i>	4/14/2021
Signature	Date

Signature of RSO above hereby designates that QAL-TEK ASSOCIATES will assume temporary custody of the described radioactive material, provided all terms and conditions in the signed bid quote are met. Failure to meet these terms and conditions may void custody/ownership of the radioactive material by Qal-Tek Associates. A permanent Transfer of Custody will be provided upon final inspection and verification of the radioactive material received.

**Source Owner Responsibilities – once authorization has been obtained**

- ✓ **Package must include a copy of completed ATS form – ALL SIGNATURES REQUIRED.**
- ✓ **ATS # must be clearly written or included on a label on outside of package.**
- ✓ **Notify Qal-Tek of shipment, shipper and tracking number.**
- ✓ **VRC materials headed towards disposal must use a NRC Form 540/541 Waste Manifest.**
- ✓ **SRP materials designated for possible reutilization, shall use a BOL (ground shipment) or Dangerous Goods Declaration (air shipment).**



www.qaltek.com

**Qal-Tek Associates**

2111 Sam Bass Road  
Suite A300  
Round Rock, TX 78681  
Ph: 512 407-9252  
Fax: 512 407-9831

**3998 Commerce Circle  
Idaho Falls, ID 83401  
Ph: 208 523-5557  
Fax: 208 524-8470**

550 E University Dr  
Mesa, AZ 85203  
Ph: 480 304-5199  
Fax: 480 966-9495

**SEALED RADIOACTIVE SOURCE LEAK TEST REPORT**

Company: **Western Sugar**  
Street: **400 Main Street**  
City/St/Zip: **Torrington, WY 82240**  
Phone: **307-532-7141**

Ref#: **DSP11405-12855**  
Acct#: **103302**

Serial Number: \_\_\_\_\_ Mfg: \_\_\_\_\_ Model: \_\_\_\_\_  
Leak Test Date: **15-Apr-2021**

Leak Test Due Date: **15-Apr-2031**

**Test Instrument**

Test Instrument	Ludlum : 3030 : 219696
-----------------	------------------------

**Test Instrument Info**

MDA	less than 0.005 uCi
alpha efficiency	36.93
beta efficiency	20.08
Det. Type	ZnS (Ag)
Last Cal. Date	14-Jun-2021

**Test Results**

Isotope	Source SN	Activity (mCi)	Assay Date	net alpha CPM	net b/Y CPM	alpha µCi	b/Y µCi	Pass/Fail
Cs137	M3594	5	3/30/1989		0	0	0	Pass

**Comments**

Instrument Technician: Scott Brown  
Date of Service: 15-Apr-2021

Qal-Tek Associates certifies that all leak test measurements are performed in accordance with NRC licensee requirements for isotopic detection limits. For this purpose the MDA is below the NRC regulatory limits of <0.005 uCi



www.qaltek.com

**Qal-Tek Associates**

2111 Sam Bass Road  
Suite A300  
Round Rock, TX 78681  
Ph: 512 407-9252  
Fax: 512 407-9831

**3998 Commerce Circle  
Idaho Falls, ID 83401  
Ph: 208 523-5557  
Fax: 208 524-8470**

550 E University Dr  
Mesa, AZ 85203  
Ph: 480 304-5199  
Fax: 480 966-9495

**SEALED RADIOACTIVE SOURCE LEAK TEST REPORT**

Company: **Western Sugar**  
Street: **400 Main Street**  
City/St/Zip: **Torrington, WY 82240**  
Phone: **307-532-7141**

Fax:

Serial Number:

Mfg:

Model:

Leak Test Date: **15-Apr-2021**

Ref#: **DSP11405-12854**  
Acct#: **103302**

Leak Test Due Date: **15-Apr-2031**

**Test Instrument**

Test Instrument	Ludlum : 3030 : 219696
-----------------	------------------------

**Test Instrument Info**

MDA	less than 0.005 uCi
alpha efficiency	36.93
beta efficiency	20.08
Det. Type	ZnS (Ag)
Last Cal. Date	14-Jun-2021

**Test Results**

Isotope	Source SN	Activity (mCi)	Assay Date	net alpha CPM	net b/Y CPM	alpha µCi	b/Y µCi	Pass/Fail
Cs137	M3302	50	5/15/1986		0	0	0	Pass

**Comments**

Instrument Technician: Scott Brown

Date of Service: 15-Apr-2021

Qal-Tek Associates certifies that all leak test measurements are performed in accordance with NRC licensee requirements for isotopic detection limits. For this purpose the MDA is below the NRC regulatory limits of <0.005 uCi



www.qaltek.com

**Qal-Tek Associates**

2111 Sam Bass Road  
Suite A300  
Round Rock, TX 78681  
Ph: 512 407-9252  
Fax: 512 407-9831

**3998 Commerce Circle  
Idaho Falls, ID 83401  
Ph: 208 523-5557  
Fax: 208 524-8470**

550 E University Dr  
Mesa, AZ 85203  
Ph: 480 304-5199  
Fax: 480 966-9495

**SEALED RADIOACTIVE SOURCE LEAK TEST REPORT**

Company: **Western Sugar**  
Street: **400 Main Street**  
City/ST/Zip: **Torrington, WY 82240**  
Phone: **307-532-7141**

Fax:

Serial Number:

Mfg:

Model:

Leak Test Date: **15-Apr-2021**

Ref#: **DSP11405-12852**

Acct#: **103302**

Leak Test Due Date: **15-Apr-2031**

**Test Instrument**

Test Instrument	Ludlum : 3030 : 219696
-----------------	------------------------

**Test Instrument Info**

MDA	less than 0.005 uCi
alpha efficiency	36.93
beta efficiency	20.08
Det. Type	ZnS (Ag)
Last Cal. Date	14-Jun-2021

**Test Results**

Isotope	Source SN	Activity (mCi)	Assay Date	net alpha CPM	net b/Y CPM	alpha µCi	b/Y µCi	Pass/Fail
						0	0	Pass
Cs137	M3886	200	7/1/1989		0	0	0	Pass

**Comments**

Instrument Technician: Scott Brown

Date of Service: 15-Apr-2021

Qal-Tek Associates certifies that all leak test measurements are performed in accordance with NRC licensee requirements for isotopic detection limits. For this purpose the MDA is below the NRC regulatory limits of <0.005 uCi



www.qaltek.com

**Qal-Tek Associates**

2111 Sam Bass Road  
Suite A300  
Round Rock, TX 78681  
Ph: 512 407-9252  
Fax: 512 407-9831

**3998 Commerce Circle  
Idaho Falls, ID 83401  
Ph: 208 523-5557  
Fax: 208 524-8470**

550 E University Dr  
Mesa, AZ 85203  
Ph: 480 304-5199  
Fax: 480 966-9495

**SEALED RADIOACTIVE SOURCE LEAK TEST REPORT**

Ref#: DSP11405-12851

Acct#: 103302

Company: **Western Sugar**  
Street: **400 Main Street**  
City/St/Zip: **Torrington, WY 82240**  
Phone: **307-532-7141**

Fax:

Serial Number:

Mfg:

Model:

Leak Test Date: **15-Apr-2021**

Leak Test Due Date: **15-Apr-2031**

**Test Instrument**

Test Instrument	Ludlum : 3030 : 219696
-----------------	------------------------

**Test Instrument Info**

MDA	less than 0.005 uCi
alpha efficiency	36.93
beta efficiency	20.08
Det. Type	ZnS (Ag)
Last Cal. Date	14-Jun-2021

**Test Results**

Isotope	Source SN	Activity (mCi)	Assay Date	net alpha CPM	net b/Y CPM	alpha µCi	b/Y µCi	Pass/Fail
Cs137	18851	1000	7/6/1994		0	0	0	Pass

**Comments**

Instrument Technician: Scott Brown

Date of Service: 15-Apr-2021

Qal-Tek Associates certifies that all leak test measurements are performed in accordance with NRC licensee requirements for isotopic detection limits. For this purpose the MDA is below the NRC regulatory limits of <0.005 uCi



www.qaltek.com

**Qal-Tek Associates**

2111 Sam Bass Road  
Suite A300  
Round Rock, TX 78681  
Ph: 512 407-9252  
Fax: 512 407-9831

**3998 Commerce Circle  
Idaho Falls, ID 83401  
Ph: 208 523-5557  
Fax: 208 524-8470**

550 E University Dr  
Mesa, AZ 85203  
Ph: 480 304-5199  
Fax: 480 966-9495

**SEALED RADIOACTIVE SOURCE LEAK TEST REPORT**

Company: **Western Sugar**  
Street: **400 Main Street**  
City/St/Zip: **Torrington, WY 82240**  
Phone: **307-532-7141**

Ref#: **DSP11405-12853**  
Acct#: **103302**

Serial Number: \_\_\_\_\_ Mfg: \_\_\_\_\_ Model: \_\_\_\_\_

Leak Test Date: **15-Apr-2021**

Leak Test Due Date: **15-Apr-2031**

**Test Instrument**

Test Instrument	Ludlum : 3030 : 219696
-----------------	------------------------

**Test Instrument Info**

MDA	less than 0.005 uCi
alpha efficiency	36.93
beta efficiency	20.08
Det. Type	ZnS (Ag)
Last Cal. Date	14-Jun-2021

**Test Results**

Isotope	Source SN	Activity (mCi)	Assay Date	net alpha CPM	net b/Y CPM	alpha µCi	b/Y µCi	Pass/Fail
Cs137	M2630	5	3/30/1989		0	0	0	Pass

**Comments**

Instrument Technician: Scott Brown  
Date of Service: 15-Apr-2021

Qal-Tek Associates certifies that all leak test measurements are performed in accordance with NRC licensee requirements for isotopic detection limits. For this purpose the MDA is below the NRC regulatory limits of <0.005 uCi



www.qaltek.com

**Qal-Tek Associates**

2111 Sam Bass Road  
Suite A300  
Round Rock, TX 78681  
Ph: 512 407-9252  
Fax: 512 407-9831

**3998 Commerce Circle  
Idaho Falls, ID 83401  
Ph: 208 523-5557  
Fax: 208 524-8470**

550 E University Dr  
Mesa, AZ 85203  
Ph: 480 304-5199  
Fax: 480 966-9495

**SEALED RADIOACTIVE SOURCE LEAK TEST REPORT**

Company: **Western Sugar**  
Street: **400 Main Street**  
City/St/Zip: **Torrington, WY 82240**  
Phone: **307-532-7141**

Fax:

Serial Number:

Mfg:

Model:

Leak Test Date: **15-Apr-2021**

Ref#: **DSP11405-12856**

Acct#: **103302**

Leak Test Due Date: **15-Apr-2031**

**Test Instrument**

Test Instrument	Ludlum : 3030 : 219696
-----------------	------------------------

**Test Instrument Info**

MDA	less than 0.005 uCi
alpha efficiency	36.93
beta efficiency	20.08
Det. Type	ZnS (Ag)
Last Cal. Date	14-Jun-2021

**Test Results**

Isotope	Source SN	Activity (mCi)	Assay Date	net alpha CPM	net b/Y CPM	alpha µCi	b/Y µCi	Pass/Fail
Cs137	B35	100	12/1/1996		0	0	0	Pass

**Comments**

Instrument Technician: Scott Brown

Date of Service: 15-Apr-2021

Qal-Tek Associates certifies that all leak test measurements are performed in accordance with NRC licensee requirements for isotopic detection limits. For this purpose the MDA is below the NRC regulatory limits of <0.005 uCi



www.qaltek.com

**Qal-Tek Associates**

2111 Sam Bass Road  
Suite A300  
Round Rock, TX 78681  
Ph: 512 407-9252  
Fax: 512 407-9831

**3998 Commerce Circle**  
**Idaho Falls, ID 83401**  
**Ph: 208 523-5557**  
**Fax: 208 524-8470**

550 E University Dr  
Mesa, AZ 85203  
Ph: 480 304-5199  
Fax: 480 966-9495

**SEALED RADIOACTIVE SOURCE LEAK TEST REPORT**

Company:	Western Sugar	Ref#:	DSP11405-12857
Street:	400 Main Street	Acct#:	103302
City/St/Zip:	Torrington, WY 82240		
Phone:	307-532-7141	Fax:	
Serial Number:	<b>AS6082</b>	Mfg:	Model:
Leak Test Date:	15-Apr-2021	Leak Test Due Date:	15-Apr-2031

**Test Instrument**

Test Instrument	Ludlum : 3030 : 219696
-----------------	------------------------

**Test Instrument Info**

MDA	less than 0.005 uCi
alpha efficiency	36.93
beta efficiency	20.08
Det. Type	ZnS (Ag)
Last Cal. Date	14-Jun-2021

**Test Results**

Isotope	Source SN	Activity (mCi)	Assay Date	net alpha CPM	net b/Y CPM	alpha µCi	b/Y µCi	Pass/Fail
Cs137	B394	200	7/1/1985		0	0	0	Pass

**Comments**

Instrument Technician: Scott Brown  
Date of Service: 15-Apr-2021

Qal-Tek Associates certifies that all leak test measurements are performed in accordance with NRC licensee requirements for isotopic detection limits. For this purpose the MDA is below the NRC regulatory limits of <0.005 uCi



**ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE**

**Name and Address of Applicant and/or Licensee**

Ricky Herman  
Radiation Safety Officer  
The Western Sugar Cooperative  
P.O. Box 700  
Torrington, WY 82240

**Date**

07/14/2021

**License Number(s)**

49-35259-01

**Mail Control Number(s)**

627278

**Licensing and/or Technical Reviewer or Branch**

C. Hill

This is to acknowledge receipt of your:  Letter and/or  Application Dated: 07/01/2021

The initial processing, which included an administrative review, has been performed.

Amendment  Termination  New License  Renewal

There were no administrative omissions identified during our initial review.

This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>  
Follow the instructions on the form for submission.

The following administrative omissions have been identified:

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

**Region IV  
U. S. Nuclear Regulatory Commission  
DNMS/NMSB - B  
1600 E. Lamar Boulevard  
Arlington, TX 76011-4511  
(817) 200-1103 or (817) 200-1140**

BETWEEN:

Accounts Receivable/Payable  
and  
Regional Licensing Branches

[ FOR ARPB USE ]  
INFORMATION FROM WBL

Program Code: 03120  
Status Code: Pending Termination  
Fee Category: 3P  
Exp. Date:  
Fee Comments:  
Decom Fin Assur Reqd: N

## License Fee Worksheet - License Fee Transmittal

### A. REGION

#### 1. APPLICATION ATTACHED

Applicant/Licensee: The Western Sugar Cooperative  
Received Date: 07/08/2021  
Docket Number: 3038857  
Mail Control Number: 627278  
License Number: 49-35259-01  
Action Type: Termination

#### 2. FEE ATTACHED

Amount:       N/A      

Check No.:       N/A      

#### 3. COMMENTS

Signed:       Carol L. Hill      

Date:       07/14/2021      

### B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / / )

1. Fee Category and Amount: \_\_\_\_\_

#### 2. Correct Fee Paid. Application may be processed for:

Amendment: \_\_\_\_\_

Renewal: \_\_\_\_\_

License: \_\_\_\_\_

#### 3. OTHER \_\_\_\_\_

Signed: \_\_\_\_\_

Date: \_\_\_\_\_

Agency: NRC

WBL WORKSHEET

DOCKET NUMBER: 3038857 LICENSE NUMBER: 49-35259-01 STATUS: Pending Termination

MAIL CONTROL NUMBER: 627278 RECEIPT DATE: 07/08/2021 ACTION TYPE: Termination

DUE DATE: 10/06/2021 INST. CODE: 35259 LICENSE REGION: Region 4

LICENSE TYPE: 30 ENTITY TYPE: C LICENSE GROUP: Industrial

ISSUE DATE: ORIGINAL DATE: 08/07/2015 EXPIRATION DATE:

DECOMMISSIONING CATEGORY: Group 1 LAST ISSUE DATE:

LICENSEE NAME: The Western Sugar Cooperative DECOM FIN ASSUR REQD: N  
SUBM: N

MAILING ADDRESS LINE1: P.O. Box 700 CONT PLAN REQD: N APPRV: N

MAILING ADDRESS LINE 2:

CITY: Torrington STATE: WY ZIP: 82240

CONTACT PERSON: PREFIX: Mr. FIRST NAME: Tom MIDDLE INITIAL:

LAST NAME: Briggs SUFFIX:

JOB TITLE: Facility Manager PHONE: 307-532-7141 FAX: 307-532-4117 EMAIL: tebriggs@westernsuga

BILLING ADDRESS LINE 1:

BILLING ADDRESS LINE 2:

CITY: STATE: Wyoming ZIP:

BILLING CONTACT PERSON: FIRST NAME: MIDDLE INITIAL: LAST NAME:

PHONE: EMAIL: FAX:

PRIMARY PGM CODE: 03120 SECONDARY PGM CODE:

INSPECTION REGION: Region 4 PRIORITY: 5

RSO: PREFIX: FIRST NAME: Ricky MIDDLE INITIAL: LAST NAME Herman

SUFFIX: RSO JOB TITLE: Radiation Safety Officer

RSO PHONE: 308-672-4155 RSO FAX: RSO EMAIL: rgherman@westernsugar.com

STATES WHERE USE IS AUTHORIZED: 0- ALL LISTED STATES  
1- SAME AS STATE IN ADDRESS  
2- ALL STATES  
3- NON-AGREEMENT-STATES

AUTHORIZED STATES (USE ONLY IF ABOVE IS ZERO):